

Age group and sex specific standardised incidence (SIR) and mortality ratios (SMR) on district level by notification week

Figures 1 to 16 shows the age and sex specific SIR and SMR mapped on district level. Figures 17 to 18 shows the SIR and SMR and corresponding 95%-CI on national level, stratified by age and sex, respectively.

Figure 1: Sex specific standardised incidence ratio (female)




Figure 2: Sex specific standardised incidence ratio (male)





Figure 3: Age specific standardised incidence ratio (0-4)





Figure 4: Age specific standardised incidence ratio (5-14)





Figure 5: Age specific standardised incidence ratio (15-34)




Figure 6: Age specific standardised incidence ratio (35-59)





Figure 7: Age specific standardised incidence ratio (60-79)





Figure 8: Age specific standardised incidence ratio (80+)





Figure 9: Sex specific standardised mortality ratio (female)





Figure 10: Sex specific standardised mortality ratio (male)





Figure 11: Age specific standardised mortality ratio (0-4)





Figure 12: Age specific standardised mortality ratio (5-14)




Figure 13: Age specific standardised mortality ratio (15-34)





Figure 14: Age specific standardised mortality ratio (35-59)





Figure 15: Age specific standardised mortality ratio (60-79)





Figure 16: Age specific standardised mortality ratio (80+)





Figure 17: Sex specific standardised incidence and mortality ratios over notification weeks



Figure 18: Age specific standardised incidence and mortality ratios over notification weeks

