

Online Resource 4 for Design of Experiment (DOE) Applied to Artificial Neural Network Architecture Enables Rapid Bioprocess Improvement

Journal: Bioprocess and Biosystems Engineering

Daniel Rodriguez-Granrose^{1,2}, Amanda Jones¹, Hannah Loftus¹, Terry Tandeski¹, Will Heaton¹, Kevin T Foley^{1,3,4}, Lara Silverman^{1,3}

Affiliations:

¹ DiscGenics Inc, Salt Lake City, Utah, USA


² Department of Biochemistry and Molecular Biology, University of Miami, Miami, FL, USA

³ Department of Neurosurgery, University of Tennessee Health Science Center, Memphis, Tennessee, USA

⁴ Semmes-Murphey Clinic, Memphis, Tennessee, USA

Corresponding Author:

Daniel Rodriguez-Granrose
daniel@discgenics.com



Online Resource 4 a: Regression Model of the Four Tested Bioprocess Setpoints The regression model compares doublings compared by our four process setpoints. We show a strong regression line with **b: summary of fit** ($R^2 = 0.97$), **c: ANOVA table** ($P < 0.001$) and actual values. This model provides the basis for Fig 4C within the manuscript **d: doubling bar graphs**

and **e: doubling values for individual flasks by bioprocess setpoints** Online Resource 4 was created using JMP Pro v. 14