

Supplemental Online Content

Liuska PJ, Lemmelä S, Havulinna AS, et al; FinnGen Consortium. Association of the *MYOC* p.(Gln368Ter) variant with glaucoma in a Finnish population. *JAMA Ophthalmol*. Published online June 3, 2021. doi:10.1001/jamaophthalmol.2021.1610

eTable. List of Glaucoma End Point Definitions

eFigure. Allele Frequencies of the Myocilin (*MYOC*) c.1102C>T, p.(Gln368Ter) Variant in Different Populations in the gnomAD Database

This supplemental material has been provided by the authors to give readers additional information about their work.

eTable. List of Glaucoma End Point Definitions

Phenotype	ICD-10	ICD-9	ICD-8	Operation code	ATC (drug purchases)
Glaucoma (broad definition, the combination of all the subphenotypes below)	Any of the below	Any of the below	Any of the below		
Glaucoma suspect	H400	3650	37597		
Primary open-angle glaucoma, strict	H40.1 (excluding 40.10 and H40.12)	3651[A,C,E,X]	37510		
Glaucoma, exfoliation	H40.10	3651B	37512		
Normotensive glaucoma	H40.11	3651C			
Primary angle-closure glaucoma	H40.2	3652	37500, 37511		
Glaucoma secondary to eye trauma	H40.3	3656E			
Glaucoma secondary to eye inflammation	H40.4	3656F, 3656B	36401		
Glaucoma secondary to other eye disorders	H40.5	3655, 3656A			
Glaucoma secondary to drugs	H40.6	3653A			
Other and unspecified glaucoma	H40.[8-9]	3656X, 3656C, 365[8-9]	3752,3759 (excluding 37597)		
Use of antiglaucoma preparations and miotics					S01EA
Glaucoma in diseases classified elsewhere	H42	3654A			
Glaucoma-related operations				CHD15, CHD50, CHD65, CFW99	

eFigure. Allele Frequencies of the Myocilin (*MYOC*) c.1102C>T, p.(Gln368Ter) Variant in Different Populations in the gnomAD Database

