Table S1 Criteria of levels of dementia symptomatology in the Japanese LTCI system

Ra	ınk	Criteria	Examples of observable symptoms or behaviors
0		Independent	
I		Suffers from certain dementia symptoms, but daily living is almost fully independent in the domestic and social	
II		spheres. Manifests some symptoms/behaviors and communication difficulties that may hinder daily activities, but can be independent if someone takes care of them.	
	ll a	The above-mentioned conditions in II are observed while outside the domestic sphere.	Frequently gets lost on the street, or makes noticeable mistakes in matters that the person was previously able to handle, such as shopping, personal administrative tasks, or financial management.
III	II ъ	The abovementioned conditions in II are also observed in the domestic sphere. Occasionally manifests communication difficulties or symptoms/behaviors that hinder daily activities,	Is unable to manage taking medication or stay alone at home due to an inability to answer the phone or the door.
	IIIa	thus requiring care. Manifests abovementioned conditions described in III predominantly during the day.	Has difficulty or takes time to change clothes, take meals, defecate, or urinate; puts objects into the mouth, picks up and collects objects, is incontinent, makes loud and incoherent screams, carelessly handles fire, or engages in unhygienic acts or inappropriate sexual acts, etc.
	Шь	Manifests above- mentioned conditions described in III predominantly at night.	Same as rank IIIa.
IV		Frequently manifests difficulties communicating or symptoms/behaviors that hinder daily activities and constantly requires care.	Same as rank III.
M*		Manifests significant mental symptoms, problematic behaviors, or severe physical illnesses and requires specialized medical care.	Shows continued mental symptoms, such as delirium, delusions, and agitation, and manifests associated problematic behaviors, such as self-mutilation or harm to others.

^{*}M=Medical

Table S2 Four categories of social support (including questionnaire items)

	Receive	Provide	
	(a) receiving support at the emotional level	(b) providing support at the emotional level	
Emotional social support	(Question: "Do you have someone who listens to your concerns and complaints? Circle all that apply. Options included family living together, separated children and relatives, acquaintance/friends/neighbors")	(Question: "Do you listen to someone's concerns or complaints? Circle all that apply. Options include family living together, separated children and relatives, acquaintances/friends/neighbors")	
	(c) receiving support at the instrumental level	(d) providing support at the instrumental level	
Instrumental social support	(Question: "Do you have someone who looks after you when you are sick and confined to bed for a few days? Circle all that apply. Options include family living together, separated children and relatives, acquaintance/friends/neighbors")	(Question: "Do you look after someone when he/she is sick and confined to bed for a few days? Circle all that apply. Options include family living together, separated children and relatives, acquaintance/friends/neighbors")	

Table S3 Descriptive characteristics of the respondents (n = 11,032)

	Patients with Dementia [n = 1,776 (16.1%)]				Incidence rate(IR) per 1000 person- years		
Individual level variables	n	%	n	%	Person- year	IR	95% CI
Sex							
Male	5,405	49.0	746	13.8	41,871	17.8	[16.6, 19.1]
Female	5,627	51.0	1,030	18.3	45,362	22.7	[21.4, 24.1]
Age (years)							
65-69	4,065	36.9	207	5.1	35,143	5.9	[5.1, 6.7]
70-74	3,280	29.7	428	13.1	26,842	15.9	[14.5,17.5]
75-79	2,228	20.2	548	24.6	16,689	32.8	[30.2,35.7]
80-84	1,012	9.2	376	37.2	6,502	57.8	[52.3,64.0]
85+	447	4.1	217	48.6	2,057	105.5	[92.4,120.5]
Living alone							
No	9,959	90.3	1,558	15.6	79,038	19.7	[18.8,20.7]
Yes	1,073	9.7	218	20.3	8,194	26.6	[23.3,30.4]
Marital status							
Married	7,905	71.7	1,038	13.1	63,992	16.2	[15.3,17.2]
Widowed or divorced	2,745	24.9	658	24.0	20,274	32.5	[30.1,35.0]
Never married	190	1.7	41	21.6	1,453	28.2	[20.8,38.3]
Other/Missing	192	1.7	39	20.3	1,514	25.8	[18.8,35.3]
Education (years)							
≧13	455	4.1	171	37.6	3,004	56.9	[49.0,66.1]
10-12	6,002	54.4	963	16.0	47,576	20.2	[19.0,21.6]
6-9	3,341	30.3	470	14.1	26,908	17.5	[16.0,19.1]
<6	1,132	10.3	149	13.2	8,965	16.6	[14.2,19.5]
Other/Missing	102	0.9	23	22.6	780	29.5	[19.6,44.4]
Present illness							
No	2,906	26.3	354	12.2	24,074	14.7	[13.3,16.3]
Yes	7,679	69.6	1,348	17.6	59,636	22.6	[21.4,23.8]
Missing	447	4.1	74	16.6	3,523	21.0	[16.7,26.4]
GDS-15							

0-4		6,737	61.1	857	12.7	55,179	15.5	[14.5,16.6]
5-9		2,234	20.3	450	20.1	16,840	26.7	[24.4,29.3]
10-15		644	5.8	170	26.4	4,393	38.7	[33.3,45.0]
Missing		1,417	12.8	299	21.1	10,820	27.6	[24.7,31.0]
Smoking stat	us							
Never		6,501	58.9	1,129	17.4	52,412	21.5	[20.3,22.8]
Former		2,757	25.0	367	13.3	21,375	17.2	[15.5,19.0]
Current		1,396	12.7	213	15.3	10,543	20.2	[17.7,23.1]
Missing		378	3.4	67	17.7	2,902	23.1	[18.2,29.3]
Alcohol cons	sumption							
Non		7,094	64.3	1,268	17.9	55,456	22.9	[21.6,24.2]
Does not devery_day		1,513	13.7	188	12.4	12,275	15.3	[13.3,17.7]
Drinks eve 35 g/day	ery_day ≦	1,769	16.0	233	13.2	14,247	16.4	[14.4,18.6]
Drinks eve 35 g/day	ery_day >	495	4.5	49	9.9	4,032	12.2	[9.2,16.1]
Missing		161	1.5	38	23.6	1,222	31.1	[22.6,42.7]
Social suppor	rts							
Receiving support	emotional							
	No	1,089	9.9	208	19.1	8,161	25.5	[22.2,29.2]
	Yes	9,943	90.1	1,568	15.8	79,071	19.8	[18.9,20.8]
Providing support	emotional							
	No	1,836	16.6	409	22.3	13,135	31.1	[28.3,34.3]
	Yes	9,196	83.4	1,367	14.9	74,097	18.4	[17.5,19.5]
Receiving instrument	tal support							
	No	868	7.9	112	18.1	4,849	23.1	[19.2,27.8]
	Yes	10,164	92.1	1,664	16.0	82,384	20.2	[19.3,21.2]
Providing instrument	tal support							
	No	619	5.6	250	28.8	6,044	41.4	[36.5,46.8]
	Yes	10,413	94.4	1,526	15.0	81,189	18.8	[17.9,19.8]

Table S4 Results of multilevel survival analyses for onset of incident dementia (Full version of Table 3, including individual-level results)

		M 110/1	M 11270	
	Model 1	Model 2 (1 year)	Model 3 (2 year)	Model 4 (3 year)
	11.022	•		10.071
	n = 11,032	n=10,780	n = 10,440	n = 10,071
Fixed effect	HR (95% CI)	HR (95% CI)	HR (95% CI)	HR (95% CI)
Community level variables				
Rate of receiving emotional support*	0.96 (0.94- 0.99)	0.97 (0.94- 0.99)	0.97 (0.94- 0.99)	0.97 (0.94- 0.988)
Rate of providing emotional support*	0.99 (0.96- 1.01)	0.99 (0.96- 1.01)	0.98 (0.95- 1.01)	0.98 (0.95-1.01)
Rate of receiving instrumental support*	1.01 (0.97- 1.04)	1.01 (0.97- 1.04)	1.01 (0.97- 1.05)	1.01 (0.97-1.06)
Rate of providing instrumental support*	1.00 (0.97- 1.03)	1.00 (0.97- 1.02)	1.00 (0.97- 1.03)	1.00 (0.97-1.04)
	1.03)	1.02)	1.03)	
Individual level variables				
Social supports Receiving emotional support			1.0	
No	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)
Yes	1.04 (0.88- 1.22)	1.03 (0.87- 1.22)	1.03 (0.87- 1.23)	0.99 (0.83-1.19)
Providing emotional support			1.0	
No	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)
Yes	0.83 (0.73- 0.94)	0.88 (0.77- 0.997)	0.91 (0.80- 1.04)	0.91 (0.79-1.05)
Receiving instrumental support				
No	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)
Yes	1.22 (0.99- 1.51)	1.18 (0.95- 1.47)	1.13 (0.90- 1.42)	1.15 (0.91-1.47)
Providing instrumental support				
No	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)
Yes	0.76 (0.66- 0.89)	0.82 (0.70- 0.96)	0.85 (0.72- 1.01)	0.89 (0.74-1.07)
Sex	,		,	
Male	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)
Female	1.01 (0.87- 1.18)	1.03 (0.88- 1.20)	1.06 (0.90- 1.24)	1.08 (0.91-1.28)
Age (years)	,	,	,	
65-69	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)
70-74	2.64 (2.23- 3.12)	2.67 (2.25- 3.16)	2.65 (2.22- 3.16)	2.71 (2.26-3.25)
75-79	5.42 (4.60- 6.38)	5.59 (4.73- 6.61)	5.84 (4.93- 6.93)	5.97 (5.00-7.13)
80-84	9.85 (8.24- 11.78)	10.08 (8.40- 12.10)	10.30 (8.53- 12.43)	10.31 (8.46- 12.56)

	85+	19.01 (15.38- 23.50)	19.32 (15.52- 24.06)	19.32 (15.33- 24.34)	18.64 (14.52- 23.92)		
Living alone							
	No	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)		
	Yes	0.94 (0.80- 1.11)	0.94 (0.79- 1.12)	0.98 (0.82- 1.17)	1.03 (0.86-1.24)		
]	Marital status						
	Married	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)		
	Widowed or divorced	1.09 (0.96- 1.24)	1.09 (0.96- 1.24)	1.06 (0.92- 1.21)	1.00 (0.86-1.15)		
	Never married	1.28 (0.92- 1.78)	1.22 (0.87- 1.73)	1.24 (0.87- 1.76)	1.25 (0.87-1.79)		
	Other/Missing	1.12 (0.80- 1.56)	1.13 (0.80- 1.58)	1.09 (0.77- 1.56)	1.09 (0.76-1.57)		
]	Education (years)						
	≧13	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)		
	10-12	0.89 (0.74- 1.08)	0.89 (0.74- 1.08)	0.89 (0.73- 1.08)	0.92 (0.75-1.13)		
	6-9	0.96 (0.80- 1.15)	0.95 (0.79- 1.14)	0.95 (0.79- 1.15)	0.96 (0.79-1.16)		
	<6	1.29 (1.02- 1.63)	1.24 (0.97- 1.57)	1.22 (0.95- 1.57)	1.23 (0.95-1.61)		
	Other/Missing	0.89 (0.57- 1.40)	0.82 (0.51- 1.33)	0.80 (0.48- 1.33)	0.86 (0.51-1.45)		
]	Present illness						
	No	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)		
	Yes	1.15 (1.02- 1.30)	1.13 (1.00- 1.28)	1.13 (1.00- 1.28)	1.10 (0.96-1.26)		
	Missing	0.96 (0.75- 1.24)	0.98 (0.75- 1.27)	0.99 (0.75- 1.29)	1.01 (0.76-1.33)		
(GDS-15						
	0-4	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)		
	5-9	1.54 (1.37- 1.73)	1.54 (1.37- 1.74)	1.48 (1.31- 1.68)	1.49 (1.30-1.69)		
	10-15	2.33 (1.96- 2.77)	2.18 (1.82- 2.62)	2.16 (1.79- 2.62)	2.17 (1.78-2.66)		
	Missing	1.47 (1.28- 1.68)	1.43 (1.25- 1.64)	1.41 (1.22- 1.63)	1.41 (1.22-1.64)		
	Smoking status						
	Never	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)		
	Former	0.99 (0.85- 1.16)	1.00 (0.86- 1.18)	0.99 (0.84- 1.17)	1.02 (0.86-1.21)		
	Current	1.34 (1.12- 1.60)	1.32 (1.10- 1.59)	1.39 (1.15- 1.68)	1.40 (1.15-1.71)		
	Missing	0.86 (0.65- 1.15)	0.90 (0.67- 1.20)	0.85 (0.63- 1.15)	0.91 (0.67-1.24)		
	Alcohol consumption						
	Non	1.0 (reference)	1.0 (reference)	1.0 (reference)	1.0 (reference)		
	Does not drink every_day	0.96 (0.82- 1.13)	0.96 (0.81- 1.13)	0.97 (0.82- 1.15)	0.96 (0.80-1.15)		

Drinks every_day ≦	0.98 (0.84-	0.99 (0.84-	1.02 (0.86-	1.03 (0.87-1.22)	
35 g/day	1.15)	1.16)	1.20)	1102 (0107 1122)	
Drinks every_day >	0.86 (0.64-	0.90 (0.66-	0.92 (0.68-	0.91 (0.66-1.26)	
35 g/day	1.17)	1.21)	1.26)	0.91 (0.00-1.20)	
Missing	1.14 (0.78-	1.14 (0.78-	1.24 (0.84-	1.22 (0.82-1.83)	
wiissing	1.66)	1.67)	1.83)	1.22 (0.82-1.83)	
Random effects					
Community level variance	0.06 (0.05)	0.04 (0.06)	0.04 (0.07)	0.09 (0.04)	
(SE)	0.00 (0.03)	0.04 (0.00)	0.04 (0.07)	0.09 (0.04)	

^{*}HR for one point increment of community social support (range: 0-100)