

Electronic Supplementary Material 4. Perceived usefulness of training tasks

Task	Content	Not at all /not very useful % (n)	Neutral / can't remember % (n)	Quite useful / very useful % (n)	Number of Responses (max =62)
1.	Who is affected when someone dies?	0 (0)	6.6 (4)	93.4 (57)	61
2.	What's in a word	0 (0)	3.3 (2)	96.7 (59)	61
3.	If a patient dies by suicide	0 (0)	14.8 (9)	85.3 (52)	61
4.	GP Perspective	3.3 (2)	8.2 (5)	88.5 (54)	61
5.	Suicide Liaison Officer's perspective	0 (0)	22.0 (9)	78.0 (32)	41
6a.	Shirley and Dean's experience of early bereavement	0 (0)	0 (0)	100 (60)	60
6b.	Shirley and Dean's perception of support they received from their GP	0 (0)	1.9 (1)	98.1 (53)	54
7.	GP's perspective of supporting Shirley and Dean	0 (0)	(0)	100 (62)	62
8.	Practical guide to support bereaved families	0 (0)	7.0 (4)	93.0 (53)	57
9.	Helpful phrases and questions	0 (0)	13.0 (7)	87.0 (47)	54
10.	What do people bereaved by suicide find helpful	0 (0)	3.4 (2)	96.6 (57)	59
11.	Key resources for parents bereaved by suicide	0 (0)	0 (0)	100 (60)	60
12.	Bereaved mother – example consultation	3.3 (2)	0 (0)	96.7 (58)	60
13.	Bereaved father – example consultation	3.4 (2)	0 (0)	96.6 (57)	59
14.	Action planning	2.0 (1)	4.1 (2)	93.9 (46)	49