

S3 Table. Comparison of characteristics of COVID-19 survivors and deaths

	No. (%)		p Value
	Survivor Cohort (N= 71)	Deaths (N= 41)	
Age, mean, years			<0.02
<50	38 (54%)	12 (29.3%)	
≥50	33 (46%)	29 (70.7%)	
Sex			0.26
Male	68 (95.8%)	37 (90.2%)	
Female	3 (4.2%)	4 (9.8%)	
Comorbidities^a			
No comorbidities	28 (39.4%)	6 (14.6%)	<0.05
Asthma or COPD	4 (5.6%)	3 (7.3%)	0.71
Hypertension	14 (19.7%)	14 (34.1%)	0.11
Diabetes	22 (31.0%)	14 (34.1%)	0.83
Chronic Kidney Disease	1 (1.4%)	1 (2.4%)	1.00
Immunosuppression^b	2 (2.8%)	0 (0%)	0.53
Malignancy^c	2 (2.8%)	1 (2.4%)	1.00
Obesity (BMI ≥30)^e	18 (25.4%)	12 (29.3%)	0.66

Footnotes Table 3

Abbreviations: HDU, high dependency unit; ICU, intensive care unit; COPD, chronic obstructive pulmonary disease; BMI, body mass index

^aComorbidities listed here are defined as medical diagnoses included in medical history by ICD-10 coding.

^bImmunosuppression include HIV, history solid organ transplant or autoimmune disease.

^cMalignancy includes active solid organ or hematologic malignancy (not in remission) or receiving active chemotherapy.

^dObesity was defined as BMI ≥ 30. Body mass index is calculated as weight in kilograms divided by

height in meters squared.