

Supplementary Table 1: Demographic and biometric data of subjects dispensed with study lenses.

	Test eye	Control eye	p-value
Age (years) : Mean $\pm$ SD Range	22.6 $\pm$ 4.2 18 to 42		-
Gender (Male : Female)	93 : 83		-
Refractive error - Sphere (Ds) : Mean $\pm$ SD Range	-2.82 $\pm$ 1.44 -0.50 to -6.50	-2.80 $\pm$ 1.46 -0.50 to -6.50	0.528
Refractive error - Cylinder (Dc) : Mean $\pm$ SD Range	-0.25 $\pm$ 0.35 -0.25 to -1.50	-0.22 $\pm$ 0.35 -0.25 to -1.50	0.249
Keratometry - Flat (D) : Mean $\pm$ SD Range	43.02 $\pm$ 1.44 37.50 to 47.25	43.01 $\pm$ 1.46 37.50 to 47.25	0.663
Keratometry - Steep (D) : Mean $\pm$ SD Range	43.76 $\pm$ 1.58 38.75 to 48.50	43.71 $\pm$ 1.58 38.75 to 48.50	0.105
Contact lens wear experience (Neophyte : Experienced)	128 : 48		-
Contact lens base curve (8.3 : 8.7) mm	106 : 70		-
Contact Lens Power (Ds) : Mean $\pm$ SD Range	-2.84 $\pm$ 1.36 -1.00 to -6.00	-2.84 $\pm$ 1.39 -1.00 to -6.00	0.869