# **Consensus Virtual Voting Round 2 Results**

Consensus Reached with ≥75%

n=19

## The initiating THC:CBD ratio for patients with chronic pain requiring routine dosing and titration should be:

1	#	Question	Total	%
	1	CBD predominant	17	89.0%
	2	CBD predominant during the day and add THC predominant at bedtime	1	5.0%
	3	Balanced THC:CBD	1	5.0%
		Total	19	99.0%

## The recommended maximum daily dose of THC for routine dosing and administration is:

	, , , , , , , , , , , , , , , , , , , ,			
1	#	Answer	Total	%
	1	20 mg	0	0.0%
	2	40 mg	18	94.7%
	3	80 mg	1	5.3%
	4	No maximum dose	0	0.0%
		Total	19	100.0%

## The initiating CBD daily dose for conservative dosing and titration is: (total amount in 24 hours):

1	#	Answer	Total	%
	1	5 mg	8	42.1%
	2	10 mg	10	52.6%
	3	20 mg	1	5.3%
		Total	19	100.0%

## The recommended starting dosing frequency for conservative dosing for CBD is: (Daily dose divided into this frequency)

1	#	Answer	Total	%
	1	Once daily	17	89.5%
	2	Twice daly	2	10.5%
		Total	19	100.0%

# The recommended THC up-titration frequency for patients with chronic pain requiring conservative dosing and titration:

	#	Answer	Total	%
1	1	Every 2 to 3 days	0	0.0%
	2	Once a week	16	84.2%
	3	Every 5-10 days	3	15.8%
	4	Every 2 weeks	0	0.0%
		Total	19	100.0%

#### The recommended maximum daily dose of THC for patients with chronic pain requiring rapid dosing and titration:

1	#	Answer	Total	%
	1	40 mg	16	84.2%
	2	60 mg	3	15.8%
	3	80 mg	0	0.0%
		Total	19	100.0%

## If a patient is not achieving treatment goals, clinicians can consider dosing:

1	#	Answer	Total	%
	1	Twice daily	0	0.0%
	2	Three times daily	9	60.0%
	3	Four times daily	6	40.0%

Total	15	100.0%

## The starting dose of medical cannabis for inhaled use is:

1	#	Answer	Total	%
	1	1 inhalation	15	83.3%
	2	2 inhalations	2	11.1%
	3	Abstain	1	5.6%
		Total	18	100.0%

## The recommended daily dosing for inhaled cannabid is:

	, •				
1	#	Answer	Total	%	
	1	Twice daily when required	0	0.0%	
	2	Four times daily when required	4	21.1%	
	3	Every 4 hours when required	14	73.7%	
	4	Abstain	1	5.3%	
		Total	19	100.0%	

## The recommended up-titration amount for medical cannabis for inhaled use is:

1	#	Answer	Total	%
	1	1 inhalation	16	84.2%
	2	2 inhalations	2	10.5%
	3	Abstain	1	5.3%
		Total	19	100.0%