nature research

Corresponding author(s): Steven E. Jacobsen

Last updated by author(s): Oct 28, 2020

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u>.

Statistics

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.				
n/a	Confirmed			
	x	The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement		
	X	A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly		
	×	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.		
×		A description of all covariates tested		
	X	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons		
	×	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)		
	x	For null hypothesis testing, the test statistic (e.g. <i>F, t, r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable</i> .		
X		For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings		
	X	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes		
×		Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated		
		Our web collection on statistics for biologists contains articles on many of the points above.		

Software and code

Policy information	about <u>availability of computer code</u>
Data collection	No software was used for data collection.
Data analysis	ChIP-seq Raw reads were aligned to the Arabidopsis reference genome (TAIR10) with Bowtie2 (v2.1.0), allowing only uniquely mapped reads with perfect matches. Duplicated reads were removed with Samtools (v1.9). Peaks were called using MACS2 (v2.1.1). To increase sequencing depth, three independent ChIPs of MORC7 in wild type and two independent MORC7 ChIPs in RdDM mutants were pooled for peak calling. Whole Genome Bisulfite Sequencing (BS-seq) and analysis. BS-seq reads were mapped to TAIR10 reference genome by bsmap (v2.90) with allowing 2 mismatches and 1 best hit (-v 2 -w 1). Reads with three or more consecutively methylated CHH sites were considered as non-converted reads and removed from the analyses. DNA methylation levels were calculated by #C/ (#C + #T). Differential Methylated Regions (DMRs) were called by methdiff function with every 100bp bin for where the difference in CG, CHG, and CHH methylation are at least 0.4, 0.2, and 0.1, respectively.
	met1 RNA seq analysis. Cleaned short reads were aligned to reference genome tair10 by Bowtie2 (v2.1.0), and expression abundance was calculated by RSEM (v1.3.1) with default parameters.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE160285

Link to Figure 1, 2 and 3;

To review GEO accession GSE160285:

Go to https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE160285 Enter token gjazeqymhxqvzcv into the box

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.

🗶 Life sciences	Behavioural & social sciences	Ecological, evolutionary & environmental sciences		
For a reference copy of the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>				

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.			
Sample size	No sample size calculation was performed.		
Data exclusions	No data exclusion in the study.		
Replication	Three replicates for MORC7 flag ChIP-seq. Two replicates for flag ChIP-seq in mutants. Three replicates for RNA-seq samples.		
Randomization	For all experiments, treatment and control samples were grown side by side, each replicate on separate plate.		
Blinding	No blinding needed.		

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).
Research sample	State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.
Sampling strategy	Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.
Data collection	Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.
Timing	Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.
Non-participation	State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.
Research sample	Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.
Data collection	Describe the data collection procedure, including who recorded the data and how.
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.
Blinding	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.
Did the study involve fiel	d work? Yes No

Field work, collection and transport

Field conditions	Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).
Location	State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).
Access & import/export	Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).
Disturbance	Describe any disturbance caused by the study and how it was minimized.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

N /		I	- I -
IVI	eτ	no	ds



n/a	Involved in the study
	✗ ChIP-seq
×	Flow cytometry
×	MRI-based neuroimaging

Antibodies

Antibodies used	anti-FLAG M2 (Sigma) (7 ul of 1mg/ml per chip; 5000x dilution for WB) ; anti-Polll Ab817 (Abcam) (10 ul per chip); anti-HA11867423001 (Roche) (7 ul per chip)
Validation	anti-FLAG M2 (Sigma): https://www.sigmaaldrich.com/catalog/product/sigma/f1804
	anti-PollI Ab817 (Abcam): https://www.abcam.com/rna-polymerase-ii-ctd-repeat-ysptsps-antibody-8wg16-chip-grade-ab817.html
	anti-HA11867423001 (Roche): https://www.sigmaaldrich.com/catalog/product/roche/roahaha?lang=en®ion=US

Eukaryotic cell lines

Policy information about <u>cell lines</u>			
Cell line source(s) State the source of each cell line used.			
Authentication	Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.		
Mycoplasma contamination	Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.		
Commonly misidentified lines (See <u>ICLAC</u> register)	Name any commonly misidentified cell lines used in the study and provide a rationale for their use.		

Palaeontology and Archaeology

Specimen provenance	Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).
Specimen deposition	Indicate where the specimens have been deposited to permit free access by other researchers.
Dating methods	If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.
Tick this box to confi	rm that the raw and calibrated dates are available in the paper or in Supplementary Information.
	(Identify the experimentary) that experied as excluded avidance on the study protocol OD state that no othical experied as avidance

Ethics oversight Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other organisms

Policy information about <u>s</u>	tudies involving animals; ARRIVE guidelines recommended for reporting animal research
Laboratory animals	For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals.
Wild animals	Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.
Field-collected samples	For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.
Ethics oversight	Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics	Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."
Recruitment	Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.
Ethics oversight	Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about <u>clinical studies</u> All manuscripts should comply with the ICMJEguidelines for publication of clinical research and a completed <u>CONSORT checklist</u> must be included with all submissions.		
Clinical trial registration	Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.	
Study protocol	Note where the full trial protocol can be accessed OR if not available, explain why.	
Data collection	Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.	
Outcomes	Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.	

Dual use research of concern

Policy information about dual use research of concern

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

No	Yes
	Public health
	National security
	Crops and/or livestock
	Ecosystems
	Any other significant area

Experiments of concern

Does the work involve any of these experiments of concern:

No Yes

- Demonstrate how to render a vaccine ineffective
- Confer resistance to therapeutically useful antibiotics or antiviral agents
- Enhance the virulence of a pathogen or render a nonpathogen virulent
- Increase transmissibility of a pathogen
- Alter the host range of a pathogen
- Enable evasion of diagnostic/detection modalities
- Enable the weaponization of a biological agent or toxin
- Any other potentially harmful combination of experiments and agents

ChIP-seq

Data deposition

x Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links May remain private before publication.	To review GEO accession GSE160285: Go to https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE160285 Enter token gjazeqymhxqvzcv into the box
Files in database submission	MORC4-FLAG_ChIPseq_rep-1.fastq.gz MORC4-FLAG_ChIPseq_rep-2.fastq.gz MORC7-FLAG_ChIPseq_rep-1.fastq.gz MORC7-FLAG_ChIPseq_rep-2.fastq.gz WT-FLAG_ChIPseq_rep-1.fastq.gz WT-FLAG_ChIPseq_rep-1.fastq.gz nrpdMORC7-FLAG_ChIPseq_rep-1.fastq.gz

4pril 2020

nrpdMORC7-FLAG_ChIPseq_rep-2.fastq.gz nrpeMORC7-FLAG_ChIPseq_rep-1.fastq.gz nrpeMORC7-FLAG ChIPseq rep-2 R1.fastq.gz nrpeMORC7-FLAG ChIPseq rep-2 R2.fastq.gz nrpdnrpeMORC7-FLAG_ChIPseq_rep-1.fastq.gz nrpdnrpeMORC7-FLAG_ChIPseq_rep-2.fastq.gz dms3MORC7-FLAG_ChIPseq_rep-1_R1.fastq.gz dms3MORC7-FLAG_ChIPseq_rep-1_R2.fastq.gz cross-generation_MORC7-FLAG_antiFLAG.fastq.gz cross-generation_suvh29MORC7-FLAG_antiFLAG_F2.fastq.gz cross-generation_suvh29MORC7-FLAG_antiFLAG_F3.fastq.gz PollI ChIP in WT.fastq.gz PollI ChIP in hex.fastq.gz ZF-DMS3-HA_MORC7-FLAG_antiHA_ChIP_R1.fastq.gz ZF-DMS3-HA_MORC7-FLAG_antiHA_ChIP_R2.fastq.gz ZF-DMS3-HA_MORC7-FLAG_antiFLAG_ChIP_R1.fastq.gz ZF-DMS3-HA_MORC7-FLAG_antiFLAG_ChIP_R2.fastq.gz MORC7-FLAG_anti-HA_ChIP_R1.fastq.gz MORC7-FLAG_anti-HA_ChIP_R2.fastq.gz met1MORC7-FLAG_ChIP_rep-1.fastq.gz met1MORC-FLAG_ChIP_rep-2_R1.fastq.gz met1MORC-FLAG_ChIP_rep-2_R2.fastq.gz MORC7-FLAG_RNAseq_rep-1_R1.fastq.gz MORC7-FLAG_RNAseq_rep-1_R2.fastq.gz MORC7-FLAG_RNAseq_rep-2_R1.fastq.gz MORC7-FLAG_RNAseq_rep-2_R2.fastq.gz MORC7-FLAG_RNAseq_rep-3_R1.fastq.gz MORC7-FLAG_RNAseq_rep-3_R2.fastq.gz met1MORC7-FLAG_RNAseq_rep-1_R1.fastq.gz met1MORC7-FLAG_RNAseq_rep-1_R2.fastq.gz met1MORC7-FLAG RNAseg rep-2 R1.fastg.gz met1MORC7-FLAG_RNAseq_rep-2_R2.fastq.gz met1MORC7-FLAG_RNAseq_rep-3_R1.fastq.gz met1MORC7-FLAG_RNAseq_rep-3_R2.fastq.gz morc7-1.fastq.gz morc7-2.fastq.gz morc7-3.fastq.gz met1-morc7-1.fastq.gz met1-morc7-2.fastq.gz met1-morc7-3.fastq.gz MORC4-FLAG_ChIPseq_rep-1.bw MORC4-FLAG_ChIPseq_rep-2.bw MORC7-FLAG_ChIPseq_rep-1.bw MORC7-FLAG_ChIPseq_rep-2.bw WT_FLAG_ChIPseq_rep-1.bw WT FLAG ChIPseq rep-2.bw nrpdMORC7-FLAG ChIPseg rep-1.bw nrpdMORC7-FLAG_ChIPseq_rep-2.bw nrpeMORC7-FLAG_ChIPseq_rep-1.bw nrpeMORC7-FLAG_ChIPseq_rep-2.bw nrpdnrpeMORC7-FLAG_ChIPseq_rep-1.bw nrpdnrpeMORC7-FLAG_ChIPseq_rep-2.bw dms3MORC7-FLAG ChIPseg rep-1.bw cross-generation_MORC7-FLAG_ChIP.bw cross-generation_suvh29MORC7-FLAG_ChIP_F2.bw cross-generation_suvh29MORC7-FLAG_ChIP_F3.bw PolII_ChIP_in_WT.bw PolII_ChIP_in_hex.bw ZF-DMS3-HA_MORC7-FLAG_antiHA_ChIP.bw ZF-DMS3-HA_MORC7-FLAG_antiFLAG_ChIP.bw MORC7-FLAG_anti-HA_ChIP.bw met1MORC7-FLAG_ChIP_rep-1.bw met1MORC7-FLAG_ChIP_rep-2.bw MORC7-FLAG_RNAseq_rep-1.bw MORC7-FLAG_RNAseq_rep-2.bw MORC7-FLAG_RNAseq_rep-3.bw met1MORC7-FLAG RNAseg rep-1.bw met1MORC7-FLAG_RNAseq_rep-2.bw

met1-morc7-1_merge_CG.wig met1-morc7-1 merge CHG.wig met1-morc7-1 merge CHH.wig met1-morc7-2_merge_CG.wig met1-morc7-2_merge_CHG.wig met1-morc7-2_merge_CHH.wig met1-morc7-3_merge_CG.wig met1-morc7-3_merge_CHG.wig met1-morc7-3_merge_CHH.wig morc7-1_merge_CG.wig morc7-1 merge CHG.wig morc7-1_merge_CHH.wig morc7-2_merge_CG.wig morc7-2_merge_CHG.wig morc7-2_merge_CHH.wig morc7-3_merge_CG.wig morc7-3_merge_CHG.wig morc7-3_merge_CHH.wig MORC4-FLAG_ChlPseq_rep-1.narrowPeak MORC4-FLAG_ChIPseq_rep-2.narrowPeak MORC7-FLAG_ChIPseq_rep-1.narrowPeak MORC7-FLAG_ChIPseq_rep-2.narrowPeak MORC7-FLAG_ChIPseq_rep-3.narrowPeak WT-FLAG_ChIPseq_rep-1.narrowPeak WT_FLAG_ChIPseq_rep-2.narrowPeak nrpdMORC7-FLAG_ChIPseq_rep-1.narrowPeak nrpdMORC7-FLAG_ChIPseq_rep-2.narrowPeak nrpeMORC7_FLAG_ChIPseq_rep-1.narrowPeak nrpeMORC7-FLAG_ChIPseq_rep-2.narrowPeak nrpdnrpeMORC7 FLAG ChIPseq rep-1.narrowPeak nrpdnrpeMORC7_FLAG_ChIPseq_rep-2.narrowPeak dms3MORC7-FLAG_ChIPseq_rep-1.narrowPeak ZF-DMS3-HA_MORC7-FLAG_antiHA_ChlPseq_rep-1.narrowPeak ZF-DMS3-HA_MORC7-FLAG_antiFLAG_ChIPseq_rep-1.narrowPeak PolII_ChIP_in_WT.narrowPeak PolII_ChIP_in_hex.narrowPeak MORC7-anti-HA_ChIPseq_rep-1.narrowPeak met1MORC-FLAG_ChIP_rep-2.narrowPeak

met1MORC7-FLAG_RNAseq_rep-3.bw

Genome browser session (e.g. <u>UCSC</u>)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

07	
Replicates	For MORC7 ChIP-Seq experiment, three replicates were performed, along with wild-type Flag control.
	For MORC4 ChIP-Seq experiment, two replicates were performed, along with wild-type Flag control.
	For MORC7 ChIP-Seq experiment in met1 mutant background, two replicates were performed.
	For MORC7 ChIP-Seq experiment in nrpd1 mutant background, two replicates were performed.
	For MORC7 ChIP-Seq experiment in nrpe1 mutant background, two replicates were performed.
	For MORC7 ChIP-Seq experiment in nrpd1nrpe1 mutant background, two replicates were performed.
	For MORC7 ChIP-Seq experiment in dms3 mutant background, two replicates were performed.
	For MORC7 ChIP-Seq experiment in ZF-DMS3t background, single replicate was performed with anti-flag.
	For MORC7 ChIP-Seq experiment in ZF-DMS3t background, single replicate was performed with anti-HA.
	For MORC7 ChIP-Seq cross generation experiment in wild type background, single replicate was performed.
	For MORC7 ChIP-Seq cross generation F2 experiment in suvh29 mutant background, single replicate was performed.
	For MORC7 ChIP-Seq cross generation F3 experiment in suvh29 mutant background, single replicate was performed.
	For Pol II ChIP-Seq experiment in wild and morc hex mutant background, single replicate was performed.
Sequencing denth	Sample name: Total number of reads; Uniquely mapped reads; length of reads; SE/PE
Sequencing depth	MORC4-FLAG ChIPseq replicate-1: 19637949;19480038; 50 bp; SE
	MORC4-FLAG_ChiPsed_replicate-2: 18994644; 18760802; 50 bp; SE
	MORC7-FLAG_ChIPseq_replicate-1: 18455643; 18179382; 50 bp; SE
	MORC7-FLAG_ChIPseq_replicate-2: 31575610; 31260910; 50 bp; SE
	MORC7-FLAG_ChIPseq_replicate-3: 43350833; 42627669; 50 bp; SE
	WT_FLAG_ChlPseq_replicate-1 (ChlP input): 27348263; 26323121; 50 bp; SE
	WT_FLAG_ChIPseq_replicate-2 (ChIP input): 18276593; 18034372; 50 bp; SE

	nrpdMORC7-FLAG_ChIPseq_replicate-1: 31853097; 31364438; 50 bp; SE
	nrpdMORC7-FLAG_ChIPseq_replicate-2: 41096316; 40473146; 50 bp; SE
	nrpeMORC7-FLAG_ChIPseq_replicate-1: 13960186; 13659738; 50 bp; SE
	nrpeMORC7-FLAG_ChIPseq_replicate-2: 57791484; 55952814; 50 bp; PE
	nrpdnrpeMORC7-FLAG_ChIPseq_replicate-1: 43586677; 43046309; 50 bp; SE
	nrpdnrpeMORC7-FLAG ChIPseq replicate-2: 17110287; 16912048; 50 bp; SE
	dms3MORC7-FLAG ChIPseq replicate-1: 49844738; 48532489; 50 bp; SE
	PollI ChIP in WT: 22757591; 22641479; 50 bp; SE
	PollI ChIP in hex: 23859924; 23722811; 50 bp; SE
	ZF-DMS3-HA MORC7-FLAG antiHA ChIP:50 bp; PE
	ZF-DMS3-HA_MORC7-FLAG_antiFLAG_ChIP:50 bp; PE
	met1MORC7-FLAG_ChIP_replicate-1: 126246032; 119109500; 50 bp; SE
	met1MORC7-FLAG_ChIP_replicate-2: 52373576; 50686174; 50 bp; PE
Antibodies	anti-FLAG M2 (Sigma) ; anti-PollI Ab817 (Abcam); anti-HA11867423001 (Roche)
Peak calling parameters	MACS2: '-f BAM -g 1.3e+8 -q 0.05extsize 147'
r cuk culling purumeters	
Data quality	All identified peaks in the study were called with a qval threshold of 0.01 (FDR 1%).
	dms3MORC7-FLAG_ChIPseq_rep-1.narrowPeak: 9961
	met1MORC-FLAG_ChIP_rep-2.narrowPeak: 12825
	MORC4-FLAG_ChIPseq_rep-1.narrowPeak: 2327
	MORC4-FLAG ChIPseq rep-2.narrowPeak: 9814
	MORC7-FLAG ChIPseq rep-1.narrowPeak: 8890
	MORC7-FLAG ChIPseq rep-2.narrowPeak: 10296
	MORC7-FLAG ChIPseq rep-3.narrowPeak: 12730
	ZF-DMS3-HA_MORC7-FLAG_antiFLAG_ChIPseq_rep-1.narrowPeak: 16994
	ZF-DMS3-HA_MORC7-FLAG_antiHA_ChIPseq_rep-1.narrowPeak: 23539
	nrpdMORC7-FLAG ChIPseq rep-1.narrowPeak: 8912
	nrpdMORC7-FLAG_ChIPseq_rep-2.narrowPeak: 10587
	nrpdnrpeMORC7_FLAG_ChIPseq_rep-1.narrowPeak: 10014
	nrpdnrpeMORC7_FLAG_ChIPseq_rep-2.narrowPeak: 4994
	nrpeMORC7-FLAG_ChIPseq_rep-2.narrowPeak: 12656
	nrpeMORC7_FLAG_ChIPseq_rep-1.narrowPeak: 6773
	PolII_ChIP_in_hex.narrowPeak: 17806
	PolII_ChIP_in_WT.narrowPeak: 18567
	WT-FLAG_ChIPseq_rep-1.narrowPeak: 3493
	WT_FLAG_ChlPseq_rep-2.narrowPeak: 1737
C. (human	
Software	Bowtie2 (v2.1.0)
	Samtools (v1.9)
	MACS2 (v2.1.1)

Flow Cytometry

Plots

Confirm that:

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.	
Instrument	Identify the instrument used for data collection, specifying make and model number.	
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.	

Cell population abundance

Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.

Gating strategy

Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Design type	Indicate task or resting state; event-related or block design.	
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.	
Behavioral performance measure	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).	
Acquisition		
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.	
Field strength	Specify in Tesla	
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.	
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.	
Diffusion MRI Used	Not used	
Preprocessing		
	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).	
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.	
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.	
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).	
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and	
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.	

	second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).		
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOV or factorial designs were used.		
Specify type of analysis: 🗌 Whole brain 📄 ROI-based 📄 Both			
Statistic type for inference (See <u>Eklund et al. 2016</u>)	pecify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.		
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).		

Models & analysis

n/a Involved in the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the study Image: State of the s		
Functional and/or effective connectivity	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).	
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).	
Multivariate modeling and predictive analysis	Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.	