

Bias	$\rho=0.10$	$\rho=0.25$	$\rho=0.50$	$\rho=0.75$	All ρ values	N
FDR=0.00-0.25	-0.1105	-0.0859	-0.0733	-0.0739	-0.0823	23,704
FDR=0.25-0.50	-0.0926	-0.0683	-0.0631	-0.0674	-0.0715	35,511
FDR=0.50-0.75	-0.0426	-0.0397	-0.0423	-0.0455	-0.0425	54,096
FDR=0.75-1.00	-0.002	-0.002	-0.002	-0.0023	-0.0021	952,416
All FDR Values	-0.008	-0.0081	-0.0081	-0.0088	-0.0082	1,065,727
N	261,360	267,239	268,900	268,228	1,065,727	

Error	$\rho=0.10$	$\rho=0.25$	$\rho=0.50$	$\rho=0.75$	All ρ values	N
FDR=0.00-0.25	0.2551	0.1858	0.1462	0.1298	0.1678	23,704
FDR=0.25-0.50	0.2934	0.2059	0.151	0.1343	0.1891	35,511
FDR=0.50-0.75	0.2176	0.1395	0.1084	0.1018	0.1403	54,096
FDR=0.75-1.00	0.0177	0.0107	0.0084	0.0078	0.0112	952,416
All FDR Values	0.0383	0.0279	0.0221	0.0205	0.0271	1,065,727
N	261,360	267,239	268,900	268,228	1,065,727	