

Bias	$\rho=0.10$	$\rho=0.25$	$\rho=0.50$	$\rho=0.75$	All ρ values	N
FDR=0.00-0.25	0.0062	0.0146	0.013	0.0211	0.0151	15,868
FDR=0.25-0.50	0.009	0.0135	0.0167	0.0167	0.0144	31,770
FDR=0.50-0.75	0.0153	0.0157	0.0125	0.0132	0.0141	50,302
FDR=0.75-1.00	0.0011	0.0011	0.001	0.0011	0.0011	967,787
All FDR Values	0.002	0.0024	0.0023	0.0025	0.0023	1,065,727
N	261,360	267,239	268,900	268,228	1,065,727	

Error	$\rho=0.10$	$\rho=0.25$	$\rho=0.50$	$\rho=0.75$	All ρ values	N
FDR=0.00-0.25	0.2192	0.1494	0.1071	0.0792	0.1233	15,868
FDR=0.25-0.50	0.2766	0.1711	0.1006	0.075	0.1448	31,770
FDR=0.50-0.75	0.2131	0.1121	0.0694	0.0569	0.1104	50,302
FDR=0.75-1.00	0.0168	0.0086	0.0059	0.005	0.0091	967,787
All FDR Values	0.0331	0.0207	0.0138	0.0112	0.0196	1,065,727
N	261,360	267,239	268,900	268,228	1,065,727	