## Effectiveness Comparisons of Drug Therapies for Postoperative Aneurysmal Subarachnoid Hemorrhage Patients: Network Meta-analysis and systematic review

Wanli Yu<sup>1#</sup>, MM, Yizhou Huang<sup>2#</sup>, MM, Xiaolin Zhang<sup>1</sup>, MM, Huirong Luo<sup>3</sup>, Weifu Chen<sup>1</sup>,

MD, Yongxiang Jiang<sup>1\*</sup>, MD, Yuan Cheng<sup>1\*</sup>, MD

<sup>1</sup> Department of Neurosurgery, The Second Affiliated Hospital, Chongqing Medical University, Chongqing, China

<sup>2</sup> Department of Endocrinology, The Second Affiliated Hospital, Chongqing Medical University, Chongqing, China


<sup>3</sup> Department of Psychiatry, The First Affiliated Hospital, Chongqing Medical University, Chongqing, China

<sup>#</sup>Wanli Yu and Yizhou Huang contributed equally to this project.

## \* Correspondence:

Yuan Cheng, Department of Neurosurgery, The Second Affiliated Hospital, Chongqing Medical University; Yongxiang Jiang, Department of Neurosurgery, The Second Affiliated Hospital, Chongqing Medical University;

E-mail address: chengyuan@hospital.cqmu.edu.cn\_and doctorjiang2003@163.com



Supplement Figure.2 legend Summary of risk of bias assessment. Risk of bias of included RCTs (Review authors' judgments about each risk of bias item for each

included study. +, low risk; -, high risk; ?, unclear risk.). RCT, randomized controlled trial.