

APPENDIX

Exhibit A – Odds of reporting no usual source of care in the past year among Medicare Beneficiaries by functional hearing difficulty^{a,b}

Variable	Odds Ratio	95% Confidence Interval		Standard Error	P-Value
		Lower	Upper		
Functional Hearing Difficulty					
No Trouble		REF			
A Little Trouble	1.038	0.814	- 1.322	0.127	0.762
A Lot of Trouble	1.489	1.034	- 2.143	0.273	0.033
Age (years)					
65-69		REF			
70-74	0.771	0.567	- 1.049	0.120	0.096
75-79	0.950	0.702	- 1.285	0.145	0.735
80-84	0.674	0.468	- 0.971	0.124	0.034
85-89	0.710	0.484	- 1.043	0.138	0.081
90+	0.609	0.385	- 0.961	0.140	0.033
Female	0.760	0.599	- 0.964	0.091	0.024
Race/Ethnicity					
Non-Hispanic White		REF			
Non-Hispanic Black	1.187	0.772	- 1.825	0.257	0.431
Hispanic	1.418	0.816	- 2.463	0.395	0.212
Other	1.178	0.663	- 2.094	0.341	0.573
Educational attainment					
Less than high school		REF			
High school graduate	0.863	0.609	- 1.223	0.152	0.405
Vocational, some college, associates	0.918	0.648	- 1.300	0.161	0.627
Bachelors or higher degree	0.615	0.405	- 0.932	0.129	0.023
Income to Poverty Ratio					
Less than 100%		REF			
101-200%	0.858	0.593	- 1.243	0.160	0.416
Greater than 200%	0.603	0.417	- 0.873	0.112	0.008
Currently Married = Yes	0.558	0.431	- 0.723	0.073	<0.001
Medicare Advantage = Yes	0.651	0.497	- 0.853	0.089	0.002
General health					
Excellent		REF			
Very good	1.119	0.825	- 1.518	0.171	0.465
Good	1.072	0.756	- 1.518	0.188	0.695
Fair	1.450	0.922	- 2.280	0.331	0.107
Poor	1.060	0.561	- 2.003	0.340	0.855
Functional Limitations^c					
No functional limitations		REF			
1	1.297	0.879	- 1.913	0.254	0.188
≥2 ADLs	0.928	0.662	- 1.301	0.158	0.662
Chronic Comorbidities Count^d					
0		REF			
1-2	0.268	0.194	- 0.370	0.044	<0.001
3-5	0.106	0.074	- 0.153	0.020	<0.001
≥6	0.174	0.101	- 0.300	0.048	<0.001

^a Data derived from the 2016 Medicare Current Beneficiary Survey cost and use file (n=10,422)

^b Survey weights applied according to Medicare Current Beneficiary Survey (weighted n = 44,433,937)

^c Activities of Daily Living (ADLs) include bathing or showering, dressing, getting in and out of bed or a chair, walking, using the toilet, and eating

^d Chronic comorbidities count includes cancer, chronic obstructive pulmonary disease/asthma, chronic heart disease, serious mental illness, acute myocardial infarction, hypertension, diabetes, stroke, depression, arthritis, dementia or Alzheimer disease

Exhibit B – Odds of reporting not obtaining needed medical care and not filling a prescription in the past year among Medicare Beneficiaries by functional hearing difficulty^{a,b}

	Not Obtaining Medical Care						Not Filling Prescription					
	Odds Ratio	95% Confidence Interval		Standard Error	P-Value	Odds Ratio	95% Confidence Interval		Standard Error	P-Value		
		Lower	Upper				Lower	Upper				
Functional Hearing Difficulty												
No Trouble				REF					REF			
A Little Trouble	1.595	1.322	- 1.924	0.151	<0.001	1.440	1.102	- 1.882	0.194	0.008		
A Lot of Trouble	1.854	1.446	- 2.376	0.232	<0.001	1.556	1.044	- 2.318	0.313	0.030		
Age (years)												
65-69				REF					REF			
70-74	0.735	0.565	- 0.955	0.097	0.022	0.865	0.628	- 1.190	0.139	0.368		
75-79	0.749	0.595	- 0.942	0.087	0.014	0.713	0.499	- 1.018	0.128	0.063		
80-84	0.534	0.418	- 0.682	0.066	<0.001	0.413	0.285	- 0.597	0.077	<0.001		
85-89	0.457	0.336	- 0.620	0.071	<0.001	0.299	0.189	- 0.471	0.069	<0.001		
90+	0.360	0.262	- 0.496	0.058	<0.001	0.135	0.063	- 0.289	0.052	<0.001		
Female	1.330	1.093	- 1.619	0.132	0.005	1.530	1.192	- 1.964	0.192	0.001		
Race/Ethnicity												
Non-Hispanic White				REF					REF			
Non-Hispanic Black	0.909	0.652	- 1.265	0.152	0.567	1.271	0.871	- 1.857	0.243	0.211		
Hispanic	1.010	0.773	- 1.318	0.136	0.944	1.298	0.871	- 1.933	0.260	0.197		
Other	1.067	0.680	- 1.676	0.243	0.775	0.385	0.190	- 0.782	0.137	0.009		
Educational attainment												
Less than high school				REF					REF			
High school graduate	1.061	0.819	- 1.375	0.138	0.651	1.101	0.833	- 1.456	0.155	0.496		
Vocational, some college, assoc	1.044	0.769	- 1.416	0.161	0.782	1.386	1.021	- 1.882	0.214	0.037		
Bachelors or higher degree	1.188	0.841	- 1.678	0.207	0.324	1.580	1.077	- 2.320	0.306	0.020		
Income to Poverty Ratio												
Less than 100%				REF					REF			
101-200%	0.777	0.588	- 1.027	0.109	0.076	1.167	0.755	- 1.806	0.257	0.483		
Greater than 200%	0.688	0.523	- 0.905	0.095	0.008	1.011	0.638	- 1.602	0.235	0.962		
Currently Married	0.884	0.724	- 1.081	0.089	0.227	0.853	0.674	- 1.081	0.102	0.186		
Medicare Advantage	1.065	0.914	- 1.242	0.082	0.414	0.755	0.620	- 0.919	0.075	0.005		
General health												
Excellent				REF					REF			
Very good	1.812	1.340	- 2.450	0.276	<0.001	0.846	0.583	- 1.228	0.159	0.375		
Good	1.995	1.468	- 2.710	0.308	<0.001	1.201	0.831	- 1.736	0.223	0.326		
Fair	3.452	2.361	- 5.046	0.660	<0.001	1.401	0.919	- 2.136	0.298	0.116		
Poor	3.341	2.255	- 4.951	0.662	<0.001	1.567	0.887	- 2.766	0.449	0.120		
Functional Limitations^c												
No functional limitations				REF					REF			
1 ADL	1.464	1.127	- 1.902	0.193	0.005	1.065	0.765	- 1.482	0.178	0.708		
≥2 ADLs	1.889	1.455	- 2.452	0.248	<0.001	1.427	1.058	- 1.925	0.215	0.020		

Chronic Comorbidities Count^d

0				REF						REF		
1-2	1.130	0.763	-	1.673	0.223	0.538	2.166	1.145	-	4.095	0.695	0.018
3-5	1.196	0.815	-	1.755	0.231	0.356	2.900	1.563	-	5.383	0.904	0.001
≥6	1.383	0.904	-	2.114	0.296	0.133	3.059	1.462	-	6.404	1.139	0.003

^a Data derived from the 2016 Medicare Current Beneficiary Survey cost and use file (n=10,422)

^b Survey weights applied according to Medicare Current Beneficiary Survey (weighted n = 44,433,937)

^c Activities of Daily Living (ADLs) include bathing or showering, dressing, getting in and out of bed or a chair, walking, using the toilet, and eating

^d Chronic comorbidities count includes cancer, chronic obstructive pulmonary disease/asthma, chronic heart disease, serious mental illness, acute myocardial infarction, hypertension, diabetes, stroke, depression, arthritis, dementia or Alzheimer disease