

Dual Versus Single Oxygenated Hypothermic Machine Perfusion of Porcine Donor Livers: Impact on Hepatobiliary and Endothelial Cell Injury

Yvonne de Vries^{1,2}

Isabel M.A. Brüggewirth^{1,2}

Shanice A. Karangwa^{1,2}

Fien A. von Meijenfildt^{1,2}

Otto B. van Leeuwen^{1,2}

Laura C. Burlage^{1,2}

Iris E.M. de Jong^{1,2}

Annette S.H. Gouw³

Ton Lisman^{1,2}

Robert J. Porte²

1) Surgical Research Laboratory, Department of Surgery

2) Section of Hepatobiliary Surgery and Liver Transplantation, Department of Surgery

3) Department of Pathology, University of Groningen, University Medical Center Groningen, Groningen, the Netherlands

TABLE OF CONTENTS

Table S1 page 3

Table S1. Sequences of the used primers.

Gene	Code		Primers
CD31	NM_213907.1	Forward	ACCCTGATTTAGTGGAAAACAGATATTCTA
		Reverse	CGTCTGCTCTGCGGTCCTA
eNOS	NM_214295.1	Forward	GTGGAGTTAGGTGAATTTTAGATTCCC
		Reverse	ATTTACAGATCAGGTTTTAAGATGAGATGA G
ET-1	NM_213882.1	Forward	GGGACGGCCATATTGGTCTAT
		Reverse	CAAAACGAAGCATTTTCTCAATTC
KLF-2	NM_001134351.2	Forward	AGCCTTAATTTGTA CTGTGCAACATT
		Reverse	CCTGCCTTCCTATTTACAGTAAATACAAT
VEGF-A	NM_214084	Forward	GGAGCGGAGAAAGCATTGTT
		Reverse	GCGAGTCTGTGTTTTTGCAGG
VWF	AF_052036	Forward	ATGACACTGAAGCGCGATGAG
		Reverse	CGTGATCCTCTTCTCCCAGATG
GAPDH	AF017079.1	Forward	CCTGCCGTCTGGAGAAACC
		Reverse	CTCGGACGCCTGCTTCA

Abbreviations: eNOS, endothelial nitric oxide synthase; ET-1, endothelin-1; KLF-2, kruppel-like-factor-2; VEGF-A, vascular endothelial growth factor A; VWF, von Willebrand factor.