

## Supplementary Table 1

Cohort	Median Age	Sex Distribution	Days Post Vaccination
Pre Vaccination (n=26)	39	13 F / 13 M	n/a
Post Vaccination (n=58)	40	39 F / 19 M	12-23 days


**Supplementary Table 1:** Demographics for PreVax and PostVax cohorts.

## Supplementary Table 2

Cytokine	Spike 1 (<1 pg mL <sup>-1</sup> )		Spike 2 (<1 pg mL <sup>-1</sup> )	
	Pre vaccination (n=26)	Post vaccination (n=58)	Pre vaccination (n=26)	Post vaccination (n=58)
IFN- $\gamma$	20	17	15	26
IL-2	16	10	18	19
IL-4	17	32	20	37
IL-5	25	34	25	39
IL-10	21	34	21	34
IL-13	16	44	19	23
IL-17A	20	42	22	32
TNF	21	31	19	35

**Supplementary Table 2:** Frequency of non-responders in PreVax (n=26) and PostVax (n=58) whole blood assays. Table displays the proportion of each cohort that showed a cytokine response measuring below 1 pg mL<sup>-1</sup> following stimulation with either spike pool 1 or spike pool 2.

## Supplementary Figure 1



**Supplementary Figure 1:** Correlation of IFN- $\gamma$  production following vaccination with other cytokine responses. Data represents the concentration of PostVax samples stimulated with either spike pool 1 or spike pool 2.