

Appendix A

Table 1

Pearson's r correlations between food delay discounting and demographic variables

Variable	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.
1. FCQ Small [sqrt]	-																
2. FCQ Medium [sqrt]	.66**	-															
3. FCQ Large [sqrt]	.55**	.83**	-														
4. BMI [lg10]	-.04	.08	.07	-													
5. PBF	-.01	.00	.04	.82**	-												
6. DAST-10 [lg10]	-.12	-.20	-.14	-.07	-.23*	-											
7. AUDIT-C [lg10]	-.08	-.07	-.03	.08	.07	.27**	-										
8. Cigarette Use	-.08	-.05	-.07	.27*	.13	.06	.14	-									
9. Nicotine Vape Use	-.20	-.13	-.15	.05	.07	.14	.12	.47**	-								
10. Time Since Last Full Meal [lg10]	-.01	.08	.05	.08	.02	.02	.00	.17	.05	-							
11. Time Since Last Snack [lg10]	-.03	.04	.02	.06	.07	-.15	-.01	.04	-.03	.70**	-						
12. Subjective Hunger	.17	.14	.13	-.07	-.17	.24*	.15	-.11	-.12	.14	.15	-					
13. Slossen Intell Test	-.06	-.11	-.02	-.17	-.09	.08	.04	-.26*	-.09	-.21*	-.18	.20	-				
14. Income	.09	.05	.03	.30**	.38**	-.18	-.05	.32**	.21*	.25*	.29**	-.06	-.38**	-			
15. Marital Status	.05	-.03	-.04	.10	.14	-.10	-.05	.13	.08	.27**	.26*	.01	-.19	.55**	-		
16. Blood Glucose (mg/dl)[lg10]	.06	.07	.05	.15	.20	-.10	-.20	.03	.03	-.17	-.21*	-.28**	-.11	.10	.01	-	
17. BFFS – Fruit and Vegetable	-.12	.02	.08	-.16	-.07	.12	.15	.06	.03	-.07	-.05	-.20	.12	-.06	-.10	-.02	-
18. Perceived Stress Survey	.03	-.01	-.01	.07	.07	-.06	.07	.10	.03	.25*	.25*	.05	-.20	.19	.07	-.01	-.10

Note. *<0.05 **0.01 FCQ=Food Choice Questionnaire; BMI=Body Mass Index; PBF=Percent Body Fat; DAST-10=Drug Abuse Screening Test-10; AUDIT-C=Alcohol Use Disorders Identification Test-C; BFFS=Block Food Frequency Screener

Appendix B

Table 2

Pearson's r correlations between money delay discounting and demographic variables

Variable	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.
1. MCQ Small [lg10]	-																
2. MCQ Medium [lg10]	.87**	-															
3. MCQ Large [lg10]	.81**	.87**	-														
4. BMI [lg10]	.16	.24*	.25*	-													
5. PBF	.16	.18	.22*	.82**	-												
6. DAST-10 [lg10]	-.10	.06	-.01	-.07	-.23*	-											
7. AUDIT-C [lg10]	.11	.09	.04	.08	.07	.27**	-										
8. Cigarette Use	.16	.21*	.15	.27*	.13	.06	.14	-									
9. Nicotine Vape Use	.07	.13	.09	.05	.07	.14	.12	.48**	-								
10. Time Since Last Full Meal [lg10]	.20	.17	.28**	.08	.02	.02	.002	.17	.05	-							
11. Time Since Last Snack [lg10]	.23*	.15	.21*	.06	.07	-.15	-.01	.04	-.03	.69**	-						
12. Subjective Hunger	.02	.003	-.02	-.07	-.17	.24*	.15	-.11	-.12	.14	.15	-					
13. Slosson Intell Test	-.29**	-.27**	-.38**	-.17	-.09	.08	.04	-.26*	-.09	-.21*	-.18	.20	-				
14. Income	.21*	.25*	.29**	.30**	.38**	-.18	-.05	.32**	.21*	.25*	.29**	-.06	-.38**	-			
15. Marital Status	.08	.06	.06	.06	.14	-.10	-.05	.13	.08	.27*	.26*	.006	-.19	.55**	-		
16. Blood Glucose (mg/dl) [lg10]	.25*	.29**	.33**	.33**	.20	-.10	-.20	.03	.03	-.17	-.21*	-.28*	-.11	.10	.01	-	
17. BFFS – Fruit and Vegetable	-.10	-.20	-.15	-.16	-.07	.12	.15	.06	.03	-.07	-.05	-.20	.27	-.06	-.10	-.02	-
18. Perceived Stress Survey	.08	.05	.07	.07	.07	-.06	.07	.10	.03	.25*	.25*	.05	-.20	.19	.07	-.01	-.10

Note. *<.05 **<.01 MCQ=Money Choice Questionnaire; BMI=Body Mass Index; PBF=Percent Body Fat; DAST-10=Drug Abuse Screening Test-10; AUDIT-C=Alcohol Use Disorders Identification Test-C; BFFS=Block Food Frequency Screener

Appendix C

Table 3

Pearson's r correlations between food probability discounting and demographic variables

Variable	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.
1. PFCQ Small [lg10]	-																
2. PFCQ Medium [lg10]	.84**	-															
3. PFCQ Large [lg10]	.81**	.92**	-														
4. BMI [lg10]	.12	.13	.15	-													
5. PBF	.15	.17	.22*	.82**	-												
6. DAST-10 [lg10]	-.31**	-.28**	-.33**	-.07	-.23*	-											
7. AUDIT-C [lg10]	-.14	-.16	-.11	.08	.07	.27**	-										
8. Cigarette Use	.12	.13	.12	.27*	.13	.06	.14	-									
9. Nicotine Vape Use	-.15	-.05	-.05	.05	.07	.14	.12	.47**	-								
10. Time Since Last Full Meal [lg10]	.09	.02	.03	.08	.02	.02	.002	.17	.05	-							
11. Time Since Last Snack [lg10]	.12	.02	.10	.06	.07	-.15	-.01	.04	-.03	.69**	-						
12. Subjective Hunger	.09	.06	.07	-.07	-.17	.24*	.15	-.11	-.12	.14	.15	-					
13. Slosson Intell Test	-.11	-.10	-.09	-.17	-.09	.08	.04	-.26*	-.09	-.21*	-.18	.20	-				
14. Income	.30**	.27**	.25*	.30**	.38**	-.18	-.05	.32**	.21*	.25*	.29**	-.06	-.38**	-			
15. Marital Status	.13	.12	.08	.10	.14	-.10	-.05	.13	.08	.27**	.26*	.01	-.19	.55**	-		
16. Blood Glucose (mg/dl) [lg10]	.12	.09	.04	.15	.20	-.10	-.20	.03	.03	-.17	-.21*	-.28**	-.11	.10	.01	-	
17. BFFS – Fruit and Vegetable	.02	-.05	-.03	-.16	-.07	.12	.15	.06	.03	-.07	-.05	-.20	.12	-.06	-.10	-.02	-
18. Perceived Stress Survey	.001	-.03	-.02	.07	.07	-.06	.07	.10	.03	.25*	.25*	.05	-.20	.19	.07	-.01	-.10

Note. *<0.05 **0.01 PFCQ=Probabilistic Food Choice Questionnaire; BMI=Body Mass Index; PBF=Percent Body Fat; DAST-10=Drug Abuse Screening Test-10; AUDIT-C=Alcohol Use Disorders Identification Test-C; BFFS=Block Food Frequency Screener

Appendix D

Table 4

Pearson's r correlations between money probability discounting and demographic variables

Variable	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.
1. PMCQ Small [lg10]	-																
2. PMCQ Medium [lg10]	.77**	-															
3. PMCQ Large [lg10]	.62**	.77**	-														
4. BMI [lg10]	.12	.13	.07	-													
5. PBF	.06	.07	.13	.82**	-												
6. DAST-10 [lg10]	-.04	-.16	-.20	-.07	-.23*	-											
7. AUDIT-C [lg10]	-.19	-.21*	-.14	.08	.07	.27**	-										
8. Cigarette Use	.09	.19	.15	.27*	.13	.06	.14	-									
9. Nicotine Vape Use	-.001	-.01	-.07	.05	.07	.14	.12	.47**	-								
10. Time Since Last Full Meal [lg10]	-.02	.13	.07	.08	.02	.02	.002	.17	.05	-							
11. Time Since Last Snack [lg10]	-.05	.12	.05	.06	.07	-.15	-.01	.04	-.03	.69**	-						
12. Subjective Hunger	.14	.19	.09	-.07	-.17	.24*	.15	-.11	-.12	.14	.15	-					
13. Slosson Intell Test	-.01	-.08	-.16	-.17	-.09	.08	.04	-.26*	-.09	-.21*	-.18	.20	-				
14. Income	.02	.07	.15	.30**	.38**	-.18	-.05	.32**	.21*	.25*	.29**	-.06	-.38**	-			
15. Marital Status	-.04	.05	.09	.10	.14	-.10	-.05	.13	.08	.27**	.26*	.01	-.19	.55**	-		
16. Blood Glucose (mg/dl) [lg10]	.12	.07	.05	.15	.20	-.10	-.20	.03	.03	-.17	-.21*	-.28**	-.11	.10	.01		
17. BFFS – Fruit and Vegetable	-.07	-.15	.02	-.16	-.07	.12	.15	.06	.03	-.07	-.05	-.20	.12	-.06	-.10	-.02	-
18. Perceived Stress Survey	-.04	.07	.16	.07	.07	-.06	.07	.10	.03	.25*	.25*	.05	-.20	.19	.07	-.01	-.10

Note. *<.05 **<.01 PMCQ=Probabilistic Money Choice Questionnaire; BMI=Body Mass Index; PBF=Percent Body Fat; DAST-10=Drug Abuse Screening Test-10; AUDIT-C=Alcohol Use Disorders Identification Test-C; BFFS=Block Food Frequency Screener