




**Figure S3. Genrich peak calling for all 36 chromosomes in *L. donovani*.** Peak calling was performed for two biological repeats and is depicted for promastigotes (Pro, blue), axenic amastigotes (Ama, orange) and RAD-treated promastigotes (Pro/RAD, green). Coding sequences (CDS) in two different orientations are indicated with black dots (forward direction) and red dots (reverse direction).




**Figure S3. Genrich peak calling for all 36 chromosomes in *L. donovani*.** Peak calling was performed for two biological repeats and is depicted for promastigotes (Pro, blue), axenic amastigotes (Ama, orange) and RAD-treated promastigotes (Pro/RAD, green). Coding sequences (CDS) in two different orientations are indicated with black dots (forward direction) and red dots (reverse direction).




**Figure S3. Genrich peak calling for all 36 chromosomes in *L. donovani*.** Peak calling was performed for two biological repeats and is depicted for promastigotes (Pro, blue), axenic amastigotes (Ama, orange) and RAD-treated promastigotes (Pro/RAD, green). Coding sequences (CDS) in two different orientations are indicated with black dots (forward direction) and red dots (reverse direction).



**Figure S3. Genrich peak calling for all 36 chromosomes in *L. donovani*.** Peak calling was performed for two biological repeats and is depicted for promastigotes (Pro, blue), axenic amastigotes (Ama, orange) and RAD-treated promastigotes (Pro/RAD, green). Coding sequences (CDS) in two different orientations are indicated with black dots (forward direction) and red dots (reverse direction).



**Figure S3. Genrich peak calling for all 36 chromosomes in *L. donovani*.** Peak calling was performed for two biological repeats and is depicted for promastigotes (Pro, blue), axenic amastigotes (Ama, orange) and RAD-treated promastigotes (Pro/RAD, green). Coding sequences (CDS) in two different orientations are indicated with black dots (forward direction) and red dots (reverse direction).



**Figure S3. Genrich peak calling for all 36 chromosomes in *L. donovani*.** Peak calling was performed for two biological repeats and is depicted for promastigotes (Pro, blue), axenic amastigotes (Ama, orange) and RAD-treated promastigotes (Pro/RAD, green). Coding sequences (CDS) in two different orientations are indicated with black dots (forward direction) and red dots (reverse direction).

