

STROBE Statement—checklist of items that should be included in reports of observational studies

	Item No.	Recommendation	Page No.	Relevant text from manuscript
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	2	Lines 45-59
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	2	Lines 45-59
Introduction				
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	3-4	Lines 60-108
Objectives	3	State specific objectives, including any prespecified hypotheses	5	Lines 108-113
Methods				
Study design	4	Present key elements of study design early in the paper	11-12	Lines 255-268
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	11-12	Lines 255-268
Participants	6	(a) <i>Cohort study</i> —Give the eligibility criteria, and the sources and methods of selection of participants. Describe methods of follow-up <i>Case-control study</i> —Give the eligibility criteria, and the sources and methods of case ascertainment and control selection. Give the rationale for the choice of cases and controls <i>Cross-sectional study</i> —Give the eligibility criteria, and the sources and methods of selection of participants	11-12	Lines 255-268
		(b) <i>Cohort study</i> —For matched studies, give matching criteria and number of exposed and unexposed <i>Case-control study</i> —For matched studies, give matching criteria and the number of controls per case		
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	12-15	Lines 269-343
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	12-15	Lines 269-343
Bias	9	Describe any efforts to address potential sources of bias	15-16	Lines 345-361
Study size	10	Explain how the study size was arrived at	12	Lines 261-264

Continued on next page

Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	15-16	Lines 345-361
Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	15-16	Lines 345-361
		(b) Describe any methods used to examine subgroups and interactions	15-16	Lines 345-361
		(c) Explain how missing data were addressed	15	Lines 341-343
		(d) <i>Cohort study</i> —If applicable, explain how loss to follow-up was addressed <i>Case-control study</i> —If applicable, explain how matching of cases and controls was addressed <i>Cross-sectional study</i> —If applicable, describe analytical methods taking account of sampling strategy	15	Lines 346-348
		(e) Describe any sensitivity analyses	NA	
Results				
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	5	Lines 116-122
		(b) Give reasons for non-participation at each stage	11	Lines 261-264
		(c) Consider use of a flow diagram	26	Figure 1
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	27	Table 1
		(b) Indicate number of participants with missing data for each variable of interest		Supplemental Table 2
		(c) <i>Cohort study</i> —Summarise follow-up time (eg, average and total amount)	NA	
Outcome data	15*	<i>Cohort study</i> —Report numbers of outcome events or summary measures over time		
		<i>Case-control study</i> —Report numbers in each exposure category, or summary measures of exposure		
		<i>Cross-sectional study</i> —Report numbers of outcome events or summary measures	27	Table 1
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	28-29	Tables 2-3
		(b) Report category boundaries when continuous variables were categorized	NA	
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	NA	

Continued on next page

Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	30-31	Tables 4-5
Discussion				
Key results	18	Summarise key results with reference to study objectives	7-8	Lines 171-180
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	10	Lines 226-242
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	11	Lines 243-251
Generalisability	21	Discuss the generalisability (external validity) of the study results	8-9	Lines 181-225
Other information				
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	17	Lines 374-375

*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at <http://www.plosmedicine.org/>, Annals of Internal Medicine at <http://www.annals.org/>, and Epidemiology at <http://www.epidem.com/>). Information on the STROBE Initiative is available at www.strobe-statement.org.