Supplementary file 13: Recall/Alert/Case-report of substandard/falsified of cardiovascular medicines (except sartans, see Supplementary file 12)

| Country | API/combination of APIs | Year | No. Batch | Quality test failure | Report Type | Ref |
|---------|--|--|-------------|--|--------------|-----|
| India | Acetylsalicylic acid | Aug-Nov 2013 Dec 2019 | 3 1 | Dissolution Dissolution | Recall/Alert | [1] |
| | Amlodipine | Dec 2013- May 2014 Feb 2020 | 4 1 | API content/ Dissolution Related Substances | Recall/Alert | [1] |
| | Atenolol- Amlodipine | Jan 2016 | 2 | API content | Recall/Alert | [1] |
| | Atorvastatin | Nov 2016- Dec2016 May 2020 | 3 1 | Dissolution Dissolution | Recall/Alert | [1] |
| | Atorvastatin- Acetylsalicylic acid | May 2015 | 1 | Dissolution | Recall/Alert | [1] |
| | Carvedilol | Jul 2017 Jul2020 | 1 1 | Related substances Assay | Recall/Alert | [1] |
| | Clopidogrel- Acetylsalicylic Acid | Jan 2019 Apr 2020 | 1 | API content Dissolution | Recall/Alert | [1] |
| | Enalapril | Sep 2017- Dec 2018 Apr 2020 Apr 2020 | 3 1 1 | API content/ Dissolution Dissolution/ Assay Assay | Recall/Alert | [1] |
| | Furosemide | Dec 2016- Jun 2017 | 3 | Dissolution | Recall/Alert | [1] |
| | Glyceryl Trinitrate | Dec 2016- Feb 2019 | 2 | API content/impurity | Recall/Alert | [1] |
| | Heparin | Dec 2018- 2019 | 2 | pH/ API content | Recall/Alert | [1] |
| | Isosorbide dinitrate | Jul 2013- Mar 2019 | 3 | API content/ Dissolution | Recall/Alert | [1] |
| | Labetalol | Jul 2017 | 2 | Visible particles | Recall/Alert | [1] |
| | Methyldopa | Jul 2017 | 1 | API content | Recall/Alert | [1] |
| | Metoprolol | Nov 2017 | 1 | Dissolution | Recall/Alert | [1] |
| | Nifedipine | Nov 2013- Jan 2014 May 2020 | 2 1 | Dissolution Dissolution | Recall/Alert | [1] |
| | Ramipril | Dec 16/Dec 18/Jan 19 Apr 2020 Jul 2020 | 3 1 1 | API content Description/ Dissolution/Assay Assay | Recall/Alert | [1] |
| | Rosuvastatin | Apr 2020 | 3 | Dissolution | Recall/Alert | [1] |
| | Cilnidipine | Apr 2020 | 1 | API content | Recall/Alert | [1] |
| | Telmisartan | Jun 2020 | 1 | Dissolution | Recall/Alert | [1] |
| | Diltiazem | May 2003 | 1 | Falsified-contained only 50% API content | Seizure | [2] |
| | Amlodipine | Sep 2016 | Unstated | "Elderly male patient taking tablet Amlodipine once daily [] and had 2 years without any events. Patient came to the emergency department with the complaint of altered sensorium and elevated blood pressure [] The Decreased Therapeutic Response could be due to be counterfeit drug" | Case report | [3] |
| Nigeria | Propanolol | 1993-1996 | Unstated | Falsified-no details available | Seizure | [4] |

| Country | API/combination of APIs | Year | No. Batch | Quality test failure | Report Type | Ref |
|-------------------|----------------------------|-----------|-----------|---|--------------|------------|
| Pakistan | Isosorbide Mononitrate | 2011-2012 | 1 | "Over 200 patients died because isosorbide tablets also contained high amount of pyrimethamine as a result of multiple negligence and errors during the manufacture" | Case report | [5] [6] |
| | Atorvastatin | 2000 | Unstated | "Nearly 200,000 tablets of Lipitor [] was found to be counterfeit and recalled by a small Missouri wholesaler. Some of the pills had already reached Rite Aid and CVS pharmacies." | Recall | [7] |
| | Phenylephrine | Oct 2017 | 1 | Potential microbial contamination | Recall/Alert | [8] |
| United States | Metoprolol | 2019 | Unstated | "Ethex recall of more than 60 products - metoprolol succinate, A physician in Clevelan Clinical found in the package for Ethex's metoprolol succinate[] Dose not comply with the dissolution test of the USP monograph" | Recall/Alert | [9] |
| | Furosemide | Mar 2020 | 7 | Substandard - Failure: Visible particulate matter (furosemide precipitate) | Recall/Alert | |
| | Heparin | Nov 2007 | Unstated | 152 ADRs associated with heparin | Case report | [10] |
| | Furosemide | 2012 | Unstated | "A patient is thirty-nine [] by 2012, his health was failing with his swollen legs, and the doctor namely Lever immediately suspected a poor quality of generic diuretic made by Ranbaxy. After Lever switched the prescription to a version made by American company Roxane and kept the same dose. Immediately, Parnell started losing fluid" | Case report | [9] |
| Taiwan | Rosuvastatin (Crestor) | 2017 | 2 | Falsified - containing atorvastatin | Recall/Alert | [11] |
| | Warfarin | Jul 2013 | 42 | Substandard - Degradation products | Recall/Alert | [12] |
| | Atorvastatin (Lipitor®) | 2005-2006 | Unstated | Falsified – containing lovastatin | Recall/Alert | [13] |
| United Kingdom | Clopidogrel (Plavix®) | 2007 | Unstated | Falsified – containing simvastatin | Recall/Alert | [13] |
| | Clopidogrel | Unstated | Unstated | "The people responsible for this fraud were linked to the importation of two million doses of falsified clopidogrel, olanzapine, and bicalutamide into the United Kingdom. One of the ringleaders was sentenced to eight years' imprisonment." | Seizure | [14] |
| Denmark | Valsartan | 2018 | Unstated | Substandard – Cohort study: 198 participants exposed with valsartan developed a cancer (but no proof that the impurity caused it) | Case report | [15] |

| Country | API/combination of APIs | Year | No. Batch | Quality test failure | Report Type | Ref |
|-------------------------------|-----------------------------|------|-----------|---|---------------|------|
| Germany + United States | Heparin | 2008 | Unstated | Falsified - 900 cases of adverse events (238 deaths) reported to the US FDA and Federal Institute of Drugs and Medical Devices in Germany. Oversulfated chondroitin sulfate identified as the likely cause. | Case report | [16] |
| Canada | Amlodipine | 2016 | Unstated | "In 2016, law enforcement seized grey- market Norvasc pills [] eleven patients of the pharmacy who were prescribed Norvasc died, the Ontario Coroner's Officer conducted an investigation into their deaths to determine if the counterfeit medication was a contributing factor" | Seizure | [17] |
| Mexico | Heparin | 2020 | Unstated | "Seven deaths at a hospital among patients treated with [] heparin and dozens of other patients reported to have suffered side effects []. The pharma company has said that after examining the Inhepar 5000 IU / mL vials used at the hospital it concluded they had either been re-used — which is sometimes observed with falsified medicines — or tampered" | Case report | [18] |
| Dominican Republic | Cardiovascular medicines | 2014 | Unstated | Falsified – unknown 'Among the drugs seized there are painkillers, antibiotics and others used to combat hypertension and diabetes mellitus. During the operation, agents also seized empty boxes, containers and a machine to print the batch numbers and expiration dates of the fake products.' | Seizure | [19] |
| Cameroon | Hydrochlorothiazi de | 2019 | 1 | Falsified- contain glibenclamide instead of hydrochlorothiazide "In March 2019, WHO was informed in Cameroon that a medicine presenting as hydrochlorothiazide 50mg had caused hypoglycaemia in patients" | Recall/ Alert | [20] |

REFERENCES

- Alerts. https://cdsco.gov.in/opencms/opencms/en/Notifications/Alerts/ (accessed 4 Sep 2019).
- Database on the incidents of Counterfeit Medicines in the WHO-SEA Region. https://drive.google.com/file/d/1zUmFzuAnlzHyXJCSyX_L6fcGS3rvf1tG/view (accessed 16 Sep 2019).
- 3 USFDA. SCA Pharmaceuticals LLC. Issues Voluntary Nationwide Recall of Furosemide 100 mg in 0.9% Sodium Chloride Due to Presence of Precipitate | FDA. 2020.https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts/sca-pharmaceuticals-llc-issues-voluntary-nationwide-recall-furosemide-100-mg-09-sodium-chloride-due (accessed 13 Dec 2020).
- Erhun W., Babalola O., Erhun M. Drug Regulation and Control in Nigeria: The Challenge of Counterfeit Drugs. *J Health Popul Dev Ctries* Published Online First: 2001.http://www.nigeriapharm.com/Library/Drug regulation.pdf (accessed 16 Sep 2019).
- 5 Contaminated Isotab® (isosorbide mononitrate) incident in Lahore Pakistan. 2012;:1–2.https://www.who.int/medicines/publications/drugalerts/DrugSafetyAlert125.pdf
- Etude de la qualite des medicaments generiques DCI achetes par la Pharmacie Populaire du Mali dans le cadre des appels d'offres de 2002 a 2005. http://apps.who.int/medicinedocs/en/m/abstract/Js22131en (accessed 6 Dec 2019).
- Gaul. U.S. Prescription Drug System Under Attack. Washington Post. https://www.washingtonpost.com/archive/politics/2003/10/19/us-prescription-drug-system-under-attack/2ad69f71-42a0-4fce-829d-89fe0d4f3bd3/?... (accessed 13 Nov 2019).
- 8 USFDA. SCA Pharmaceuticals Issues Voluntary Nationwide Recall of Specific Products Due to Potential Contamination. US FDA. 2017.https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts/sca-pharmaceuticals-issues-voluntary-nationwide-recall-specific-products-due-potential-contamination (accessed 6 Sep 2019).
- 9 Li H. Bottle of Lies: The Inside Story of the Generic Drug Boom. Yale J Biol Med 2020;93:385–6.
- Blossom DB, Kallen AJ, Patel PR, *et al.* Outbreak of Adverse Reactions Associated with Contaminated Heparin. *N Engl J Med* 2008;**359**:2674–84. doi:10.1056/NEJMoa0806450
- Taylor P. Taiwan FDA seeks Crestor recall after counterfeit finds. 2019;;7– 8.https://www.securingindustry.com/pharmaceuticals/taiwan-fda-seeks-crestor-recall-after-counterfeit-find/s40/a3433/#.XXHZ2CgzbIU
- GOV.UK. Warfarin 3mg tablets higher than expected levels of degradation. 2013.https://www.gov.uk/drug-device-alerts/drug-alert-warfarin-3mg-tablets-higher-than-expected-levels-of-degradation (accessed 6 Sep 2019).
- Almuzaini T, Sammons H, Choonara I. Substandard and falsified medicines in the UK: A retrospective review of drug alerts (2001-2011). BMJ Open 2013;3:e002924. doi:http://dx.doi.org/10.1136/bmjopen-2013-002924
- Newton PN, Schellenberg D, Ashley EA, *et al.* Quality assurance of drugs used in clinical trials: Proposal for adapting guidelines. *BMJ* 2015;**350**. doi:10.1136/bmj.h602
- Pottegard A, Hallas J, Pottegard A, *et al.* Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. *BMJ* 2018;**362**:k3851. doi:10.1136/bmj.k3851
- Beyer T, Matz M, Brinz D, *et al.* Composition of OSCS-contaminated heparin occurring in 2008 in batches on the German market. *Eur J Pharm Sci* 2010;**40**:297–304. doi:10.1016/j.ejps.2010.04.002

- 17 Canada Government. Counterfeit Pharmaceuticals in Canada. 2016. http://publications.gc.ca/collections/collection_2013/sp-ps/PS64-108-2006-eng.pdf
- Spectre of adulterated heparin emerges again, in Mexico. SecuringIndustry.com. https://www.securingindustry.com/pharmaceuticals/spectre-of-adulterated-heparin-emerges-again-in-mexico/s40/a11450/#.X9UGntj7TIX (accessed 13 Dec 2020).
- Health authorities seize counterfeit medicines in Santiago. DominicanToday. 2014.https://dominicantoday.com/dr/local/2014/7/5/Health-authorities-seize-counterfeit-medicines-in-Santiago/ (accessed 16 Sep 2019).
- WHO. Medical Product Alert N° 6/2019 (English version). 2019.https://www.who.int/news/item/17-04-2019-medical-product-alert-n-6-2019-(english-version) (accessed 13 Dec 2020).