







Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_9	16181	FTMS	156.17	700.3932	O00505





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_18	1915	FTMS	72.325	614.7074	O14894





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_3	13207	FTMS	116.24	1267.657	O60361





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_6	14795	FTMS	123.29	743.3481	O95183




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_4	16257	FTMS	124.62	1233.684	P12236





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_6	3492	FTMS	110.84	535.2729	P14209





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_15	8834	FTMS	104.11	441.7509	P49356





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_6	13884	FTMS	155.09	729.3252	P49903





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_5	8578	FTMS	117.86	447.2249	P53985





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_11	15614	FTMS	143.93	845.8907	P62714




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_17	9705	FTMS	83.204	677.3578	P62841





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_3	9362	FTMS	126.19	902.4942	P63218




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_16	12761	FTMS	69.721	1135.566	Q5M9N0





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_14	12607	FTMS	91.853	944.5411	Q5T5A4





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_14	13888	FTMS	83.377	399.7578	Q6ZVF9




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_15	14592	FTMS	124.98	957.4499	Q8IW41



Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_8	15827	FTMS	73.885	614.8035	Q8IWT0




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_3	13645	FTMS	104.2	1043.61	Q8IYE0





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_18	1619	FTMS	85.937	468.9848	Q8N726

R P G H D D G Q R P S G G A A A A P R



b4 b5 b6 b7 b8
y15 y14 y13
y10 y9 y8 y7
y5 y4 y3 y2 y1
b15(2+) b17 b18(2+)





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_16	3725	FTMS	150.27	512.2281	P68363;P68366;Q71U36;Q13748;Q9BQE3;A6NHL2;Q9NY65




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_14	12810	FTMS	105.14	476.2395	Q8TD08





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_13	4231	FTMS	91.202	465.2262	Q8WUH6





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_1	14397	FTMS	115.78	615.3117	Q8WVY7





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_11	14337	FTMS	117.79	699.3091	Q9BV20





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_9	14482	FTMS	161.86	987.4887	Q9BY32





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_5	14949	FTMS	136.02	1154.576	Q9HBL7





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_6	16895	FTMS	113.38	714.8996	Q9NRP0





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_14	12804	FTMS	125.54	1224.56	O95747;Q9UEW8




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_13	16494	FTMS	158.04	1260.705	Q9UHY1




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_16	8386	FTMS	131.4	692.3108	P37802;Q9UI15





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_4	2286	FTMS	110.63	415.7276	Q9UI32




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_2	2600	FTMS	60.305	407.1828	Q9UUKK3





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_4	2168	FTMS	126.71	533.244	Q9UPN7




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_3	13632	FTMS	88.495	945.5251	Q9Y2H2





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_18	2447	FTMS	141.2	592.8102	Q9Y5J6





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_5	13609	FTMS	91.069	389.1857	Q9Y5X1





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_11	12154	FTMS	93.649	1049.457	P09651;Q32P51





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_13	16811	FTMS	81.92	1332.72	Q86UY6




Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_14	5542	FTMS	120.06	1006.462	Q96AT9





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_10	14978	FTMS	114.7	759.888	Q96B97





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_14	7203	FTMS	71.614	885.5152	Q02487





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_8	4655	FTMS	153.81	737.3356	P09488;P46439;Q03013





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_10	7717	FTMS	88.075	1375.645	Q05086





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_15	2149	FTMS	113.71	977.4622	Q12933





Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_15	15431	FTMS	174.59	808.4216	P07437;Q13885;Q9BVA1;Q13509



Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_12	1340	FTMS	91.783	533.746	Q15118



Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_5	3868	FTMS	64.104	812.9055	Q92504



Raw file	Scan number	Mass analyzer	Score	m/z	Proteins
7610TQ_11	8697	FTMS	122.7	1165.548	Q93045

