SUPPLEMENTARY DATA

Supplementary Table SIX	Adjusted sensitivit	y analysis: cervical	mucus characteristics for	women aged $<$ 35 and \ge 35
years. ^a				

Number of women Number of cycles	Age <35 501 2354	Age ≥35 27 I34	
	Mean (days) (95% CI)		
Cervical Mucus Characteristics			
Days of peak type mucus	7.7 (6.9, 8.6)	6.5 (4.9, 8.2)	
Days of non-peak type mucus	6.2 (5.1, 7.3)	5.1 (2.9, 7.3)	
Dry days	16.5 (15.0, 18.0)	18.4 (15.4, 21.4)	
Mucus peak days	2.3 (2.1, 2.5)	2.1 (1.7, 2.5)	
Cervical mucus cycle score	8.7 (8.0, 9.4)	7.3 (6.0, 8.6)*	
Fertility characteristics			
Potentially fertile days	14.4 (13.3, 15.5)	13.0 (10.9, 15.1)	
Non-fertile days	14.8 (13.7, 16.0)	16.0 (13.8, 18.2)	
	Proportion (95% CI)		
Days of peak type mucus ≤2	12.0 (10.6, 13.4)	16.4 (10.0, 22.8)	
Days of non-peak type mucus \leq 2	37.6 (35.5, 39.6)	44.5 (35.9, 53.1)	
Cervical mucus cycle score \leq 5.0	20.3 (18.6, 21.9)	23.1 (16.0, 30.3)	
Potentially fertile days ≤9	33.4 (31.4, 35.4)	39.1 (30.6, 47.5)	

 $[^]a$ Adjusted for parity, partial breast feeding, and recent use of oral contraceptives. *0.01 < P < 0.05 for comparison between age groups.