STROBE Statement—checklist of items that should be included in reports of observational studies

| | Item No. | Recommendation | Page No. | Relevant text from manuscript |
|----------------------|-------------|---|--------------|---|
| Title and abstract | 1 | (a) Indicate the study's design with a commonly used term in the title or the abstract | | Page 4, mentioned in the methods section. |
| | | (b) Provide in the abstract an informative and balanced summary of what was done and what was found | | Page 1. |
| Introduction | | | | |
| Background/rationale | 2 | Explain the scientific background and rationale for the investigation being reported | Pages 2-3. | |
| Objectives | 3 | State specific objectives, including any prespecified hypotheses | Page 3. | |
| Methods | | | | |
| Study design | 4 | Present key elements of study design early in the paper | Page 4. | |
| Setting | 5 | Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, | Page 4. | |
| | | follow-up, and data collection | | |
| Participants | 6 | (a) Cohort study—Give the eligibility criteria, and the sources and methods of selection of | Pages 4-7. | |
| | | participants. Describe methods of follow-up | | |
| | | Case-control study—Give the eligibility criteria, and the sources and methods of case | | |
| | | ascertainment and control selection. Give the rationale for the choice of cases and controls | | |
| | | Cross-sectional study—Give the eligibility criteria, and the sources and methods of selection of | | |
| | | participants | | |
| | | (b) Cohort study—For matched studies, give matching criteria and number of exposed and unexposed | | |
| | | Case-control study—For matched studies, give matching criteria and the number of controls per | | |
| | | case | | |
| Variables | 7 | Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. | Pages 7-9. | |
| | | Give diagnostic criteria, if applicable | | |
| Data sources/ | 8* | For each variable of interest, give sources of data and details of methods of assessment | Pages 4-9. | Data on controls and patients |
| measurement | | (measurement). Describe comparability of assessment methods if there is more than one group | | are stated in detail. |
| Bias | 9 | Describe any efforts to address potential sources of bias | Pages 14-15. | |
| Study size | 10 | Explain how the study size was arrived at | Page 4. | |

Continued on next page

| Quantitative | 11 | Explain how quantitative variables were handled in the analyses. If applicable, describe which | Pages 7-9. |
|------------------|-----|---|-----------------------|
| variables | | groupings were chosen and why | |
| Statistical | 12 | (a) Describe all statistical methods, including those used to control for confounding | Pages 7-9. |
| methods | | (b) Describe any methods used to examine subgroups and interactions | Pages 8, 9. |
| | | (c) Explain how missing data were addressed | Page 4. |
| | | (d) Cohort study—If applicable, explain how loss to follow-up was addressed | Pages 8-10. |
| | | Case-control study—If applicable, explain how matching of cases and controls was addressed | |
| | | Cross-sectional study—If applicable, describe analytical methods taking account of sampling | |
| | | strategy | |
| | | (e) Describe any sensitivity analyses | - |
| Results | | | |
| Participants | 13* | (a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined | Pages 4, 10-12. |
| | | for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed | |
| | | (b) Give reasons for non-participation at each stage | Pages 4, 8. |
| | | (c) Consider use of a flow diagram | - |
| Descriptive data | 14* | (a) Give characteristics of study participants (eg demographic, clinical, social) and information on | Pages 10, 17. |
| | | exposures and potential confounders | |
| | | (b) Indicate number of participants with missing data for each variable of interest | Pages 17-20, 22. |
| | | (c) Cohort study—Summarise follow-up time (eg, average and total amount) | Page 10. |
| Outcome data | 15* | Cohort study—Report numbers of outcome events or summary measures over time | Pages 10, 17. |
| | | Case-control study—Report numbers in each exposure category, or summary measures of exposure | |
| | | Cross-sectional study—Report numbers of outcome events or summary measures | |
| Main results | 16 | (a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision | Pages 11, 12, 21, 24. |
| | | (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were | |
| | | included | |
| | | (b) Report category boundaries when continuous variables were categorized | Page 15, 16. |
| | | (c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time | Not applicable. |
| | | period | |

Continued on next page

| Other analyses | 17 | Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses | Pages 10, 11, 14. |
|------------------|-----|--|----------------------------------|
| Discussion | | | |
| Key results | 18 | Summarise key results with reference to study objectives | Page 13. |
| Limitations | 19 | Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss | Pages 15, 16. |
| | | both direction and magnitude of any potential bias | |
| Interpretation | 20 | Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of | Pages 1, 14-16. |
| | | analyses, results from similar studies, and other relevant evidence | |
| Generalisability | 21 | Discuss the generalisability (external validity) of the study results | Page 15, 16. |
| Other informati | ion | | |
| Funding | 22 | Give the source of funding and the role of the funders for the present study and, if applicable, for the | Provided in a separate document, |
| | | original study on which the present article is based | page 2. |

^{*}Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at http://www.plosmedicine.org/, Annals of Internal Medicine at http://www.annals.org/, and Epidemiology at http://www.epidem.com/). Information on the STROBE Initiative is available at www.strobe-statement.org.