Supplemental Materials

Table S1. Descriptive statistics by treatment assignment at the three assessment time points for maternal depression symptoms, anxiety symptoms, and support services received

	Baseline				Infant age 6 months				Infant age 12 months			
	Control $n = 125$		PFR $n = 127$		Control $n = 122$		PFR $n = 122$		Control $n = 123$		PFR $n = 120$	
	M	(SD)	M	(SD)	M	(SD)	M	(SD)	M	(SD)	M	(SD)
Maternal mental health												
Depression symptoms	5.83	(4.75)	5.59	(4.74)	5.96	(5.39)	5.41	(4.28)	6.26	(5.01)	5.31	(4.30)
Anxiety symptoms	6.69	(5.39)	6.00	(5.10)	6.45	(5.20)	5.28	(4.21)	6.70	(5.23)	5.72	(4.77)
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Support services received												
Home visiting services	60	(48.0)	57	(44.9)	24	(19.7)	21	(17.2)	19	(15.4)	16	(13.3)
Mental health provider	91	(72.8)	94	(74.6)	57	(46.7)	68	(55.7)	55	(44.7)	62	(51.7)
Prescription medications for mental health concerns	17	(13.6)	25	(20.0)	16	(13.1)	24	(19.7)	13	(10.7)	23	(19.2)

Note. PFR = Promoting First Relationships. Sample size is the maximum *n* at each time point. Depression symptoms were measured using the PHQ-9. Anxiety symptoms were measured using the GAD-7. Questions about services received were retrospective and included the following time periods: The baseline visit asked about services received from the time they were pregnant, the infant age 6 month visit asked about services received during the past 3 months, and the infant age 12 month visit asked about services received during the past 6 months. Home visiting services did not include PFR.