

Supplementary Information for:

***In Situ* Visualization of the pKM101-Encoded Type IV Secretion System Reveals a Highly Symmetric ATPase Energy Center at the Channel Entrance**

Pratik Khara, Liqiang Song, Peter J. Christie*, Bo Hu*

Department of Microbiology and Molecular Genetics, McGovern Medical School,

6431 Fannin St, Houston, Texas 77030

*Correspondence to: Bo Hu or Peter J. Christie

Department of Microbiology and Molecular Genetics, McGovern Medical School, Houston, TX 77030.

Fax: 713-500-5499

Hu:

Phone: 713-500-5891

e-mail: Bo.Hu@uth.tmc.edu

Christie:

Phone: 713-500-5440

e-mail: Peter.J.Christie@uth.tmc.edu

This PDF file includes:

Table S1

Figures S1-S6

References

Other supplementary materials for this manuscript include the following:

Movies S1, S2

Table S1. List of strains, plasmids, and oligonucleotides used in these studies.

Strains	Genotype	Source
UU2834	(<i>tsr</i>)5547 (<i>aer</i>)1 <i>yggG</i> :: <i>genR</i> (<i>trg</i>)4543 <i>min</i> :: <i>kan</i> (<i>flbBflaH</i>)4 <i>mreB-A125V</i> <i>thr</i> (<i>Am</i>)-1 <i>leuB6</i> <i>his-4</i> <i>metF</i> (<i>Am</i>)159 <i>rpsL136</i> [<i>thi-1</i> <i>ara-14</i> <i>lacY1</i> <i>mtl-1</i> <i>xyl-5</i> <i>tonA31</i> <i>tsx-78</i>]	(1)
MG1655	<i>ilvG rpb-50 rph-1 ΔlacUI69</i>	<i>E. coli</i> Genetic Stock Center
MC4100 <i>rif</i> ^R	F- [<i>araD139</i>] _{B/r} Δ(<i>argF-lac</i>)169 λ ⁻ <i>e14</i> ⁻ <i>flhD5301</i> Δ(<i>fruK-yeiR</i>)725(<i>fruA25</i>) <i>relA1</i> <i>rpsL150</i> (<i>strR</i>) <i>rbsR22</i> Δ(<i>fimB-fimE</i>)632(:: <i>IS1</i>) <i>deoC1 rifR</i>	Lab Stock

Plasmids	Characteristics	
pKM101-Spc ^r	Spc ^r ; pKM101 derivative	(2)
pJG1004	Spc ^r ; pKM101-Spc ^r with a Δ <i>traB</i> mutation	(3)
pJG1011	Spc ^r ; pKM101-Spc ^r with a Δ <i>traG</i> mutation	(3)
pKM101-Spc ^r -Δ <i>traJ</i>	Spc ^r ; pKM101-Spc ^r with a Δ <i>traJ</i> mutation	(2)
pMS4	Kan ^r ; pBAD24Kan ^r with P _{BAD} :: <i>traB</i> _{pKM101}	(3)
pMS11	Kan ^r ; pBAD24Kan ^r with P _{BAD} :: <i>traG</i> _{pKM101}	(3)
pTB26	Kan ^r ; pBAD24Kan ^r with P _{BAD} :: <i>traJ</i> _{pKM101}	(2)

Oligonucleotides	Sequences (5' to 3')	Purpose
pKM_up_traB-F	ATTATGGGCCTGTGGTTGAAAACAAATTCA AG	Confirmation of Δ <i>traB</i> mutation in UU2834
pKM_dn_traB-R	TTCACCCTGTTAACATGCTCGGTGGG	Confirmation of Δ <i>traB</i> mutation in UU2834
pKM_mid_traB-F	GCCAGGCCAGCTAACATGCTAAAGAA G	Confirmation of Δ <i>traB</i> mutation in UU2834
pKM_mid_traB-R	CACAAATGCGGAACAGGTTTAATGAG GG	Confirmation of Δ <i>traB</i> mutation in UU2834
pKM_up_traG-F	CTCTACGATCAGCAGGGTGATGCG	Confirmation of Δ <i>traG</i> mutation in UU2834

pKM_dn_traG-R	CTTCAGGCGAGTAGCCAACCTGAAC	Confirmation of $\Delta traG$ mutation in UU2834
pKM_mid_traG-F	GCAGATTATTAGGAACCTTGCTAAATC GTTGG	Confirmation of $\Delta traG$ mutation in UU2834
pKM_mid_traG-R	ATAATCCCACGCAGCATCATCCCTAAG	Confirmation of $\Delta traG$ mutation in UU2834
pKM_up_traJ-F	CCGGCAGGACAGATGATGTTGCATG	Confirmation of $\Delta traJ$ mutation in UU2834
pKM_dn_traJ-R	CAAGCAGCTTTAACCGGGCTG	Confirmation of $\Delta traJ$ mutation in UU2834
pKM_mid_traJ-F	CCATACCTACATACGCTGAGAACTTGC	Confirmation of $\Delta traJ$ mutation in UU2834
pKM_mid_traJ-R	CATGTTAGCCAGAATGGTCTGAGCC	Confirmation of $\Delta traJ$ mutation in UU2834