
Supplementary Figure 1: Patient journey through telemedicine early medical abortion care (CCBY4.0 John Reynolds-Wright available from https://flic.kr/p/2j8HtKK)



Supplementary Figure 2: Questionnaires

DAY FOUR QUESTIONS

Question 1:				
Did you take	the first table	et (mife _l	oristone, 1	tablet that you swallow)?
Circle:	Yes	/	No	
If yes, do you	ı remember ı	when:		
Date:				_ Time:
Or circle:	Don	't remer	mber	
Question 2:				
Do you reme	ember the da	te and t	ime you too	ok the first dose of your misoprostol
tablets (4 tab	olets under th	ne tongu	e or inside	the vagina)?
Circle:	Yes	/	No	
If yes:				
Date:				Time:
Did you take	the tablets (circle): ι	under the to	ongue / inside the vagina /
			between yo	our cheek and gum ?
Question 3:				
Did you use	any additiona	al doses	of misopro	ostol? (2 more tablets under the tongue
or inside the	vagina)			
Circle:	Yes	/	No	
If yes:				
How many fu	ırther doses	(i.e. pai	rs of tablets	s) did you take?
Question 4:				
Do you reme	ember the da	te and ti	ime that yo	u passed the pregnancy?
Circle:	Yes	/	No /	Unsure
If yes:				
Date:				_ Time:

Question 5:

How acceptable did you find having your abortion treatment in your own home? (please circle)

- Very acceptable
- Somewhat acceptable
- Neutral
- Somewhat unacceptable
- Very unacceptable

Question 6:

How prepared did you feel for having your abortion treatment at home? (please circle)

- Very prepared
- Somewhat prepared
- Neutral
- Somewhat unprepared
- Very unprepared

Question 7:

If you had to have this treatment again, where would you rather have it:

- At my own home
- In hospital
- Have a surgical procedure
- Not sure

DAY FOURTEEN QUESTIONS

LoSUPT date:	ao your	pregr	iancy to	est and what	was ine	resuit?	_
LoSUPT result:	Positive	е	/	Negative	/	Invalid	
Question 9: Were you give	em:	Yes	/	ceptive pills? Not yet but I	will	/	No

Question 10:

Looking back, how acceptable did you find having your consultation remotely?

- Very acceptable
- Somewhat acceptable
- Neutral
- Somewhat unacceptable
- Very unacceptable

Question 11:

Looking back, if you were able to choose a type of consultation for this procedure which would you choose?

- Face-to-Face
- Telephone
- Video call
- Unsure

Question 12:

If you were to design the perfect service, which of the following would be important to you:

	Very	Somewhat	Neutral	Somewhat	Very
	Unimportant	Unimportant		Important	Important
Having an ultrasound scan					
Evening face-to- face clinic					
Evening telephone consultation					
Skype or video consultation					
A mobile phone app to send/receive information in					
advance Online booking					
Medication posted to me					
Medication that could collect from a local pharmacy					
Able to get the treatment from my GP					

Supplementary Table 1. Medication pack for medical abortion at home.

*FSRH = Faculty of Sexual and Reproductive Healthcare UK.

Abortion medications	Mifepristone 200mg Oral
	24-48 hours later
	Misoprostol 800micrograms sublingual/vaginal/buccal (per patient preference)
	Plus a further 1 x 400micrograms of misoprostol if no bleeding within 4 hours of first dose
	For 10-11+6 weeks only: a further 400micrograms of misoprostol if not passed pregnancy by 4 hours of last dose
	<10 weeks provided 1200 mcg misoprostol total and 10-11+6 weeks provided 1600 mcg misoprostol total
Analgesia	Dihydrocodeine 30mg Women advised to purchase their own supply of paracetamol and ibuprofen.
Antibiotics	Doxycycline 100mg twice daily for 7 days
Antiemetic (if required)	Cyclizine 50mg oral
Confirmation of abortion	Low Sensitivity Urine Pregnancy Test 1000iu at 14 days
Contraception	Pills, patches, rings and condoms supplied in pack. Combined hormonal methods issued in accordance with FSRH* advice. Long acting reversible contraceptives provided at
Information	rapid access clinic and bridging method offered. Detailed step-by-step information provided as written leaflet included in pack.