

Table S1 : Table of the number of mice/ number of individual experiments for all graphs in the paper

Figure 1		not infected	2d	3d	4d	7d	14d	21d	30d	50d	3d post reinfection (d50)	6d post reinfection (d50)
	NK cells	8/3	3/1	3/1	9/3	6/2	6/2	3/1	6/2	9/3	3/1	7/3
	ILC1	8/3	3/1	3/1	9/3	6/2	6/2	3/1	6/2	8/3	3/1	8/3
	ILC2	6/2	3/1	3/1	9/3	6/2	6/2	3/1	6/2	9/3	3/1	8/3
	ILC3	3/1	-	-	6/2	3/1	3/1	-	3/1	3/1	-	3/1
	exRORYt ILC3	5/2	5/2	6/2	3/1	2/1	-	-	-	-	-	-

Figure 2		not infected			4d			7d			30d		
		Cervix	Uterine horns	Ovary	Cervix	Uterine horns	Ovary	Cervix	Uterine horns	Ovary	Cervix	Uterine horns	Ovary
	cNK (per mg tissue)	3/1	2/1	3/1	3/1	3/1	3/1	8/3	9/3	9/3	12/4	11/4	12/4
	trNK (per mg tissue)	3/1	2/1	3/1	3/1	3/1	3/1	8/3	9/3	9/3	5/2	8/3	9/3
	ILC1 (per mg tissue)	3/1	2/1	3/1	3/1	3/1	3/1	8/3	9/3	9/3	9/3	8/3	9/3
	ILC2 (per mg tissue)	-	-	-	3/1	3/1	3/1	8/3	9/3	9/3	12/4	11/4	12/4
	cNK	5/2	5/2	5/2	6/2	6/2	6/2	8/3	9/3	9/3	9/3	9/3	9/3
	trNK	5/2	5/2	5/2	6/2	6/2	6/2	8/3	9/3	9/3	9/3	9/3	9/3
	ILC1	5/2	5/2	5/2	6/2	6/2	6/2	8/3	8/3	8/3	9/3	9/3	9/3
ILC2	5/2	5/2	5/2	6/2	6/2	6/2	8/3	8/3	8/3	12/4	12/4	12/4	

Figure 3	IFN γ		not infected	4d	7d	30d
		cNK	6/2	6/2	8/3	9/3
		trNK	6/2	6/2	8/3	9/3
	TNF	ILC1	6/2	9/3	9/3	9/3
		cNK	6/2	6/2	9/3	9/3
		trNK	6/2	6/2	9/3	9/3
	ILC1	6/2	6/2	9/3	9/3	

Figure 4	IL-15		2d	3d	4d	7d	14d	21d	30d
		Cervix	3/1	3/1	3/1	5/2	6/2	3/1	8/3
		lower uterine horn	3/1	3/1	3/1	5/2	6/2	2/1	9/3
		upper uterine horn	3/1	3/1	2/1	5/2	6/2	3/1	9/3
	Oviduct	3/1	3/1	3/1	5/2	6/2	3/1	9/3	
	IL-18	Cervix	-	-	-	5/2	6/2	3/1	8/3
		lower uterine horn	-	-	-	5/2	6/2	2/1	9/3
		upper uterine horn	-	-	-	5/2	6/2	3/1	9/3
		Oviduct	-	-	-	5/2	6/2	3/1	9/3
	IL-33	Cervix	3/1	3/1	3/1	5/2	6/2	3/1	8/3
		lower uterine horn	3/1	3/1	3/1	5/2	5/2	2/1	9/3
		upper uterine horn	3/1	3/1	2/1	5/2	6/2	3/1	9/3
		Oviduct	3/1	3/1	3/1	5/2	6/2	3/1	9/3

Figure 5		not infected		4d		7d		30d	
		WT	CCR2 ^{-/-}	WT	CCR2 ^{-/-}	WT	CCR2 ^{-/-}	WT	CCR2 ^{-/-}
	NK	8/3	9/3	9/3	6/2	6/2	6/2	6/2	6/2
ILC1	8/3	9/3	9/3	6/2	6/2	6/2	6/2	6/2	6/2
ILC2	6/2	9/3	9/3	6/2	6/2	6/2	6/2	6/2	6/2
	WT	Rag1 ^{-/-}	WT	Rag1 ^{-/-}	WT	Rag1 ^{-/-}	-	-	-
NK	8/3	3/1	9/3	3/1	6/2	3/1	-	-	-
ILC1	8/3	3/1	9/3	3/1	6/2	3/1	-	-	-
ILC2	6/2	3/1	9/3	3/1	6/2	3/1	-	-	-

Figure 6	cNK	27/8
	trNK	27/8
	ILC1	27/8
	ILC2	27/8

Suppl. Figure 2		not infected		4d		7d		31d	
		WT	vavBcl2	WT	vavBcl2	WT	vavBcl2	WT	vavBcl2
	ILC2	6/2	6/2	9/3	6/2	6/2	5/2	-	-
cNK	-	-	-	-	-	-	-	3/1	3/1
trNK	-	-	-	-	-	-	-	3/1	3/1

Suppl. Figure 4		not infected	1d	2d	3d	4d	7d	14d	21d	30d
	Lower cervix	14/5	3/1	5/2	3/1	12/4	8/3	9/3	2/1	6/2
	Upper cervix	14/5	3/1	5/2	3/1	12/4	8/3	9/3	2/1	6/2
	Uterine horn 1	14/5	3/1	5/2	3/1	12/4	8/3	9/3	2/1	6/2
	Uterine horn 2	14/5	3/1	5/2	3/1	12/4	8/3	9/3	2/1	6/2
	Uterine horn 3	14/5	3/1	5/2	3/1	12/4	8/3	9/3	2/1	6/2
	Oviduct	14/5	3/1	5/2	3/1	12/4	8/3	9/3	2/1	6/2

Suppl. Figure 5		not infected		30d	
		WT	Ncr1 ^{-/-}	WT	Ncr1 ^{-/-}
	cNK	5/2	6/2	9/3	6/2
	trNK	5/2	6/2	9/3	6/2
	ILC1	5/2	6/2	9/3	6/2
	ILC2	5/2	6/2	12/4	6/2

Suppl. Figure 6		not infected		4d		7d		30d	
		WT	Ccr2 ^{-/-}	WT	Ccr2 ^{-/-}	WT	Ccr2 ^{-/-}	WT	Ccr2 ^{-/-}
	Monocytes	6/2	6/2	9/3	6/2	9/3	6/2	6/2	6/2
Neutrophils	6/2	6/2	9/3	6/2	9/3	6/2	6/2	6/2	

Suppl. Figure 7	Neutrophils	9/3
	Monocytes	9/3
	T cells	9/3

Suppl. Figure 8	cNK	10/4
	trNK	10/4
	ILC1	10/4
	ILC2	10/4