Supplementary Table 4. Known groups (discriminative validity) stratified into CKD stage 3b and stage 4 and 5 at time for test 1 among 233 patients with chronic kidney disease

Item	Total N (%)	Renal function (CKD stages)		p- value ¹
		Stage 3b n = 141	Stage 4-5 n =92	Value
		n (%)	n (%)	
Lack of appetite				0.03
Not at all	164(70)	108(77)	56(62)	
Somewhat	39(16)	19(14)	20(22)	
Moderately	13(6)	7(5)	6(6)	
Very much	13(6)	5(3)	8(9)	
Extremely	3(2)	2(1)	1(1)	
Itchy skin				0.02
Not at all	104 (45)	74 (52)	30 (33)	
Somewhat	82 (36)	41 (29)	41 (45)	
Moderately	21 (9)	14 (10)	7 (8)	
Very much	19 (8)	10 (8)	9 (10)	
Extremely	5 (2)	2 (1)	3 (3)	
Dyspnoea				0.85
Not at all	154 (66)	94 (67)	60 (66)	
Somewhat	48 (21)	26 (18)	22 (24)	
Moderately	21 (9)	14 (10)	7 (8)	
Very much	8 (3)	7 (5)	1 (1)	
Extremely	1 (-)	-	1 (1)	
General health				<0.001
Excellent	17 (7)	14 (10)	3 (3)	
Very good	49 (21)	36 (26)	13 (14)	
Good	102 (45)	61 (43)	41 (45)	
Fair	52 (22)	27 (19)	25 (28)	
Poor	12 (5)	3 (2)	9 (10)	
Adherence				0.45
Daily	-	-	-	
Weekly	7 (3)	5 (4)	2 (2)	
Monthly	14 (6)	6 (4)	8 (9)	
Never/Rarely	210 (91)	129 (92)	81 (89)	
Dizziness				0.33
Not at all	115 (50)	74 (52)	41 (46)	
Somewhat	87 (38)	51 (36)	36 (41)	
Moderately	20 (9)	12 (9)	8 (9)	
Very much	5 (2)	2 (2)	3 (3)	
Extremely	3 (1)	2 (1)	1 (1)	
Concentration				0.68
Not at all	127 (55)	79 (57)	48 (53)	
Somewhat	72 (31)	41 (29)	31 (34)	
Moderately	25 (11)	16 (11)	9 (10)	
Very much	6 (3)	4 (3)	2 (2)	
Extremely	1 (-)	-	1 (1)	
Memory				0.74
Not at all	93 (40)	58 (41)	35 (38)	
	. ,			

Somewhat	96 (41)	56 (40)	40 (44)	
Moderately	30 (14)	22 (15)	8 (9)	
Very much	10 (4)	4 (3)	6 (7)	
Extremely	3 (1)	1 (1)	2 (2)	
Nausea			,	0.09
Not at all	179 (77)	114 (81)	65 (72)	
Somewhat	35 (15)	18 (13)	17 (19)	
Moderately	15 (7)	8 (5)	7 (8)	
Very much	3 (1)	1 (1)	2 (2)	
Extremely	-	-	-	
Aversion to food				0.10
Not at all	181 (78)	115 (82)	66 (73)	
Somewhat	29 (13)	15 (11)	14 (15)	
Moderately	13 (6)	7 (5)	6 (6)	
Very much	6 (3)	2 (1)	4 (5)	
Extremely	3 (1)	2 (1)	1 (1)	
Vomiting				0.16
Not at all	217 (94)	135 (96)	82 (91)	
Somewhat	10 (4)	3 (2)	7 (8)	
Moderately	4 (2)	3 (2)	1 (1)	
Very much	-	-	-	
Extremely	-	-	-	
Daily activities				0.003
Not at all	130 (56)	90 (64)	40 (44)	
A little	67 (29)	34 (24)	33 (36)	
Quite a bit	27 (12)	14 (10)	13 (14)	
Very much	8 (3)	3 (2)	5 (6)	
Future concerns				0.04
Not at all	85 (37)	56 (40)	29 (32)	
A little	113 (49)	71 (50)	42 (46)	
Quite a bit	19 (8)	8 (6)	11 (12)	
Very much	15 (6)	6 (4)	9 (10)	
Nocturnal awakening				0.77
Not at all	101 (44)	63 (45)	38 (42)	
A little	82 (35)	48 (34)	34 (37)	
Quite a bit	39 (17)	24 (17)	15 (17)	
Very much	10 (4)	6 (4)	4 (4)	
Fatique				0.35
All of the time	14 (6)	7 (5)	7 (8)	
Most of the time	31 (13)	16 (11)	15 (16)	
A good bit of the time	45 (19)	28 (20)	17 (19)	
Some of the time	44 (19)	29 (21)	15 (16)	
A little of the time	70 (31)	40 (28)	30 (33)	
None of the time	28 (12)	21 (15)	7 (8)	
Restless legs				0.01
All of the time	10 (4)	3 (2)	7 (8)	
Most of the time	14 (6)	8 (6)	6 (7)	
A good bit of the time	23 (10)	14 (10)	9 (19)	
Some of the time	32 (14)	15 (11)	17 (19)	
A little of the time	64 (28)	39 (27)	25 (27)	

None of the time	89 (39)	62 (44)	27 (30)	
Swollen legs				<0.001
Not at all	108 (46)	84 (59)	24 (26)	
Somewhat	83 (36)	40 (29)	43 (47)	
Moderately	32 (14)	13 (9)	19 (21)	
Very much	9 (4)	4 (3)	5 (6)	
Extremely	-	-	-	
Constipation				0.13
Not at all	173 (75)	111 (78)	62 (69)	
A little	44 (19)	21 (15)	23 (26)	
Quite a bit	13 (6)	8 (6)	5 (5)	
Very much	1 (-)	1 (1)	-	
Diarrhoea				0.15
Not at all	154 (67)	99 (71)	55 (61)	
A little	63 (27)	32 (23)	31 (34)	
Quite a bit	6 (4)	6 (4)	4 (4)	
Very much	3 (2)	3 (2)	1 (1)	
Nightly frequent urination				0.03
Not at all	69 (30)	50 (36)	19 (21)	
A little	84 (36)	48 (34)	36 (39)	
Quite a bit	62 (27)	34 (24)	28 (31)	
Very much	16 (7)	8 (6)	8 (9)	
Feeling of unease				0.13
Not at all	136 (59)	89 (63)	47 (52)	
Somewhat	62 (27)	32 (23)	30 (33)	
Moderately	26 (11)	15 (10)	11 (12)	
Very much	5 (2)	3 (2)	2 (2)	
Extremely	3 (1)	2 (2)	1 (1)	
Pain				0.02
None	109 (47)	74 (52)	35 (39)	
Very mild	48 (21)	29 (22)	19 (21)	
Mild	45 (20)	23 (16)	22 (24)	
Moderate	24 (10)	13 (9)	11 (12)	
Severe	3 (1)	2 (1)	1 (1)	
Very severe	3 (1)	-	3 (3)	
General health compared to last year				0.02
Much better	8 (3)	7 (5)	1 (1)	
Somewhat better	20 (9)	13 (9)	7 (8)	
About the same	162 (70)	102 (72)	60 (66)	
Somewhat worse	35 (15)	15 (11)	20 (22)	
Much worse	7 (3)	4 (3)	3 (3)	
¹⁾ p-value testing difference between sta	ge 3b vs. sta	age 4 and 5. Calc	ulated by Mann-Whi	tney test