

Total number of experimental units = 20 (including 3 withdraws, RVB07 (Group=1), RVB09 (Group=2), RVB12 (Group=2))




Total Observations in Table: 20

Gender	   1	Group	
F	0.250	0.100	7   0.350
M	0.300	7	13     0.650
Column Total		9   0.450	   20   

## Age in Months (at initial visit, "Visit=1" ONLY)






Group	Gender	Age.mean	Age.sd
1	F	65.20	36.75
1	M	59.00	44.04
2	F	36.50	24.75
2	M	45.00	25.02

## Proportions by Gender, Group and Breed


	Gender	Group	Breed	n	proportion
1	F	1	Bearded Collie	1	0.05
2	F	1	Cocker Spaniel	1	0.05
3	F	1	Cross Breed	1	0.05
4	F	1	Lurcher	1	0.05
5	F	1	Staffordshire Bull Terrier	1	0.05
6	F	2	German Shepherd	1	0.05
7	F	2	Whippet	1	0.05
8	M	1	Border Collie	1	0.05
9	M	1	Cockapoo	1	0.05
10	M	1	Labradoodle	1	0.05
11	M	1	Labrador Retriever	2	0.10
12	M	1	Staffordshire Bull Terrier	1	0.05
13	M	2	Border Collie	1	0.05
14	M	2	Boxer	1	0.05
15	M	2	Collie X	1	0.05
16	M	2	French Bulldog	1	0.05
17	M	2	German Shepherd	1	0.05
18	M	2	Lhasa Apso	1	0.05
19	M	2	Staffordshire Bull Terrier	1	0.05




<sup>\*</sup>Two variables, CCECAI and CIBDAI, are highly correlated.

<sup>\*</sup>P-value for CIBDAI = 0.4731 (the AUCs of the two groups are not significantly different at alpha=0.05)


## Endoscopy Scores by group (Visit No = 1,3)



P-value=0.5641 (the interaction between Visit No and Group type is not significant at  $\alpha=0.05$ )




P-value=0.7381 (the interaction between Visit No and Group type is not significant at  $\alpha=0.05$ )




P-value=0.5897 (the interaction between Visit No and Group type is not significant at  $\alpha=0.05$ )

#### SF SubTotal




P-value = 0.4004 (the interaction between Visit No and Group type is not statistically significant at  $\alpha=0.05$ )

### SA SubTotal




P-value = 0.3178 (the interaction between Visit No and Group type is not statistically significant at  $\alpha=0.05$ )

# D SubTotal




P-value = 0.1487 (the interaction between "Visit No" and "Group" type is not statistically significant at  $\alpha=0.05$ )

## I SubTotal




P-value = 0.6637 (the interaction between "Visit No" and "Group" type is not statistically significant at  $\alpha=0.05$ )

## C SubTotal




P-value = 0.5511 (the interaction between "Visit No" and "Group" type is not statistically significant at  $\alpha=0.05$ )

### TOTAL=SF SubTotal + SA SubTotal + D SubTotal + I SubTotal + C SubTotal




P-value = 0.3430 (the interaction between "Visit No" and "Group" type is not statistically significant at  $\alpha=0.05$ )

cPLI ug/l (cPLI serum concentration) by group (Visit No = 1 ONLY)




P-value = 0.8265 (no significant difference between two groups at  $\alpha = 0.05$ )

# cPLI, Outliers removed (RVB05, RVB32)




P-value = 0.3894 (no significant difference between two groups at  $\alpha = 0.05$ )

TLI ug/l (TLI serum concentration) by group (Visit No = 1 ONLY)




P-value = 0.5503 (no significant difference between two groups at  $\alpha = 0.05$ )

Alb g/l (serum albumin concentration) by group




P-value = 0.1132 (no significant difference between two groups at  $\alpha = 0.05$ )




P-value = 0.7952 (no significant difference between two groups at  $\alpha = 0.05$ )

Folate ng/ml (serum folate concentration) by group



P-value = 0.2390 (no significant difference between two groups at lpha=0.05)

Cobal ng/l (serum cobalamin concentration) by group




P-value = 0.3913 (no significant difference between two groups at lpha=0.05)

Correlations of all endoscopy score with CCECAI, CIBDAI and WSAVA scores "by  ${\tt Group}''$ 


Group=1

	ځی	ECA											
CCECAI	1	c/8	OA	autorot	à								
CIBDAI	0.98	1	es.	Sigo.	ado Tot	è							
SFSubTotal	-0.94	-0.88		SA	Sill	, ŏ®	>						
SASubTotal	-0.97	-0.93	0.98	1	05	JBT OF	(30)						
DSubTotal	0.31	0.26	-0.54	-0.46		(5)	p Total	de Total	÷	ζ PL			
ISubTotal	-0.08	-0.08		0.04	0.3	1	ć.	30,	JA	0,	Scoto	)	
CSubTotal	0.24	0.22	-0.07	-0.23	-0.23	0.37	1	1/2	P	cog	poscoo.	. Corel	
WSAVA_TOTAL	-0.81	-0.78	8.0	0.77	-0.14	0.53	0.25	1	45g	202	cop	PT .	. COTO
EndoscopyScoreD	0.05	0.07	-0.22	-0.16	0.85		-0.43	-0.03	1	4n	202	copy	3
EndoscopyScorel	0.48	0.5	-0.55	-0.52	0.77	0.62	0.11	-0.06	0.58	1	€nå	, O	BOTEC
EndoscopyScoreC	0.44	0.38	-0.48	-0.46		-0.83	-0.36	-0.84	0.01	-0.37	1		
-	1 -(	).8 -	0.6	-0.4	-0.2	0	0.2	0.4	0.6	6 0.	8 1		

Group=2




GROUP=1 & 2 Combined




Serum albumin & cobalamin concentration with CCECAI, CIBDAI and WSAVA scores "by Group"

Group=1



Group=2



GROUP=1 & 2 Combined

