

Table S4.

GENE ^a	FUNCTION	STRESS	OUTCOME
<i>cspA</i>	Cold-shock protein	Low temperature	Upregulation (1)
<i>bfrB</i>	Ferritin	Hypoxia, iron-stress	Upregulation (2)
<i>cysW</i>	Sulfate ABC transporter	Starvation	Upregulation (3)
<i>vapC40^b</i>	Toxin (TA system)	Starvation, drugs	Upregulation (4)
<i>vapB47^b</i>	Antitoxin (TA system)	Drugs	Upregulation (4)
<i>vapB19^b</i>	Antitoxin (TA system)	Starvation	Upregulation (5)
<i>vapC38^b</i>	Toxin (TA system)	Starvation	Upregulation (5)
<i>mazF8^b</i>	Antitoxin (TA system)	Various stress	Upregulation (5)
<i>mazF3^b</i>	Toxin (TA system)	Starvation, drugs, low ph	Upregulation (4)

References:

1. D'Auria G, Esposito C, Falcigno L, Calvanese L, Iaccarino E, Ruggiero A, Pedone C, Pedone E, Berisio R. 2010. Dynamical properties of cold shock protein A from *Mycobacterium tuberculosis*. *Biochem Biophys Res Commun* 402:693–698.
2. Khare G, Nangpal P, Tyagi AK. 2017. Differential Roles of Iron Storage Proteins in Maintaining the Iron Homeostasis in *Mycobacterium tuberculosis*. *PLoS One* 12:e0169545.
3. Hatzios SK, Bertozzi CR. 2011. The regulation of sulfur metabolism in *Mycobacterium tuberculosis*. *PLoS Pathog* 7:e1002036.
4. Gupta A, Venkataraman B, Vasudevan M, Gopinath Bankar K. 2017. Coexpression network analysis of toxin-antitoxin loci in *Mycobacterium tuberculosis* reveals key modulators of cellular stress. *Sci Rep* 7:1–14.
5. Sala A, Bordes P, Genevaux P. 2014. Multiple Toxin-Antitoxin Systems in *Mycobacterium tuberculosis*. *Toxins (Basel)* 6:1002–1020.