nature research

Corresponding author(s):	Sergi Padilla-Parra
Last updated by author(s):	Sep 6, 2021

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u>.

~					
5	tа	ıΤι	191	ш	\sim

For	all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a	Confirmed
	$oxed{x}$ The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	🕱 A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
X	A description of all covariates tested
	🕱 A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted Give <i>P</i> values as exact values whenever suitable.
x	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
x	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
x	Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated
	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.
Sof	ftware and code

Policy information about <u>availability of computer code</u>

Data Collection was performed with LAS X (Leica Microsystems) that pilots the Multiphoton Dive SP8X SMD FALCON system (Leica Microsystems).

Data analysis was performed with LAS X (see above), ImageJ (NIH), GraphPad Prism 8 and OriginLab as stated in material and methods

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

Raw data were generated at the Imaging Facilities of the Wellcome Centre Human Genetics . Data sets supporting the findings of this study are available rom osf.io/2gjc9.

Field-spe	ecific re	eporting
		is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.
x Life sciences		Behavioural & social sciences
Life scier	nces st	udy design
All studies must dis	sclose on thes	e points even when the disclosure is negative.
Sample size	_	lecule photobleaching analysis of individual virions we have at least n=20 and for 2PE FLIM from n=79 to 390, per condition. nts involving live cells images and single virus tracking the number of events was at least n=20, per condition.
Data exclusions	No data exclu	sions
Replication	All attempts for	or replication of analysis (three for each experiment) were successful
Randomization	Random	
Blinding	Blinding is not	t relevant for this study as when performing live imaging with all samples one realizes which condition is being studied
We require information system or method list	ion from author ited is relevant t perimental ne study s c cell lines logy and archae nd other organis search participa ta esearch of conce	n/a Involved in the study ChIP-seq Flow cytometry ology MRI-based neuroimaging ms nts
Antibodies used	Nanc	phoosters (NDA488 and/or ND594) - Chromotek
	PGT1	.45, b12 and 10E8 were recovered from NIH-AIDS repository (https://www.aidsreagent.org/)
Validation	N/A	
Eukaryotic c	ell lines	
Policy information	about <u>cell line</u>	<u>es</u>
Cell line source(s)		Lenti-X 293T cells were obtained from Takara Bio, Clontech. MT4 Cells were a gift from Dr Alex Compton, NCI Center for Cancer Research. They were recovered in turn from the NIH-AIDS repository. TZM-bl cells used in functional assays were provided by Dr Quentin Sattentau, University of Oxford.
Authentication		The cells were tested when (genotype) received at the WHG
Mycoplasma conta	ycoplasma contamination Cell lines were tested in house (WHG) for mycoplasma contamination	

Commonly misidentified lines (See <u>ICLAC</u> register)

N/A

Palaeontology and Archaeology

Specimen provenance | Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight | Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released,

say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight | Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic

design questions and have nothing to add here, write "See above."

RecruitmentDescribe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and

information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study

how these are likely to impact results.

Ethics oversight | Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJEguidelines for publication of clinical research and a completedCONSORT checklist must be included with all submissions.

Clinical trial registration | Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol Note where the full trial protocol can be accessed OR if not available, explain why.

Data collectionDescribe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

Dual use research of concern

Policy information about dual use research of concern

Hazards

1			
No Yes			
Public health	Public health		
National security	▼ National security		
Crops and/or livest	ock		
Ecosystems			
X Any other significa	nt area		
Experiments of concer	n		
Does the work involve an	y of these experiments of concern:		
No Yes			
Demonstrate how	to render a vaccine ineffective		
	to therapeutically useful antibiotics or antiviral agents		
	nce of a pathogen or render a nonpathogen virulent		
	ibility of a pathogen		
Alter the host rang			
	diagnostic/detection modalities		
	nization of a biological agent or toxin		
Any other potentia	Illy harmful combination of experiments and agents		
Cla ID			
ChIP-seq			
Data deposition			
Confirm that both rav	v and final processed data have been deposited in a public database such as <u>GEO</u> .		
	e deposited or provided access to graph files (e.g. BED files) for the called peaks.		
Data access links			
	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document,		
May remain private before publi	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.		
Files in database submiss	provide a link to the deposited data.		
	provide a link to the deposited data. Provide a list of all files available in the database submission.		
Files in database submiss Genome browser session	provide a link to the deposited data. Provide a list of all files available in the database submission. Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to		
Files in database submiss Genome browser session (e.g. <u>UCSC</u>)	provide a link to the deposited data. Provide a list of all files available in the database submission. Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to		
Files in database submiss Genome browser session (e.g. <u>UCSC</u>) Methodology	provide a link to the deposited data. Provide a list of all files available in the database submission. Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.		
Files in database submiss Genome browser session (e.g. <u>UCSC</u>) Methodology Replicates	provide a link to the deposited data. Provide a list of all files available in the database submission. Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents. Describe the experimental replicates, specifying number, type and replicate agreement. Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and		
Files in database submiss Genome browser session (e.g. <u>UCSC</u>) Methodology Replicates Sequencing depth	provide a link to the deposited data. Provide a list of all files available in the database submission. Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents. Describe the experimental replicates, specifying number, type and replicate agreement. Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end. Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot		
Files in database submiss Genome browser session (e.g. UCSC) Methodology Replicates Sequencing depth Antibodies	provide a link to the deposited data. Provide a list of all files available in the database submission. Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents. Describe the experimental replicates, specifying number, type and replicate agreement. Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end. Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number. Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files		
Files in database submiss Genome browser session (e.g. UCSC) Methodology Replicates Sequencing depth Antibodies Peak calling parameters	provide a link to the deposited data. Provide a list of all files available in the database submission. Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents. Describe the experimental replicates, specifying number, type and replicate agreement. Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end. Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number. Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.		

Flow Cytometry

Р	lo:	ts

Confirm that:		
The axis labels state the mark	ser and fluorochrome used (e.g. CD4-FITC).	
The axis scales are clearly visi	ble. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).	
All plots are contour plots wit	ch outliers or pseudocolor plots.	
A numerical value for number	r of cells or percentage (with statistics) is provided.	
Methodology		
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.	
Instrument	Identify the instrument used for data collection, specifying make and model number.	
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.	
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.	
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.	
Tick this box to confirm that a	a figure exemplifying the gating strategy is provided in the Supplementary Information.	
Magnetic resonance ir	naging	
Experimental design		
Design type	Indicate task or resting state; event-related or block design.	
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.	
Behavioral performance measure	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).	
Acquisition		
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.	
Field strength	Specify in Tesla	
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.	
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.	
Diffusion MRI Used	☐ Not used	
Preprocessing		
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).	
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.	
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.	
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).	

Statistical modeling & infe	erence
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.
Specify type of analysis:	Whole brain ROI-based Both
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).
Mariala Orașa de sala	

Models & analysis

n/a	Involved in the study
X	Functional and/or effective connectivity
X	Graph analysis
X	Multivariate modeling or predictive analysis
	ı