

Supplemental File 2: Contextual Data of Participants (N=35)

| Contextual Data | Would Not Participate Beyond a Referral n = 14 (40%*) | Participants Who Would Provide More than a Referral, but not Formally Administer MAID n = 21 (60%*) |
|---|--|--|
| Nurse Practitioner | 6 (43%) | 12 (57%) |
| Physician | 8 (57%) | 9 (43%) |
| Female | 9 (64%) | 14 (67%) |
| Male | 5 (36%) | 7 (33%) |
| Single/Never Married | 1 (7%) | - |
| Married/Domestic Partnership | 13 (93%) | 17 (81%) |
| Divorced | - | 4 (19%) |
| Age (years): | | |
| • 25-34 | 3 (21%) | 2 (10%) |
| • 35-44 | 4 (29%) | 5 (24%) |
| • 45-54 | 2 (14%) | 8 (38%) |
| • 55 and older | 5 (36%) | 6 (29%) |
| Years in Practice: | | |
| • 1-9 | 6 (43%) | 6 (29%) |
| • 10-19 | 3 (21%) | 8 (38%) |
| • 20-29 | 4 (29%) | 4 (19%) |
| • 30-39 | 1 (7%) | 3 (14%) |
| Significance of faith, religions, spirituality: | 7 (50%) | - |
| • Extremely Significant | 3 (21%) | 5 (24%) |
| • Very Significant | 2 (14%) | 2 (10%) |
| • Significant | 2 (14%) | 11 (52%) |
| • Neutral | - | 3 (14%) |
| • Not Significant | | |
| Belief system: | | |
| • Protestant | 4 (29%) | 3 (14%) |
| • Non-denominational Christianity | 3 (21%) | 3 (14%) |
| • Agnostic/Atheist | - | 4 (19%) |
| • Islam | 1 (7%) | - |
| • Roman Catholic | 5 (36%) | 8 (38%) |
| • Did not disclose/Other | 1 (7%) | 3 (14%) |
| Location of Practice:** | | |
| • Large Population Centre | 5 (36%) | 11 (52%) |
| • Medium Population Centre | 1 (7%) | 2 (10%) |
| | 3 (21%) | 6 (29%) |

| | | |
|---|-------------------------------|--------------------------------|
| <ul style="list-style-type: none"> • Small Population Centre • Rural area | 5 (36%) | 2 (10%) |
| Primary Work Area: <ul style="list-style-type: none"> • Family Medicine/Primary Care • Specialty Practice Areas*** | 8 (57%) 6 (43%) | 13 (62%) 8 (38%) |
| Patients with Life-Limiting Illness (%): <ul style="list-style-type: none"> • 0-19% • 20-39% • 40% or more | 8 (57%) 4 (29%) 2 (14%) | 15 (71%) 4 (19%) 2 (10%) |
| Responses in the interview were informed by: <ul style="list-style-type: none"> • An actual patient request • A hypothetical request | 4 (29%) 10 (71%) | 5 (24%) 16 (76%) |

* May equate 100% due to rounding.

** The Statistics Canada definitions were provided to the participants to support selection.

*** Including, but not limited to, emergency medicine, internal medicine, anesthesiology, surgery, critical care, psychiatry, and physical and rehabilitation medicine.