

Supplementary Material

Pharmacological Strategy for Congenital Myasthenic Syndrome with *CHRNE* Mutations: A Meta-Analysis of Case Reports

Kun Huang¹, Yue-Bei Luo¹, Fang-Fang Bi^{1,*} and Huan Yang^{1,*}

¹Department of Neurology, Xiangya Hospital, Central South University, Changsha, Hunan, China

Supplementary Tables

Supplementary Table S1. Overview of effect of pharmacologic treatment in *CHRNE*-mutated fast-channel syndrome.

Case	onset(year)	Age(year)	treatment	Effect	Mutation
1[1]	0	8	AChEI	+	c.163T>C
2[2]	0.6	2	AChEI AChEI +BA	++ +++	c.43T>C; c.113C>A
3[3]	0	5	AChEI	+	c.523G>A; c.544A>T
4[4]	0	21	AChEI PDN AChEI +PDN others	+ ++ + -	c.362C>T; c.1233C>T
5[5]	0	4	AChEI	+	c.362C>T; c.428C>T
6[6]	early childhood	39	AChEI	+	c.382T>A; c.1254ins18
7[7]	N.M*	N.M	AChEI	+++	c.610G>A
8[7]	N.M	N.M	AChEI	+++	c.712C>T
9[7]	N.M	N.M	AChEI	+++	c.778C>A; c.965G>A

Effect: (-) no effect; (+) partial, incomplete, moderate, modest or mild effect; (++) beneficial, positive or clear effect; (+++) remarkable, dramatical or satisfying effect. *NM: not mentioned

Supplementary Table S2. Overview of effect of pharmacologic treatment in *CHRNE*-mutated slow-channel syndrome.

Case	Onset(year)	Age(year)	Treatment	Effect	Mutation
1[7]	0	34	BA + FLX	++	c.865C>A (heter)
2[8]	0	16	QUIN	+++	p.L269F
3[8]	0	22	QUIN	++	p.T264P
4[9]	2.5	29	AChEI	-	c.846G>T
5[10]	0	15	AChEI FLX	+++ +	c.805C>T (heter*)
6[11]	17	27	QUIN AChEI	+ +	c.775G>C (heter)
7[11]	childhood	53	QUIN AChEI	+ +	c.775G>C (heter)
8[11]	childhood	28	QUIN AChEI	+ +	c.775G>C (heter)
9[11]	N.M	24	QUIN AChEI	+ +	c.775G>C (heter)
10[12]	2	19	QUIN	++	p.V259L
11[12]	0	15	QUIN	++	p.V259L
12[12]	0	20	AChEI FLX	- ++	p.L269F
13[12]	0	18	AChEI FLX	- ++	p.L269F
14[13]	6	N.M**	AChEI FLX others	++ + +++	c.833_835delCTC
15[14]	2	6	AChEI+DAP BA	+ ++	c.850A>C (heter)
16[15]	0	21	AChEI	+	c.854T>C
17[16]	4	21	AChEI FLX	- +	c.865C>T (heter)
18[16]	11	24	FLX	+	c.865C>T (heter)
19[17]	13	60	BA	+	c.721C>T (heter)
20[17]	19	31	BA + FLX	+	c.721C>T (heter)

Effect: (-) no effect; (+) partial, incomplete, moderate, modest or mild effect; (++) beneficial, positive or clear effect; (+++) remarkable, dramatical or satisfying effect. *heter: heterogeneous; **NM: not mentioned.

Supplementary Table S3. Overview of effect of pharmacologic treatment in *CHRNE*-mutated primary AChR deficiency.

Case	Onset(year)	Age(year)	Treatment	Effect	Mutation
1-30[7]	N.M	N.M	AChEI	++	CHRNE (details not known)
31[14]	0.1	26	AChEI	+	c.655_665del
32[14]	1	38	AChEI	+	c.786C>G
33[14]	0.1	26	AChEI	+	c.911T>G
34[18]	1.5	55	AChEI	++	c.1101insT
35[19]	N.M*	29	AChEI	+	c.1206ins19
36[19]	N.M	16	AChEI	+	c.70insG
37[19]	N.M	12	AChEI	+	c.70insG; g.IVS7+2T>C
38[19]	N.M	20	AChEI	+	c.1276delG
39[19]	N.M	19	AChEI	+	c.1276delG
40[19]	N.M	13	AChEI	+	c.59ins5
41[20]	N.M	N.M	AChEI	++	c.1369delG
42[20]	N.M	N.M	AChEI	++	1369delG; p.Y15H
43[20]	N.M	N.M	AChEI	++	1369delG; p.R311Q
44[20]	N.M	N.M	AChEI	++	1369delG; c.509insA
45[20]	N.M	N.M	AChEI	++	p.R311Q
46[21]	0	6	AChEI	+	c.553del7; g.IVS9-1G>C
47[21]	0	18	AChEI	+	c.553del7
48[21]	0	10	AChEI	+	c.553del7
49[21]	0	39	AChEI	+	c.553del7
50[21]	0	16	AChEI	+	c.553del7
51[21]	0	30	AChEI	+	c.553del7; c.1021ins20
52[21]	0	8	AChEI	+	c.553del7; c.1098insG
53[21]	0	10	AChEI	+	c.460G>T
54[21]	0	33	AChEI	+	c.470del3; g.IVS4-2A>C
55[22]	0	23	PDN AChEI	- ++	c.511A>T
56[22]	0	19	PDN AChEI	- ++	c.511A>T
57[22]	0	16	PDN AChEI	- ++	c.511A>T
58[23]	0	59	AChEI	+	g.IVS6-1G>C
59[23]	0	23	AChEI	+	g.IVS9-1G>A
60[23]	0	2.5	AChEI	+	g.IVS10-9_c.1167dup16
61[23]	0	6	AChEI	+	c.1259_g.IVS11+15del23; c.1033delG
62[23]	0	44	AChEI	+	c.857G>T; c.734C>T
63[24]	early childhood	18	AChEI	++	c.911delT; g.IVS5-16G>A
64[25]	2	14	AChEI	++	c.855C>T
65[26]	0.6	21	AChEI +DAP	++	c.1293insG
66[26]	0	23	AChEI	++	c.1293insG
67[26]	0.3	18	AChEI	++	c.1293insG
68[26]	0	9	AChEI	++	c.1293insG
69[26]	0	37	AChEI + DAP	++	c.1293insG
70[26]	0	8	AChEI	++	c.1293insG

71[26]	0	22	AChEI	++	c.1293insG
72[26]	4	41	AChEI	++	c.1293insG
73[26]	N.M	20	AChEI	++	c.1293insG
74[26]	4	17	AChEI	++	c.1293insG
75[26]	0	13	AChEI	++	c.1293insG
76[26]	0	13	AChEI	-	c.1293insG
77[26]	0.3	5	AChEI	++	c.1293insG
78[27]	0	14	AChEI	++	c.1369delG; p.R311Q
79[27]	0	48	AChEI	++	c.1369delG
80[27]	0	24	AChEI	+	c.1369delG; c.509insA
81[27]	1	74	AChEI	++	c.1369delG; p.R311Q
82[27]	3	80	AChEI	+++	c.1369delG; p.R311Q
83[27]	0	53	AChEI	+++	p.R64X; p.R311Q
84[28]	5	56	AChEI	+	c.24T>G; c.874_876del3
85[29]	5	26	AChEI	++	c.70insG; c.127ins5
86[29]	4	23	AChEI	++	c.70insG; c.127ins5
87[29]	8	17	AChEI	++	c.70insG
88[29]	5	19	AChEI	++	c.70insG
89[29]	1	23	AChEI	++	c.70insG
90[29]	0	18	AChEI	++	p.L11P
91[29]	5	N.M	AChEI	++	c.1293insG
92[29]	childhood	33	AChEI	++	c.1293insG
93[29]	0	7	AChEI	++	c.1293insG; c.70insG
94[29]	0	12	AChEI	++	c.70insG; p.S235L
95[29]	1	32	AChEI	++	c.70insG
96[29]	0	19	AChEI	-	c.70insG
97[29]	1	15	AChEI	-	c.70insG
98[29]	0	33	AChEI	++	p.R286M
99[29]	3	16	AChEI	++	p.R286M
100[30]	0	21	AChEI	++	c.123_127dup5
101[30]	0.4	17	AChEI	++	c.123_127dup5
102[30]	0.4	13	AChEI	++	c.123_127dup5
103[31]	0	63	AChEI + BA	+	c.1293insG
104[32]	0.4	56	AChEI + DAP BA PDN others	++ +++ +++ -	c.127ins5; c.1293insG
105[32]	0.3	35	PDN BA AChEI + DAP	- +++ +	p.C142Y
106[33]	0	49	AChEI others	++ -	c.845C>G; c.798_800del
107[34]	3	13	AChEI	+++	CHRNE (details not known)
108[34]	5	5	AChEI	+++	CHRNE (details not known)
109[34]	0	33	AChEI	+++	CHRNE (details not known)
110[35]	N.M	14	BA AChEI + DAP	+++ +	c.554-560del; c.IV58-1G>A
111[35]	N.M	18	BA AChEI + DAP	+++ +	c.554-560del; c.IV58-1G>A

112[35]	N.M	36	BA AChEI + DAP	+++ +	c.554-560del
113[35]	N.M	32	BA AChEI + DAP	+++ +	c.554-560del
114[35]	N.M	53	BA AChEI + DAP	+++ +	c.972+1G>T
115[35]	N.M	15	BA AChEI + DAP	+++ +	c.1267-32_1319del
116[36]	4	34	AChEI	+++	CHRNE (details not known)
117[36]	6	N.M	AChEI	+++	CHRNE (details not known)
118[37]	N.M	4	AChEI + DAP	++	c.1327delG
119[37]	N.M	5	AChEI + DAP	++	c.295C>T
120[38]	0.1	20	AChEI	+	c.1267delG
121[38]	9	16	AChEI	+	c.1267delG
122[38]	0.1	8	AChEI	+	c.1267delG
123[38]	1	8	AChEI	+	c.1267delG
124[38]	2	34	AChEI	+	c.1267delG
125[38]	2	30	AChEI	+	c.1267delG
126[38]	0.1	30	AChEI + DAP	++	c.1267delG
127[38]	0.1	32	AChEI + DAP	+	c.1267delG
128[38]	0.5	20	AChEI + DAP	++	c.1267delG
129[39]	2	17	AChEI	+	c.183_187dup5
130[40]	0.1	4	BA	+++	c.475A>C
131[40]	1	20	AChEI	-	c.704C>T; c.475A>C
132[40]	1	13	AChEI	-	c.704C>T; c.475A>C
133[41]	0.4	21	AChEI	++	c.130insG; c.1353insG
134[41]	0.1	19	others	++	c.130insG; c.1353insG
135[41]	0.1	53	AChEI + DAP	++	c.1353insG
136[41]	0.1	8	AChEI	++	c.1353insG
137[41]	0	4	AChEI	++	c.865C > T
138[42]	N.M	N.M	AChEI BA	++ +++	c.43T>C; c.113C>A
139[43]	N.M	30	AChEI + BA	++	c.130dupG
140[43]	N.M	29	AChEI + BA	++	c.130dupG
141[43]	N.M	12	AChEI + BA	++	c.130dupG
142[43]	N.M	28	AChEI + BA	++	c.130dupG
143[43]	N.M	19	AChEI + BA	++	c.130dupG
144[43]	N.M	13	AChEI + BA	++	c.130dupG
145[43]	N.M	32	AChEI + BA	++	c.130dupG (heter**)
146[43]	N.M	12	AChEI + BA	++	c.130dupG
147[43]	N.M	37	AChEI + BA	++	c.130dupG
148[43]	N.M	10	AChEI + BA	++	c.130dupG
149[43]	N.M	25	AChEI + BA	++	c.130dupG
150[43]	N.M	4	AChEI + BA	++	c.130dupG
151[43]	N.M	34	AChEI + BA	++	c.130dupG
152[43]	N.M	14	AChEI + BA	++	c.130dupG
153[43]	N.M	64	AChEI + BA	++	c.130dupG; c.803-2A>G
154[43]	N.M	54	AChEI + BA	++	c.130dupG; c.803-2A>G

155[43]	N.M	8	AChEI + BA	++	c.130dupG
156[43]	N.M	16	AChEI + BA	++	c.130dupG; c.858_859dup
157[43]	N.M	7	AChEI + BA	++	c.130dupG; c.858_859dup
158[43]	N.M	38	AChEI + BA	++	c.130dupG
159[43]	N.M	21	AChEI + BA	++	c.130dupG
160[43]	N.M	28	AChEI + BA	++	c.130dupG
161[43]	N.M	43	AChEI + BA	++	c.130dupG
162[43]	N.M	34	AChEI + BA	++	c.130dupG
163[43]	N.M	38	AChEI + BA	++	c.130dupG
164[43]	N.M	18	AChEI + BA	++	c.130dupG
165[43]	N.M	27	AChEI + BA	++	c.130dupG
166[43]	N.M	34	AChEI + BA	++	c.130dupG
167[43]	N.M	19	AChEI + BA	++	c.130dupG
168[43]	N.M	5	AChEI + BA	++	c.130dupG; c.422T>A
169[44]	0.2	3	AChEI + PDN	++	c.295C>T; c.442T>A
170[45]	0.3	2	AChEI others	++ ++	c.1327delG
171[45]	1	2	AChEI	++	c.1327delG
172[45]	1.3	4	AChEI	++	c.3G>A
173[46]	1	12	AChEI	++	c.452_454delAGG
174[46]	1	8	AChEI	++	IVS7+2T>C(c.802+2T>C)
175[46]	1.2	6	AChEI BA	+ +++	c.865C>T; c.872C>G
176[47]	0.2	0.5	others	+++	c.973G>T
177[48]	0.2	35	AChEI BA	+++ +++	c.712C>T
178[48]	0.4	34	BA others	++ +	c.712C>T
179[48]	1.5	25	AChEI	+++	c.610G>A

Effect: (-) no effect; (+) partial, incomplete, moderate, modest or mild effect; (++) beneficial, positive or clear effect; (+++) remarkable, dramatical or satisfying effect. *NM: not mentioned; ** heter: heterogeneous.

REFERENCES

- [1] Shen, X.M.; Brengman, J.M.; Edvardson, S.; Sine, S.M.; Engel, A.G. Highly fatal fast-channel syndrome caused by AChR epsilon subunit mutation at the agonist binding site. *Neurology*, **2012**, *79*(5), 449-454.
- [2] Webster, R.; Liu, W.W.; Chaouch, A.; Lochmuller, H.; Beeson, D. Fast-channel congenital myasthenic syndrome with a novel acetylcholine receptor mutation at the alpha-epsilon subunit interface. *Neuromuscul Disord*, **2014**, *24*(2), 143-147.
- [3] Sine, S.M.; Shen, X.M.; Wang, H.L.; Ohno, K.; Lee, W.Y.; Tsujino, A.; Brengmann, J.; Bren, N.; Vajsar, J.; Engel, A.G. Naturally occurring mutations at the acetylcholine receptor binding site independently alter ACh binding and channel gating. *J Gen Physiol*, **2002**, *120*(4), 483-496.
- [4] Uchitel, O.; Engel, A.G.; Walls, T.J.; Nagel, A.; Atassi, M.Z.; Bril, V. Congenital myasthenic syndromes: II. Syndrome attributed to abnormal interaction of acetylcholine with its receptor. *Muscle Nerve*, **1993**, *16*(12), 1293-1301.
- [5] Ohno, K.; Wang, H.L.; Milone, M.; Bren, N.; Brengman, J.M.; Nakano, S.; Quiram, P.; Pruitt, J.N.; Sine, S.M.; Engel, A.G. Congenital myasthenic syndrome caused by decreased agonist binding affinity due to a mutation in the acetylcholine receptor epsilon subunit. *Neuron*, **1996**, *17*(1), 157-170.
- [6] Milone, M.; Wang, H.L.; Ohno, K.; Prince, R.; Fukudome, T.; Shen, X.M.; Brengman, J.M.; Griggs, R.C.; Sine, S.M.; Engel, A.G. Mode switching kinetics produced by a naturally occurring mutation in the cytoplasmic loop of the human acetylcholine receptor epsilon subunit. *Neuron*, **1998**, *20*(3), 575-588.
- [7] Durmus, H.; Shen, X.M.; Serdaroglu-Oflazer, P.; Kara, B.; Parman-Gulsen, Y.; Ozdemir, C.; Brengman, J.; Deymeer, F.; Engel, A.G. Congenital myasthenic syndromes in Turkey: Clinical clues and prognosis with long term follow-up. *Neuromuscul Disord*, **2018**, *28*(4), 315-322.
- [8] Harper, C.M.; Engel, A.G. Quinidine sulfate therapy for the slow-channel congenital myasthenic syndrome. *Ann Neurol*, **1998**, *43*(4), 480-484.
- [9] Fidzianska, A.; Ryniewicz, B.; Shen, X.M.; Engel, A.G. IBM-type inclusions in a patient with slow-channel syndrome caused by a mutation in the AChR epsilon subunit. *Neuromuscul Disord*, **2005**, *15*(11), 753-759.
- [10] Colomer, J.; Muller, J.S.; Vernet, A.; Nascimento, A.; Pons, M.; Gonzalez, V.; Abicht, A.; Lochmuller, H. Long-term improvement of slow-channel congenital myasthenic syndrome with fluoxetine. *Neuromuscul Disord*, **2006**, *16*(5), 329-333.
- [11] Outterck, O.; Richard, P.; Lacour, A.; Fournier, E.; Zephir, H.; Gaudon, K.; Eymard, B.; Hantai, D.; Vermersch, P.; Stojkovic, T. Novel epsilon subunit mutation of the muscle acetylcholine receptor causing a slow-channel congenital myasthenic syndrome. *J Neurol Neurosurg Psychiatry*, **2009**, *80*(4), 450-451.
- [12] Chaouch, A.; Muller, J.S.; Guergueltcheva, V.; Dusl, M.; Schara, U.; Rakoccevic-Stojanovic, V.; Lindberg, C.; Scola, R.H.; Werneck, L.C.; Colomer, J.; Nascimento, A.; Vilchez, J.J.; Muelas, N.; Argov, Z.; Abicht, A.; Lochmuller, H. A retrospective clinical study of the treatment of slow-channel congenital myasthenic syndrome. *J Neurol*, **2012**, *259*(3), 474-481.

- [13] Finlayson, S.; Spillane, J.; Kullmann, D.M.; Howard, R.; Webster, R.; Palace, J.; Beeson, D. Slow channel congenital myasthenic syndrome responsive to a combination of fluoxetine and salbutamol. *Muscle Nerve*, **2013**, 47(2), 279-282.
- [14] Azuma, Y.; Nakata, T.; Tanaka, M.; Shen, X.M.; Ito, M.; Iwata, S.; Okuno, T.; Nomura, Y.; Ando, N.; Ishigaki, K.; Ohkawara, B.; Masuda, A.; Natsume, J.; Kojima, S.; Sokabe, M.; Ohno, K. Congenital myasthenic syndrome in Japan: ethnically unique mutations in muscle nicotinic acetylcholine receptor subunits. *Neuromuscul Disord*, **2015**, 25(1), 60-69.
- [15] Shen, X.M.; Okuno, T.; Milone, M.; Otsuka, K.; Takahashi, K.; Komaki, H.; Giles, E.; Ohno, K.; Engel, A.G. Mutations Causing Slow-Channel Myasthenia Reveal That a Valine Ring in the Channel Pore of Muscle AChR is Optimized for Stabilizing Channel Gating. *Hum Mutat*, **2016**, 37(10), 1051-1059.
- [16] Tan, J.Z.; Man, Y.; Xiao, F. A Missense Mutation in Epsilon-subunit of Acetylcholine Receptor Causing Autosomal Dominant Slow-channel Congenital Myasthenic Syndrome in a Chinese Family. *Chin Med J (Engl)*, **2016**, 129(21), 2596-2602.
- [17] Angelini, C.; Lispi, L.; Salvoro, C.; Mostacciolo, M.L.; Vazza, G. Clinical and genetic characterization of an Italian family with slow-channel syndrome. *Neurol Sci*, **2019**, 40(3), 503-507.
- [18] Engel, A.G.; Ohno, K.; Bouzat, C.; Sine, S.M.; Griggs, R.C. End-plate acetylcholine receptor deficiency due to nonsense mutations in the epsilon subunit. *Ann Neurol*, **1996**, 40(5), 810-817.
- [19] Ohno, K.; Anlar, B.; Ozdirim, E.; Brengman, J.M.; DeBleecker, J.L.; Engel, A.G. Myasthenic syndromes in Turkish kinships due to mutations in the acetylcholine receptor. *Ann Neurol*, **1998**, 44(2), 234-241.
- [20] Ealing, J.; Webster, R.; Brownlow, S.; Abdelgany, A.; Oosterhuis, H.; Muntoni, F.; Vaux, D.J.; Vincent, A.; Beeson, D. Mutations in congenital myasthenic syndromes reveal an epsilon subunit C-terminal cysteine, C470, crucial for maturation and surface expression of adult AChR. *Hum Mol Genet*, **2002**, 11(24), 3087-3096.
- [21] Ohno, K.; Milone, M.; Shen, X.M.; Engel, A.G. A frameshifting mutation in CHRNE unmasks skipping of the preceding exon. *Hum Mol Genet*, **2003**, 12(23), 3055-3066.
- [22] Soltanzadeh, P.; Muller, J.S.; Ghorbani, A.; Abicht, A.; Lochmuller, H.; Soltanzadeh, A. An Iranian family with congenital myasthenic syndrome caused by a novel acetylcholine receptor mutation (CHRNE K171X). *J Neurol Neurosurg Psychiatry*, **2005**, 76(7), 1039-1040.
- [23] Ohno, K.; Tsujino, A.; Shen, X.M.; Milone, M.; Engel, A.G. Spectrum of splicing errors caused by CHRNE mutations affecting introns and intron/exon boundaries. *J Med Genet*, **2005**, 42(8), e53.
- [24] Muller, J.S.; Stucka, R.; Neudecker, S.; Zierz, S.; Schmidt, C.; Huebner, A.; Lochmuller, H.; Abicht, A. An intronic base alteration of the CHRNE gene leading to a congenital myasthenic syndrome. *Neurology*, **2005**, 65(3), 463-465.
- [25] Richard, P.; Gaudon, K.; Fournier, E.; Jackson, C.; Bauche, S.; Haddad, H.; Koenig, J.; Echenne, B.; Hantai, D.; Eymard, B. A synonymous CHRNE mutation responsible for an aberrant splicing leading to congenital myasthenic syndrome. *Neuromuscul Disord*, **2007**, 17(5), 409-414.
- [26] Richard, P.; Gaudon, K.; Haddad, H.; Ammar, A.B.; Genin, E.; Bauche, S.; Patureneau-Jouas, M.; Muller, J.S.; Lochmuller, H.; Grid, D.; Hamri, A.; Nouioua, S.; Tazir, M.; Mayer, M.; Desnuelle, C.; Barois, A.; Chabrol, B.; Pouget, J.; Koenig, J.; Gouider-Khouja, N.; Hentati, F.; Eymard, B.; Hantai, D. The CHRNE 1293insG founder mutation is a frequent cause of congenital myasthenia in North Africa. *Neurology*, **2008**, 71(24), 1967-1972.
- [27] Faber, C.G.; Molenaar, P.C.; Vles, J.S.; Bonifati, D.M.; Verschueren, J.J.; van Doorn, P.A.; Kuks, J.B.; Wokke, J.H.; Beeson, D.; De Baets, M. AChR deficiency due to epsilon-subunit mutations: two common mutations in the Netherlands. *J Neurol*, **2009**, 256(10), 1719-1723.
- [28] Brugnoni, R.; Maggi, L.; Canioni, E.; Moroni, I.; Pantaleoni, C.; D'Arrigo, S.; Riva, D.; Cornelio, F.; Bernasconi, P.; Mantegazza, R. Identification of previously unreported mutations in CHRNA1, CHRNE and RAPSN genes in three unrelated Italian patients with congenital myasthenic syndromes. *J Neurol*, **2010**, 257(7), 1119-1123.
- [29] Mihaylova, V.; Scola, R.H.; Gervini, B.; Lorenzoni, P.J.; Kay, C.K.; Werneck, L.C.; Stucka, R.; Guergueltcheva, V.; von der Hagen, M.; Huebner, A.; Abicht, A.; Muller, J.S.; Lochmuller, H. Molecular characterisation of congenital myasthenic syndromes in Southern Brazil. *J Neurol Neurosurg Psychiatry*, **2010**, 81(9), 973-977.
- [30] Salih, M.A.; Oystreck, D.T.; Al-Faky, Y.H.; Kabiraj, M.; Omer, M.I.; Subahi, E.M.; Beeson, D.; Abu-Amero, K.K.; Bosley, T.M. Congenital myasthenic syndrome due to homozygous CHRNE mutations: report of patients in Arabia. *J Neuroophthalmol*, **2011**, 31(1), 42-47.
- [31] Maselli, R.A.; Arredondo, J.; Cagney, O.; Mozaffar, T.; Skinner, S.; Yousif, S.; Davis, R.R.; Gregg, J.P.; Sivak, M.; Konia, T.H.; Thomas, K.; Wollmann, R.L. Congenital myasthenic syndrome associated with epidermolysis bullosa caused by homozygous mutations in PLEC1 and CHRNE. *Clin Genet*, **2011**, 80(5), 444-451.
- [32] Sadeh, M.; Shen, X.M.; Engel, A.G. Beneficial effect of albuterol in congenital myasthenic syndrome with epsilon-subunit mutations. *Muscle Nerve*, **2011**, 44(2), 289-291.
- [33] Webster, R.; Maxwell, S.; Spearman, H.; Tai, K.; Beckstein, O.; Sansom, M.; Beeson, D. A novel congenital myasthenic syndrome due to decreased acetylcholine receptor ion-channel conductance. *Brain*, **2012**, 135(Pt 4), 1070-1080.
- [34] Pavone, P.; Polizzi, A.; Longo, M.R.; Romano, K.; Vecchio, M.; Pratico, A.D.; Falsaperla, R. Congenital myasthenic syndromes: Clinical and molecular report on 7 Sicilian patients. *J Pediatr Neurosci*, **2013**, 8(1), 19-21.
- [35] Rodriguez Cruz, P.M.; Palace, J.; Ramjattan, H.; Jayawant, S.; Robb, S.A.; Beeson, D. Salbutamol and ephedrine in the treatment of severe AChR deficiency syndromes. *Neurology*, **2015**, 85(12), 1043-1047.
- [36] Santos, E.; Moreira, I.; Coutinho, E.; Goncalves, G.; Lopes, C.; Lopes Lima, J.; Leite, M.I. Congenital myasthenic syndrome due to mutation in CHRNE gene with clinical worsening and thymic hyperplasia attributed to association with autoimmune-myasthenia gravis. *Neuromuscul Disord*, **2015**, 25(12), 928-931.
- [37] Verma, S.; Mazell, S.N.; Shah, D.A. Amifampridine phosphate in congenital myasthenic syndrome. *Muscle Nerve*, **2016**, 54(4), 809-810.
- [38] Natera-de Benito, D.; Dominguez-Carral, J.; Muelas, N.; Nascimento, A.; Ortez, C.; Jaijo, T.; Arteaga, R.; Colomer, J.; Vilchez, J.J. Phenotypic heterogeneity in two large Roma families with a congenital myasthenic syndrome due to CHRNE 1267delG mutation. A long-term follow-up. *Neuromuscul Disord*, **2016**, 26(11), 789-795.
- [39] Chang, T.; Cossins, J.; Beeson, D. A rare c.183_187dupCTCAC mutation of the acetylcholine receptor CHRNE gene in a South Asian female with congenital myasthenic syndrome: a case report. *BMC Neurol*, **2016**, 16(1), 195.
- [40] Ardissono, A.; Moroni, I.; Bernasconi, P.; Brugnoni, R. Congenital myasthenic syndrome: phenotypic variability in patients harbouring p.T159P mutation in CHRNE gene. *Acta Myol*, **2017**, 36(1), 28-32.
- [41] Natera-de Benito, D.; Topf, A.; Vilchez, J.J.; Gonzalez-Quereda, L.; Dominguez-Carral, J.; Diaz-Manera, J.; Ortez, C.; Bestue, M.; Gallano, P.; Dusl, M.; Abicht, A.; Muller, J.S.; Senderek, J.; Garcia-Ribes, A.; Muelas, N.; Evangelista, T.; Azuma, Y.; McMacken, G.; Paipa Merchan, A.; Rodriguez Cruz, P.M.; Camacho, A.; Jimenez, E.; Miranda-Herrero, M.C.; Santana-Artiles, A.; Garcia-Campos, O.; Dominguez-Rubio, R.; Olive, M.; Colomer, J.; Beeson, D.; Lochmuller, H.; Nascimento, A. Molecular characterization of congenital myasthenic syndromes in Spain. *Neuromuscul Disord*, **2017**, 27(12), 1087-1098.
- [42] McMacken, G.; Whittaker, R.G.; Evangelista, T.; Abicht, A.; Dusl, M.; Lochmuller, H. Congenital myasthenic syndrome with episodic apnoea: clinical, neurophysiological and genetic features in the long-term follow-up of 19 patients. *J Neurol*, **2018**, 265(1), 194-203.

- [43] Estephan, E.P.; Sobreira, C.; Dos Santos, A.C.J.; Tomaselli, P.J.; Marques, W., Jr.; Ortega, R.P.M.; Costa, M.C.M.; da Silva, A.M.S.; Mendonca, R.H.; Caldas, V.M.; Zambon, A.A.; Abath Neto, O.; Marchiori, P.E.; Heise, C.O.; Reed, U.C.; Azuma, Y.; Topf, A.; Lochmuller, H.; Zanoteli, E. A common CHRNE mutation in Brazilian patients with congenital myasthenic syndrome. *J Neurol*, **2018**, 265(3), 708-713.
- [44] Yang, K.; Cheng, H.; Yuan, F.; Meng, L.; Yin, R.; Zhang, Y.; Wang, S.; Wang, C.; Lu, Y.; Xi, J.; Lu, Q.; Chen, Y. CHRNE compound heterozygous mutations in congenital myasthenic syndrome: A case report. *Medicine (Baltimore)*, **2018**, 97(17), e0347.
- [45] Anja, T.G.; David, N.; Tanja, G.; Tita, B.; Tanja, L.; Ales, M.; Damjan, O. Prevalence and genetic subtypes of congenital myasthenic syndromes in the pediatric population of Slovenia. *Eur J Paediatr Neurol*, **2020**.
- [46] Gul Mert, G.; Ozcan, N.; Herguner, O.; Altunbasak, S.; Incecik, F.; Bisgin, A.; Ceylaner, S. Congenital myasthenic syndrome in Turkey: clinical and genetic features in the long-term follow-up of patients. *Acta Neurol Belg*, **2019**.
- [47] Karimzadeh, P.; Parvizi Omran, S.; Ghaedi, H.; Omrani, M.D. A Novel c.973G>T Mutation in the epsilon-subunit of the Acetylcholine Receptor Causing Congenital Myasthenic Syndrome in an Iranian Family. *Balkan J Med Genet*, **2019**, 22(1), 95-98.
- [48] Shen, X.M.; Brengman, J.M.; Shen, S.; Durmus, H.; Preethish-Kumar, V.; Yuceyar, N.; Vengalil, S.; Nalini, A.; Deymeer, F.; Sine, S.M.; Engel, A.G. Mutations causing congenital myasthenia reveal principal coupling pathway in the acetylcholine receptor epsilon-subunit. *JCI Insight*, **2018**, 3(2).