STROBE Statement—checklist of items that should be included in reports of observational studies

	Item No	Recommendation	Page No	Relevant text from manuscript
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	1	oral pathobiont increases β-amyloid protein
		(b) Provide in the abstract an informative and balanced summary of what was done	2.4	
		and what was found	3-4	
Introduction				
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	6-7	Introduction
Objectives	3	State specific objectives, including any prespecified hypotheses	7	Introduction
Methods				
Study design	4	Present key elements of study design early in the paper	8	Materials and methods-2.1
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment,	0	
		exposure, follow-up, and data collection	8	Materials and methods-2.2
Participants	6	(a) Cohort study—Give the eligibility criteria, and the sources and methods of		
		selection of participants. Describe methods of follow-up		
		Case-control study—Give the eligibility criteria, and the sources and methods of	8	Materials and methods-2.1
		case ascertainment and control selection. Give the rationale for the choice of cases		
		and controls		
		Cross-sectional study-Give the eligibility criteria, and the sources and methods of		
		selection of participants		
		(b) Cohort study—For matched studies, give matching criteria and number of		
		exposed and unexposed		
		Case-control study—For matched studies, give matching criteria and the number of	8	Materials and methods-2.2
		controls per case		
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect	0	Materials and methods-2.2
		modifiers. Give diagnostic criteria, if applicable	8	Materials and methods-2.2
Data sources/	8*	For each variable of interest, give sources of data and details of methods of		
measurement		assessment (measurement). Describe comparability of assessment methods if there	8-17	Materials and methods- 2.2-2.14
		is more than one group		
Bias	9	Describe any efforts to address potential sources of bias		N/A
Study size	10	Explain how the study size was arrived at		N/A
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable,	17-18	Materials and methods-2.15
		describe which groupings were chosen and why	1/-10	Materials and methods-2.15
Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	17-18	Materials and methods-2.15
		(b) Describe any methods used to examine subgroups and interactions	17-18	Materials and methods-2.15
		(c) Explain how missing data were addressed		N/A
		(d) Cohort study—If applicable, explain how loss to follow-up was addressed		
		Case-control study-If applicable, explain how matching of cases and controls was		
		addressed	17-18	Materials and methods-2.15
		Cross-sectional study—If applicable, describe analytical methods taking account of		materials and methous-2.15
		sampling strategy		
		(<u>e</u>) Describe any sensitivity analyses		N/A
Continued on next page				

Results			Page No	Relevant text from manuscript
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	19	Results - Articles / Table S1-S2
		(b) Give reasons for non-participation at each stage	19	Results - Articles / Table S1-S2
		(c) Consider use of a flow diagram		N/A
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	19	Results - Articles / Table S1-S2
		(b) Indicate number of participants with missing data for each variable of interest	19	Results - Articles / Table S1-S2
		(c) Cohort study—Summarise follow-up time (eg, average and total amount)	19	Results - Articles / Table S1-S2
Outcome data 1	15*	Cohort study—Report numbers of outcome events or summary measures over time	19	Results - Articles / Figure 1
		<i>Case-control study</i> —Report numbers in each exposure category, or summary measures of exposure		N/A
		Cross-sectional study—Report numbers of outcome events or summary measures		N/A
Main results	16	(<i>a</i>) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	19-24	Results – Main results / Figure 1-4, S1-S4
		(b) Report category boundaries when continuous variables were categorized	19-24	Results – Main results / Figure 1-4, S1-S4
		(<i>c</i>) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period		N/A
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses		N/A
Discussion				
Key results	18	Summarise key results with reference to study objectives	25	Discussion
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	30-31	Conclusion - Line 622-671
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	25-30	Discussion
Generalisability	21	Discuss the generalisability (external validity) of the study results	25-30	Discussion
Other informati	on			
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	4	Funding

*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at http://www.plosmedicine.org/, Annals of Internal Medicine at http://www.annals.org/, and Epidemiology at http://www.epidem.com/). Information on the STROBE Initiative is available at www.strobe-statement.org.