

iNTS incidence systematic review data abstraction

* Required

1. Name of reviewer *

Mark only one oval.

Christian Marchello

Elena Pettini

Fabio Fiorino

John Crump

2. First author's last name *

3. Publication year *

4. PubMed ID *

Study characteristics

5. Study country *

6. Study locality (city, district, or province) *

7. UN region *

<https://unstats.un.org/unsd/methodology/m49/>

Mark only one oval.

- Africa Skip to question 14
- Americas Skip to question 15
- Asia Skip to question 16
- Europe Skip to question 17
- Oceania Skip to question 18

Study characteristics

8. Study design *

Mark only one oval.

- Active surveillance, population-based without multipliers
- Active surveillance, population-based with multiplier
- Active surveillance, household-based without multipliers
- Active surveillance, household-based with multipliers
- Passive surveillance with catchment information (minimum incidence)
- Prospective observational
- Vaccine trial control arms
- Other: _____

9. Date data collection began *

If no specific day provided, use the first of the month; if only a year is provided, enter 1 January

Example: January 7, 2019

10. Date data collection ended *

If no specific day provided, use the last day of the month; if only a year is provided, enter 31 December

Example: January 7, 2019

11. Normally sterile site cultured *

Check all that apply.

Blood

Bone marrow

CSF

Abscess

Other: _____

12. Definition for culture request *

(e.g. fever >3 days)

13. Inclusion age group *

Based on inclusion criteria or age range data provided in results

Mark only one oval.

Children only (<=15y)

Adults only (>15y)

Mixed ages

Skip to question 19

Africa sub-regions

14.

Mark only one oval.

- Eastern Africa
- Middle Africa
- Northern Africa
- Southern Africa
- Western Africa

*Skip to question 8***Americas sub-regions**

15.

Mark only one oval.

- Caribbean
- Central America
- Northern America
- South America

*Skip to question 8***Asia sub-regions**

16.

Mark only one oval.

- Central Asia
- Eastern Asia
- South-eastern Asia
- Southern Asia
- Western Asia

*Skip to question 8***Europe sub-regions**

17. *Mark only one oval.*

- Eastern Europe
- Northern Europe
- Southern Europe
- Western Europe

Skip to question 8

Oceania sub-regions

18. *Mark only one oval.*

- Australia and New Zealand
- Melanesia
- Micronesia
- Polynesia

Skip to question 8

Incidence data

19. Year that surveillance started *

20. Duration of surveillance (in months) *

21. Population under surveillance

Denominator of incidence calculation; 'Not provided' if only person-time is given

22. Person-time observed

N/A if not provided or applicable

23. Which NTS serovar is data available? *

Mark only one oval.

- NTS only (does not stratify by serovar) *Skip to question 24*
- Salmonella Typhimurium *Skip to question 25*
- Salmonella Enteritidis *Skip to question 26*
- Salmonella Heidelberg *Skip to question 27*
- Salmonella Dublin *Skip to question 28*
- Salmonella Newport *Skip to question 29*
- Salmonella Choleraesuis *Skip to question 30*
- Other *Skip to question 31*

Incidence data

24. Cases of NTS only (does not stratify by serovar)

Number cultured from normally sterile sites

Skip to question 32

Incidence data

25. Cases of Salmonella Typhimurium

Number cultured from normally sterile sites

Skip to question 32

Incidence data

26. Cases of Salmonella Enteritidis

Number cultured from normally sterile sites

Skip to question 32

Incidence data

27. Cases of Salmonella Heidelberg

Number cultured from normally sterile sites

Skip to question 32

Incidence data

28. Cases of Salmonella Dublin

Number cultured from normally sterile sites

Skip to question 32

Incidence data

29. Cases of Salmonella Newport

Number cultured from normally sterile sites

Skip to question 32

Incidence data

30. Cases of Salmonella Choleraesuis

Number cultured from normally sterile sites

Skip to question 32

Incidence data

31. Cases of other non-typhoidal Salmonella

Specify serovar and number cultured from normally sterile sites

*Skip to question 32***Age-stratified incidence data****32. Is age stratified incidence provided?***Mark only one oval.* Yes *Skip to question 33* No *Skip to question 34**Skip to question 34***Age-stratified incidence data****33. Age stratified incidence**

Age group and incidence

Adjusted incidence data**34. Is adjusted incidence provided?***Mark only one oval.* Yes *Skip to question 35* No *Skip to question 37**Skip to question 37***Adjusted incidence data**

35. Type of multipliers

Check all that apply.

- Healthcare utilization: eligible participants not seeking care at facility
- Enrollment: eligible participants did not have a blood culture collected
- Test sensitivity: adjustment for culture
- Seasonality
- None provided

Other: _____

36. Adjusted incidence

incidence (cases/population/time; 10/100,000/year)

Skip to question 37

Scan of reference list

37. List of references needing check

Based on context in which citation was used and the title of article

Notes

38. Notes on the article, if necessary

This content is neither created nor endorsed by Google.

Google Forms