Supplementary Materials

Table S4. Number of participants with other von Hippel-Lindau (vHL) phenotypic manifestations.

	N vHL patients ^a	N manifestations ^b	References
Manifestation			
Central nervous system hemangioblastoma	1600	1009	(12-14, 16, 18, 20, 22, 23, 25-27,
Retinal angioma	2146	1104	29, 31, 32, 34, 37-40, 44, 45, 48-55) (6, 12-14, 17, 18, 20-29, 31, 32, 34,
Renal cell carcinoma	3213	1063	36, 38, 40-42, 45, 47, 49-55) (6, 12-32, 34, 36, 38-42, 44, 45, 47,
Pancreatic cyst or cystadenoma	1690	649	49-55) (6, 15, 17, 18, 23-27, 29, 30, 32, 35,
Pancreatic neuroendocrine tumor	1779	226	38, 39, 42, 44, 47, 49, 51-55) (6, 14, 15, 17, 19, 21, 23, 24, 29, 35,
rancieatic neuroendocime tumoi	1779		38, 42, 49, 51, 52)
Endolymphatic sac tumor	554	19	(6, 24, 26, 27, 30, 47, 51, 53, 55)

^atotal number of vHL participants; ^btotal number of vHL participants with the manifestation;