

Supplementary Online Content

Agostino H, Burstein B, Moubayed D, et al. Trends in the incidence of new-onset anorexia nervosa and atypical anorexia nervosa among youth during the COVID-19 pandemic in Canada. *JAMA Netw Open*. 2021;4(12):e2137395.
doi:10.1001/jamanetworkopen.2021.37395


eFigure 1. Interrupted Time Series of New Anorexia Nervosa/Atypical Anorexia Nervosa Cases per Month (With 95% Confidence Interval) by Study Site, January 2015 to November 2020

eFigure 2. Interrupted Time Series of Hospitalizations for New Anorexia Nervosa/Atypical Anorexia Nervosa per Month (With 95% Confidence Interval) by Study Site, January 2015 to November 2020


This supplementary material has been provided by the authors to give readers additional information about their work.

eFigure 1. Interrupted Time Series of New Anorexia Nervosa/Atypical Anorexia Nervosa Cases per Month (With 95% Confidence Interval) by Study Site, January 2015 to November 2020


BC Children’s Hospital




Alberta Children’s Hospital




McMaster Children’s Hospital




Sainte Justine Hospital



Montreal Children’s Hospital




Janeway Children’s Hospital




eFigure 2. Interrupted Time Series of Hospitalizations for New Anorexia Nervosa/Atypical Anorexia Nervosa per Month (With 95% Confidence Interval) by Study Site, January 2015 to November 2020


BC Children’s Hospital




Alberta Children’s Hospital




McMaster Children’s Hospital



Sainte Justine Hospital



Montreal Children’s Hospital



Janeway Children’s Hospital

