

### S3 Table: Pairwise $F_{ST}$

**S3 Table. Pairwise  $F_{ST}$  values for *M. ochrogaster*** by year between restoration patches collect at SAFE sites (= Site) in 2010 (upper panel) and 2012 (lower panel). Data were derived from 15 microsatellite DNA loci.  $F_{ST}$  values are below the diagonal and  $p$ -values above the diagonal. Bonferroni-adjusted statistical significance: 2010  $p < 0.003$  and 2012  $p < 0.008$ . Significant values are in bold.

2010 - Site	Patch	L-H	L-M	P-C	P-T	PR-H	PR-T
Livingston	Hummel	X	0.893	0.024	0.475	0.079	<b>0.002</b>
Livingston	Marge	0.020	X	0.601	0.783	0.580	<b>0.001</b>
Pontiac	Curve	0.031	0.028	X	0.923	0.156	<b>0.001</b>
Pontiac	Tower	0.037	0.036	0.036	X	0.534	0.090
Prairie Ridge	Harvey	0.017	0.017	0.022	0.029	X	<b>0.001</b>
Prairie Ridge	Tombstone	0.025	0.029	0.033	0.038	0.018	X

2012 - Site	Patch	M-H	M-L	PR-H	PR-T
Montgomery	Huber	X	0.023	<b>0.006</b>	0.012
Montgomery	Lane	0.025	X	0.011	<b>0.001</b>
Prairie Ridge	Harvey	0.055	0.044	X	0.013
Prairie Ridge	Tombstone	0.027	0.023	0.043	X