

## Circumference (cm)

			Rat1	Rat2	Rat3	Rat4	Rat5	Rat6	Rat7	Rat8
Before	R	1	7.7	7.5	8.4	8.2	6.9	7.1	6.9	7.8
		2	8.2	7.3	8.2	8.5	6.9	7.4	7.0	7.6
		3	7.9	7.3	8	8.4	6.8	7.6	7.3	7.7
		Average	7.9	7.4	8.3	8.4	6.9	7.4	7.1	7.5
	L	1	7.5	7.0	8.4	8.1	6.7	7.5	7.1	8.1
		2	7.5	7.4	8.4	8.4	6.9	7.3	7.2	7.7
		3	7.7	7.3	8.3	8.2	6.8	7.6	7.1	8.0
		Average	7.6	7.2	8.4	8.3	6.8	7.5	7.1	7.9
3 days	R	1	8.7	8	8.2	10.2	7.6	7.5	7.2	8.6
		2	9	8.1	8.6	9.8	7.6	7.6	7.3	8.7
		3	8.5	7.6	8.6	9.8	7.6	8.4	7.3	8.5
		Average	8.7	7.9	8.5	10	7.6	8.1	7.3	8.6
	L	1	7.9	7.6	8.7	8.6	7.9	7.9	6.8	7.7
		2	7.9	7.7	9.4	8.6	6.4	8.3	6.9	7.5
		3	8.0	7.0	8.7	8.8	7.1	8.4	6.9	7.7
		Average	7.9	7.4	8.9	8.7	7.1	8.2	6.9	7.6
30 days	R	1	7.1	7.4	8.2	9.0	7.3	7.5	7.2	7.5
		2	7	8.2	8.9	9.2	7.2	7.6	7.2	7.5
		3	7	8.6	8.6	8.7	7.3	8.4	7.1	7.5
		Average	7.0	8.1	8.6	9.0	7.3	7.8	7.2	7.5
	L	1	7.5	8	8.2	8.5	6.4	9	7.4	9
		2	7.6	8.7	8	9.1	6.8	7.7	7.2	8.5
		3	7.7	7.4	8.2	8.8	7.5	7.6	7.4	9.5
		Average	7.6	8.0	8.1	8.8	6.9	8.1	7.3	9.0

## Volume (ml)

			Rat1	Rat2	Rat3	Rat4	Rat5	Rat6	Rat7	Rat8
Before	R	1	10.1	6.2	6.1	9.3	4.4	5.4	1.7	3.8
		2	8.2	6.6	6.1	8.6	4.1	4.5	2.5	3.8
		3	9.5	8.1	5.5	8.5	4.6	5.3	3.0	4.9
		Average	9.2	7.0	5.9	8.8	4.4	5.1	2.4	4.2
	L	1	8.3	7.4	5.3	7.7	4.6	6.1	1.4	3.8
		2	9.1	7.2	6.8	7.3	3.5	4.2	2.3	4.6
		3	11.0	6.9	6.7	8.0	3.7	3.9	2.6	4.2
		Average	9.5	7.2	6.3	7.6	3.9	4.7	2.1	4.2
3 days	R	1	11.3	7.9	5.8	13.4	4.4	5.4	1.6	4.3
		2	11.1	7.4	6.6	13.4	4.7	4.5	3.2	4.7
		3	9.6	9.3	8.1	13.4	4.5	5.7	2.6	5.6
		Average	10.7	8.2	6.8	13.4	4.5	5.2	2.4	4.8
	L	1	9.4	7.4	7.3	12.7	3.7	3.6	1.4	3.8
		2	7.8	7.6	5.5	11.9	4.1	4.0	2.0	4.3
		3	11.3	7.5	7.2	12.3	4.0	4.1	3.0	4.6
		Average	9.5	7.5	6.7	12.3	4.0	3.9	2.1	4.3
30 days	R	1	10.8	8.1	6.5	8.4	4.9	3.8	3.9	3.7
		2	9.3	9.0	6.1	7.4	4.8	4.7	3.5	4.0
		3	9.5	8.5	6.7	10.6	3.8	5.1	2.8	5.0
		Average	9.9	8.5	6.5	8.8	4.5	4.6	3.4	4.2
	L	1	11.2	8.6	7.2	6.9	4.2	2.9	3.2	4.0
		2	9.0	9.6	6.8	7.4	4.1	3.6	3.1	4.8
		3	10.1	7.8	6.0	7.4	4.0	4.4	4.3	4.1
		Average	10.1	8.7	6.7	7.3	4.1	3.6	3.5	4.3