

## Supplementary Online Content

Knudson MM, Moore EE, Kornblith LZ, et al. Challenging traditional paradigms in posttraumatic pulmonary thromboembolism. *JAMA Surg*. Published online December 15, 2021. doi:10.1001/jamasurg.2021.6356

**eTable 1.** Summary of Timing, Symptoms, Location and Treatment of Isolated Pulmonary Thrombosis in 117 Patients

**eTable 2.** Timing of PE and DVT Detection in Patients With Pulmonary Embolism and Indications for CT Scans

**This supplementary material has been provided by the authors to give readers additional information about their work.**

**eTable 1.** Summary of Timing, Symptoms, Location and Treatment of Isolated Pulmonary Thrombosis in 117 Patients

<b>Days from Admission to PT Detected</b>	<b>Number of Patients (total 117)</b>
<b>Admitting Scan</b>	<b>28</b>
<b>Days 1-7 post injury</b>	<b>55</b>
➤ <b>7days post injury</b>	<b>34</b>
<b>Location of PT</b>	
<b>Main pulmonary artery</b>	<b>8</b>
<b>Lobar artery</b>	<b>26</b>
<b>Segmental artery</b>	<b>28</b>
<b>Subsegmental artery</b>	<b>21</b>
<b>Multiple clots</b>	<b>34</b>
<b>Treatment of Clots</b>	
<b>Full-dose anticoagulation</b>	<b>88</b>
<b>IVC Filter</b>	<b>14</b>
<b>Observation</b>	<b>15</b>
<b>Indications for CT Scan</b>	
<b>Admitting scan</b>	<b>28</b>
<b>Symptoms suggesting PE</b>	<b>65</b>
<b>Incidental findings</b>	<b>24</b>

**eTable 2.** Timing of PE and DVT Detection in Patients With Pulmonary Embolism and Indications for CT Scans

<b>Days from Admission to PE detected</b>	<b>Number of Patients (n=40)</b>
Admit scan	8
Days 1-7	17
Days 8-14	11
>14 days	4
<b>Indications for CT Scan</b>	
Admitting scan	8
Symptoms suggesting PE	26
Incidental findings	6
<b>Days from Admission to DVT detected</b>	
Day of admission	3
1-7 days	20
7-14 days	8
>14 days	9