

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

Supplemental Table 1. Study Definitions by ICD-9-CM and ICD-10-CM Codes

Variable	ICD-9-CM	ICD-10-CM	Comment
Decompensation and Portal Hypertension Variables			
Decomp (decompensation event yes/no variable) Decomp_c (number of decompensation events)			Clinical decompensation defined as presence of any of these: varices with bleeding, hepatic encephalopathy, hepatorenal syndrome, hepatopulmonary syndrome, spontaneous bacterial peritonitis. Generally, it does not include non-bleeding varices or ascites; however, ascites <i>and</i> presence of portal hypertension or other chronic liver disease is counted as both a decompensation event and cirrhosis. Records showing a decompensation event were categorized as having cirrhosis. Biliary cirrhosis was counted as cirrhosis only when decompensation also occurred.
Esophageal varices, bleeding	456.0 456.20	I85.01	<u>ICD-9 and 10 Code Descriptions</u> 456.0 Esophageal varices with bleeding 456.20 Esophageal varices in diseases classified elsewhere, with bleeding I85.01 Esophageal varices with bleeding

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	Esophageal varices, no bleeding	456.1 456.21	I85.00	<u>ICD-9 and 10 Code Descriptions</u> 456.1 Esophageal varices without mention of bleeding 456.21 Esophageal varices in diseases classified elsewhere, without mention of bleeding I85.00 Esophageal varices without bleeding <i>Used to capture cirrhosis, but not a clinical decompensation event</i>
16 17 18 19 20	Hepatic encephalopathy	572.2		<u>ICD-9 Code Descriptions</u> 572.2 Hepatic encephalopathy
21 22 23 24 25 26	Hepatorenal syndrome	572.4	K76.7	<u>ICD-9 and 10 Code Descriptions</u> 572.4 Hepatorenal syndrome K76.7 Hepatorenal syndrome
27 28 29 30 31 32	Hepatopulmonary syndrome	573.5	K76.81	<u>ICD-9 and 10 Code Descriptions</u> 573.5 Hepatopulmonary syndrome K76.81 Hepatopulmonary syndrome
33 34 35 36 37 38 39	Spontaneous bacterial peritonitis	567.2	K65.2	<u>ICD-9 and 10 Code Descriptions</u> 567.2 Spontaneous bacterial peritonitis K65.2 Spontaneous bacterial peritonitis
40 41 42 43 44 45 46 47	Ascites	789.5	R18	<u>ICD-9 and 10 Code Descriptions</u>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

		R18.8	789.5 Ascites R18 Ascites R18.8 Other ascites
Cirrhosis Variables			
Cirrhosis: Alcohol liver disease	571.2	K70.3 K70.3[01]	<u>ICD-9 Code Descriptions</u> 571.2 Alcoholic cirrhosis of liver <u>ICD-10 Code Descriptions</u> K70.3 Alcoholic cirrhosis of liver K70.3[01] Alcoholic cirrhosis of liver without/with ascites
Cirrhosis: Autoimmune	571.6	K74.3 K74.5	<u>ICD-9 Code Descriptions</u> 571.6 Biliary cirrhosis <i>[only coded as cirrhosis if record also shows a portal hypertensive decompensation event (including non-bleeding varices) or portal hypertension, otherwise it is coded as "other chronic liver disease without cirrhosis"]</i> <u>ICD-10 Code Descriptions</u> <i>The following group of codes are only coded as cirrhosis if record also shows a portal hypertensive decompensation event (including non-bleeding varices) or portal hypertension, otherwise it is coded as "other chronic liver disease without cirrhosis"</i>

			K74.3 Primary biliary cirrhosis, Chronic nonsuppurative destructive cholangitis K74.5 Biliary cirrhosis, unspecified
Cirrhosis: Other		K74.4	<u>ICD-10 Code Descriptions</u> K74.4 Secondary biliary cirrhosis <i>[only coded as cirrhosis if record also shows a portal hypertensive decompensation event (including non-bleeding varices) or portal hypertension, otherwise it is coded as “other chronic liver disease without cirrhosis”]</i>
Cirrhosis: Unknown	571.5 572.3 456.0 456.1 456.2[01] 572.2 572.4 573.5 567.2 789.5	K71.7 K72.1[01] K74.6 K74.6[09] K76.6 K65.2 K71.51 K72.9[01] K76.7 K76.81 I85.0 I85.0[01] R18	<u>ICD-9 Code Descriptions</u> 571.5 Cirrhosis of liver without mention of alcohol 572.3 Portal hypertension <i>[only coded as cirrhosis when accompanied by another chronic liver disease or cirrhosis code, or non-bleeding varices or any decompensation event] – unknown</i> 456.0 Esophageal varices with bleeding 456.1 Esophageal varices without mention of bleeding 456.20 Esophageal varices in diseases classified elsewhere, with bleeding 456.21 Esophageal varices in diseases classified elsewhere, without mention of bleeding

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

		R18.8	<p>572.2 Hepatic encephalopathy</p> <p>572.4 Hepatorenal syndrome</p> <p>573.5 Hepatopulmonary syndrome</p> <p>567.2 Spontaneous bacterial peritonitis</p> <p>789.5 Ascites <i>[only coded as cirrhosis when accompanied by another chronic liver disease or cirrhosis code (including portal hypertension)]</i></p> <p><u>ICD-10 Code Descriptions</u></p> <p>K71.7 Toxic liver disease with fibrosis and cirrhosis of liver</p> <p>K72.10 Chronic hepatic failure without coma</p> <p>K72.11 Chronic hepatic failure with coma</p> <p>K74.6 Other and unspecified cirrhosis of liver</p> <p>K74.60 Unspecified cirrhosis of liver</p> <p>K74.69 Other cirrhosis of liver, including Cryptogenic, Macronodular, Micronodular, Mixed type, Portal, Post-necrotic</p> <p>K76.6 Portal hypertension <i>[only coded as cirrhosis when accompanied by another chronic liver disease or cirrhosis code, or non-bleeding varices or any decompensation event] – unknown</i></p> <p>K65.2 Spontaneous bacterial peritonitis</p> <p>K71.51 Toxic liver disease with chronic active hepatitis with ascites</p>
--	--	-------	---

			<p>K76.7 Hepatorenal syndrome</p> <p>K76.81 Hepatopulmonary syndrome</p> <p>I85.0 Esophageal varices</p> <p>I85.0[01] Esophageal varices without bleeding/with bleeding</p> <p><i>This next group of codes are used to define cirrhosis ONLY when accompanied by another chronic liver disease or cirrhosis code (including portal hypertension).</i></p> <p>K72.9 Hepatic failure, unspecified</p> <p>K72.90 Hepatic failure without coma</p> <p>K72.91 Hepatic failure with coma</p> <p>R18 Ascites</p> <p>R18.8 Other ascites</p>
Decompensated cirrhosis			<p>Indicator variable for cirrhosis and a clinical decompensation event. Non-bleeding varices does not count as a clinical decompensation event.</p> <ul style="list-style-type: none"> - Yes if has a code for decompensation event - No if no code for decompensation event
Portal hypertension	572.3	K76.6	<p><u>ICD-9 and 10 Code Descriptions</u></p> <p>572.3 Portal hypertension</p> <p>K76.6 Portal hypertension</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

			<p>Portal hypertension variable will take one of three values:</p> <p>1 = Non-cirrhotic portal hypertension (has code for portal HTN alone, without code for cirrhosis or other specific chronic liver disease)</p> <p>2 = Cirrhotic portal hypertension + cirrhosis (has code for portal HTN and code for cirrhosis or other specific chronic liver disease)</p> <p>0 (may change to missing) = No code for portal HTN</p>
Chronic Liver Disease Groups and Variables			
Chronic liver disease without cirrhosis: Autoimmune hepatitis	571.42	K75.4	<p><u>ICD-9 Code Descriptions</u></p> <p>571.42 Autoimmune hepatitis</p> <p><u>ICD-10 Code Descriptions</u></p> <p>K75.4 Autoimmune Hepatitis</p>
Chronic liver disease without cirrhosis: Chronic viral hepatitis	571.4[019] 070.2[0123] 070.3[0123] 070.4[249] 070.5[249] 070.6 070.7[01] 070.9 V02.6[0129]	K71.3 K71.4 K71.5 K71.50 K73.[01289] K74.[012] B18.[01289] B19.[01] B19.1[01]	<p><u>ICD-9 Code Descriptions</u></p> <p>571.4 Chronic hepatitis</p> <p>070.2x/070.3x Viral hepatitis B with/without hepatic coma</p> <p>070.42 Hepatitis delta without mention of active hepatitis B disease with hepatic coma, Hepatitis delta with hepatitis B carrier state</p> <p>070.44 Chronic hepatitis C with hepatic coma</p> <p>070.49 Other specified viral hepatitis with hepatic coma</p>

1		B19.2	070.5 Other specified viral hepatitis without mention of hepatic
2		B19.2[01]	coma
3		B19.9	070.52 Hepatitis delta without mention of active hepatitis B
4		O98.41	disease or hepatic coma
5		O98.41[1239]	070.54 Chronic hepatitis C without mention of hepatic coma
6		O98.42	070.59 Other specified viral hepatitis without mention of
7		O98.43	hepatic coma
8			070.6 Unspecified viral hepatitis with hepatic coma
9			070.7 Unspecified viral hepatitis C
10			070.70 Unspecified viral hepatitis C without hepatic coma,
11			Unspecified viral hepatitis C NOS
12			070.71 Unspecified viral hepatitis C with hepatic coma
13			070.9 Unspecified viral hepatitis without mention of hepatic
14			coma, Viral hepatitis NOS
15			V02.6 Carrier or suspected carrier of viral hepatitis
16			V02.60 Viral hepatitis carrier, unspecified
17			V02.61 Hepatitis B carrier
18			V02.62 Hepatitis C carrier
19			V02.69 Other viral hepatitis carrier
20			<u>ICD-10 Code Descriptions</u>
21			K71.3 Toxic liver disease with chronic persistent hepatitis
22			K71.4 Toxic liver disease with chronic lobular hepatitis
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

			<p>K71.5 Toxic liver disease with chronic active hepatitis</p> <p>K71.50 Toxic liver disease with chronic active hepatitis without ascites</p> <p>K73 Chronic hepatitis, not elsewhere classified</p> <p>K73.0 Chronic persistent hepatitis, not elsewhere classified</p> <p>K73.1 Chronic lobular hepatitis, not elsewhere classified</p> <p>K73.2 Chronic active hepatitis, not elsewhere classified</p> <p>K73.8 Other chronic hepatitis, not elsewhere classified</p> <p>K73.9 Chronic hepatitis, unspecified</p> <p>K74.0 Hepatic fibrosis</p> <p>K74.1 Hepatic sclerosis</p> <p>K74.2 Hepatic fibrosis with hepatic sclerosis</p> <p>B18.0/1 Chronic viral hepatitis B with/without delta-agent</p> <p>B18.2 Chronic viral hepatitis C</p> <p>B18.8 Other chronic viral hepatitis</p> <p>B18.9 Chronic viral hepatitis, unspecified</p> <p>B19 Unspecified viral hepatitis</p> <p>B19.0 Unspecified viral hepatitis with hepatic coma</p> <p>B19.1 Unspecified viral hepatitis B</p>
--	--	--	--

			<p>B19.10 Unspecified viral hepatitis B without hepatic coma, Unspecified viral hepatitis B NOS</p> <p>B19.11 Unspecified viral hepatitis B with hepatic coma</p> <p>B19.2 Unspecified viral hepatitis C</p> <p>B19.20 Unspecified viral hepatitis C without hepatic coma, Viral hepatitis C NOS</p> <p>B19.21 Unspecified viral hepatitis C with hepatic coma</p> <p>B19.9 Unspecified viral hepatitis without hepatic coma, Viral hepatitis NOS</p> <p>O98.4x Viral hepatitis complicating pregnancy, childbirth and the puerperium</p>
<p>Chronic liver disease without cirrhosis: Alcoholic liver disease</p>	<p>571.0</p> <p>571.3</p>	<p>K70.0</p> <p>K70.2</p> <p>K70.4</p> <p>K70.4[01]</p> <p>K70.9</p>	<p><u>ICD-9 Code Descriptions</u></p> <p>571.0 Alcoholic fatty liver</p> <p>571.3 Alcoholic liver damage, unspecified</p> <p><u>ICD-10 Code Descriptions</u></p> <p>K70.0 Alcoholic fatty liver</p> <p>K70.2 Alcoholic fibrosis and sclerosis of liver</p> <p>K70.4 Alcoholic hepatic failure</p> <p>K70.4[01] Alcoholic hepatic failure without/with coma</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

			K70.9 Alcoholic liver disease, unspecified
Chronic liver disease without cirrhosis: NAFLD/NASH	571.8	K76.0 K75.81	<u>ICD-9 Code Descriptions</u> 571.8 Other chronic nonalcoholic liver disease <u>ICD-10 Code Descriptions</u> K76.0 Fatty (change of) liver, not elsewhere classified, Nonalcoholic fatty liver disease (NAFLD) K75.81 Nonalcoholic steatohepatitis (NASH)
Chronic liver disease without cirrhosis: Autoimmune, aside from autoimmune hepatitis	571.6 576.1	K74.3 K74.5 K75.3 K75.8[9] K75.9 K83.0	<u>ICD-9 Code Descriptions</u> 571.6 Biliary cirrhosis [<i>counts as "other chronic liver disease without cirrhosis" if there is no portal hypertensive decompensation event (including non-bleeding varices) or portal hypertension associated with it</i>] 576.1 Cholangitis (captures primary sclerosing cholangitis) <u>ICD-10 Code Descriptions</u> <i>The following group of codes are coded as "other chronic liver disease without cirrhosis" if there is no portal hypertensive decompensation event (including non-bleeding varices) or portal hypertension associated with it.</i>

			<p>K74.3 Primary biliary cirrhosis, Chronic nonsuppurative destructive cholangitis</p> <p>K74.5 Biliary cirrhosis, unspecified</p> <p>K75.3 Granulomatous hepatitis, not elsewhere classified</p> <p>K75.8 Other specified inflammatory liver diseases</p> <p>K75.89 Other specified inflammatory liver diseases</p> <p>K75.9 Inflammatory liver disease, unspecified</p> <p>K83.0 Cholangitis without liver abscess (captures primary sclerosing cholangitis)</p>
<p>Chronic liver disease without cirrhosis: Copper/Iron Metabolism Disorders</p>	<p>275.01</p> <p>275.03</p> <p>275.1</p>	<p>E83.01</p> <p>E83.11</p> <p>E83.11[0189]</p>	<p><u>ICD-9 Code Descriptions</u></p> <p>275.01 Hereditary hemochromatosis</p> <p>275.03 Other hemochromatosis</p> <p>275.1 Disorders of copper metabolism (captures Wilson's disease)</p> <p><u>ICD-10 Code Descriptions</u></p> <p>E83.01 Wilson's disease</p> <p>E83.11 Hemochromatosis</p> <p>E83.110 Hereditary hemochromatosis: Bronzed diabetes, Pigmentary cirrhosis (of liver), Primary (hereditary) hemochromatosis</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

			<p>E83.111 Hemochromatosis due to repeated red blood cell transfusions: Iron overload due to repeated red blood cell transfusions, Transfusion (red blood cell) associated hemochromatosis</p> <p>E83.118 Other hemochromatosis</p> <p>E83.119 Hemochromatosis, unspecified</p>
<p>Chronic liver disease without cirrhosis: Other</p>	<p>571.9</p> <p>573.9</p> <p>573.0</p> <p>273.4</p> <p>453.0</p>	<p>K76.8</p> <p>K76.9</p> <p>K77</p> <p>K74.4</p> <p>E88.01</p> <p>I82.0</p> <p>K76.1</p> <p>K76.4</p> <p>K76.5</p> <p>K76.8</p> <p>K76.9</p>	<p><u>ICD-9 Code Descriptions</u></p> <p>571.9 Unspecified chronic liver disease without mention of alcohol</p> <p>573.9 Unspecified disorder of liver</p> <p>573.0 Chronic passive congestion of liver</p> <p>273.4 Alpha 1 antitrypsin deficiency</p> <p>453.0 Budd-Chiari syndrome</p> <p><u>ICD-10 Code Descriptions</u></p> <p>K76.8 Other specified diseases of liver</p> <p>K76.9 Liver disease, unspecified</p> <p>K77 Liver disorders in diseases classified elsewhere</p> <p>K74.4 Secondary biliary cirrhosis</p> <p>E88.01 Alpha 1 antitrypsin deficiency</p> <p>I82.0 Budd-Chiari syndrome</p>

			<p>K76.1 Chronic passive congestion of liver, Cardiac cirrhosis Cardiac sclerosis</p> <p>K76.4 Peliosis hepatis, Hepatic angiomatosis – other</p> <p>K76.5 Hepatic veno-occlusive disease</p>
Exclusions			
Acute Liver Diseases	<p>573.1</p> <p>573.2</p> <p>573.3</p> <p>070.0</p> <p>070.1</p> <p>070.41</p> <p>070.43</p> <p>070.51</p> <p>070.53</p>	<p>K71.0</p> <p>K71.1[01]</p> <p>K71.2</p> <p>K71.6</p> <p>K71.8</p> <p>K71.9</p> <p>K75.2</p> <p>B15</p> <p>B15.0</p> <p>B15.9</p> <p>B16</p> <p>B16.0</p> <p>B16.1</p> <p>B16.2</p> <p>B16.9</p> <p>B17</p> <p>B17.0</p> <p>B17.1</p>	<p>Excluded from analysis, unless a concomitant chronic liver disease or cirrhosis existed, then included with Cirrhosis group or Chronic Liver Disease without Cirrhosis group.</p> <p><u>ICD-9 Code Descriptions</u></p> <p>573.1 Hepatitis in viral diseases classified elsewhere [Coxsackie virus disease (074.8), cytomegalic inclusion virus disease (078.5), infectious mononucleosis (075), but does not include hepatitis (in): mumps (072.71), viral (070.0-070.9), yellow fever (060.0-060.9)]</p> <p>573.2 Hepatitis in other infectious diseases classified elsewhere [Does not include hepatitis in: late syphilis (095.3), secondary syphilis (091.62), toxoplasmosis (130.5)]</p> <p>573.3 Hepatitis, unspecified; Toxic (noninfectious) hepatitis</p> <p>070.0, 070.1 Viral hepatitis A with/without mention of hepatic coma</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

		B17.1[01]	070.41 Acute hepatitis C with hepatic coma
		B17.2	070.43 Hepatitis E with hepatic coma
		B17.8	070.51 Acute hepatitis C without mention of hepatic coma
		B17.9	070.53 Hepatitis E without mention of hepatic coma
			<u>ICD-10 Code Descriptions</u>
			K71.0 Toxic liver disease with cholestasis; Cholestasis with hepatocyte injury; 'Pure' cholestasis
			K71.1 Toxic liver disease with hepatic necrosis
			K71.10 Toxic liver disease with hepatic necrosis, without coma
			K71.11 Toxic liver disease with hepatic necrosis, with coma
			K71.2 Toxic liver disease with acute hepatitis
			K71.6 Toxic liver disease with hepatitis, not elsewhere classified
			K71.8 Toxic liver disease with other disorders of liver
			K71.9 Toxic liver disease, unspecified
			K72.0 Acute and subacute hepatic failure
			K72.00 Acute and subacute hepatic failure without coma
			K72.01 Acute and subacute hepatic failure with coma
			K75.2 Nonspecific reactive hepatitis
			B15 Acute hepatitis A

			<p>B15.0 Hepatitis A with hepatic coma</p> <p>B15.9 Hepatitis A without hepatic coma; Hepatitis A (acute)(viral) NOS</p> <p>B16 Acute hepatitis B</p> <p>B16.0 Acute hepatitis B with delta-agent with hepatic coma</p> <p>B16.1 Acute hepatitis B with delta-agent without hepatic coma</p> <p>B16.2 Acute hepatitis B without delta-agent with hepatic coma</p> <p>B16.9 Acute hepatitis B without delta-agent and without hepatic coma; Hepatitis B (acute) (viral) NOS</p> <p>B17 Other acute viral hepatitis</p> <p>B17.0 Acute delta-(super) infection of hepatitis B carrier</p> <p>B17.1 Acute hepatitis C</p> <p>B17.10 Acute hepatitis C without hepatic coma; Acute hepatitis C NOS</p> <p>B17.11 Acute hepatitis C with hepatic coma</p> <p>B17.2 Acute hepatitis E</p> <p>B17.8 Other specified acute viral hepatitis; Hepatitis non-A non-B (acute) (viral) NEC</p> <p>B17.9 Acute viral hepatitis, unspecified; Acute hepatitis NOS</p>
Prior Liver Transplant	996.82 V42.7	T86.4[01239] Z48.23	<u>ICD-9 Code Descriptions</u>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

		Z94.4	<p>996.82 Complications of transplanted organ; Transplant failure or rejection: Liver</p> <p>V42.7 Organ or tissue replaced by transplant: Liver</p> <p><u>ICD-10 Code Descriptions</u></p> <p>T86.4 Complications of liver transplant</p> <p>T86.40 Unspecified complication of liver transplant</p> <p>T86.41 Liver transplant rejection</p> <p>T86.42 Liver transplant failure</p> <p>T86.43 Liver transplant infection</p> <p>Use additional code to identify infection, such as:</p> <p>Cytomegalovirus (CMV) infection (B25.-)</p> <p>T86.49 Other complications of liver transplant</p> <p>Z48.23 Encounter for aftercare following liver transplant</p> <p>Z94.4 Liver transplant status</p>
Pregnancy Codes			
Pregnancy Definitions			<p>Discharge codes and Procedure Codes were considered for identifying pregnancy records. To avoid counting multiple records for the same pregnancy, codes that indicated an end of pregnancy event were searched. Non-natural causes of termination events were excluded from analysis, as were miscarriages and spontaneous or missed abortions.</p>

Pregnancy	<u>Discharge Codes</u>	<u>Discharge Codes</u>	<u>Discharge Codes</u>
Inclusion Codes	632	O60.10X[0123459]	Preterm labor with preterm delivery
	634.[0-9][012]	O60.12X[0123459]	Term delivery with preterm labor
	640.[09]1	O60.13X[0123459]	Outcome of delivery indicator
	641.[012389]1	O60.14X[0123459]	
	642.[012345679][1	O60.2	O80 Encounter for full-term uncomplicated delivery
	2]	O60.20	Delivery requiring minimal or no assistance, with or without
	643.[01289]1	O60.20X[0123459]	episiotomy, without fetal manipulation [e.g., rotation version] or
	644.21	O60.22	instrumentation [forceps] of a spontaneous, cephalic, vaginal,
	645.[12]1	O60.22X[0123459]	full-term, single, live-born infant. This code is for use as a
	646.[0123456789]1	O60.23	single diagnosis code and is not to be used with any other
	646.[124568]2	O60.23X[0123459]	code from chapter 15.
	647.[012345689][1	O80	Use additional code to indicate outcome of delivery (Z37.0)
	2]	O82 (these two	
	648.[0123456789][should be	O82 Encounter for cesarean delivery without indication
	12]	superfluous when	Use additional code to indicate outcome of delivery (Z37.0)
	649.[012345678]1	Z37 is accounted	
	649.[0123468]2	for)	<u>Procedure Codes</u>
	650	Z37	Low/Mid/High forceps operation, Outlet forceps operation
	651.[0123456789]1	Z37.[012345679]	Forceps rotation of fetal head: DeLee maneuver, Key-in-lock
	652.[0123456789]1	Z37.5[012349]	rotation, Kielland rotation, Scanzoni's maneuver;
	653.[0123456789]1	Z37.6[012349]	Breech extraction
	654.[0123456789]1		Partial breech extraction with forceps to aftercoming head
	654.[013456789]2	<u>Procedure Codes</u>	Other partial breech extraction

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

655.[0123456789]1	0W8NXZZ	Total breech extraction with forceps to aftercoming head
656.[012356789]1	10D00Z[012]	Other total breech extraction
656.4[013]	10D07Z[34568]	Forceps application to aftercoming head, Piper forceps operation.
657.01	10S07ZZ	Vacuum extraction
658.[0123489]1		Other instrumental delivery
659.[0123456789]1		Cesarean section
660.[0123456789]1		Other cesarean section of unspecified type: Cesarean section NOS, Obstetrical abdominouterotomy, Obstetrical hysterotomy
661.[012349]1		
662.[0123]1		
663.[012345689]1		
664.[012345689]1		
665.[013456789]1		
665.[2789]2		
666.[0123]2		
667.[01]2		
668.[01289][12]		
669.[012456789]1		
669.[0123489]2		
670.[01238]2		
671.[0123589]1		
671.[0124589]2		
672.02		
673.[01238]1		
673.[01238]2		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34	674.[05]1 674.[01234589]2 675.[01289]1 675.[01289]2 676.[012345689]1 676.[012345689]2 678.[01]1 679.[01]1 679.[01]2 V27.[012345679] <u>Procedure Codes</u> 72.[0123456789] 72.2[19] 72.3[19] 72.5[1234] 72.7[19] 74.[01249] 74.99		
35 36 37 38 39 40 41 42 43 44 45 46 47	Pregnancy Exclusion Codes	<u>Discharge Codes</u> Pregnant with non-natural termination: 630	<u>Discharge Codes</u> Pregnant with non-natural termination: O00
		<u>Discharge Codes</u> Ectopic pregnancy Hydatidiform mole Other abnormal products of conception	

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

631	O00.[01289]	(Induced) termination of pregnancy
631.[08]	O01	Failed attempted termination of pregnancy
633	O01.[019]	Miscarriage or spontaneous/missed abortion
633.0	O02	
633.0[01]	O02.[089]	<u>Procedure Codes</u>
633.1	O02.8	Dilation and curettage for termination of pregnancy
633.1[01]	O02.8[19]	Aspiration curettage of uterus for termination of pregnancy,
633.2	O02.9	Therapeutic abortion NOS
633.2[01]	O04.8	Removal of extratubal ectopic pregnancy
633.8	O04.8[09]	Hysterotomy to terminate pregnancy, Therapeutic abortion by
633.8[01]	O07	hysterotomy
633.9		Intra-amniotic injection for abortion
633.9[01]	Miscarriage or	
635.[012345679][0	spontaneous/missed	
12]	abortion:	
636.[012345679][0	O02.1	
12]	O03	
637.[012345679][0	O03.[012]	
12]	O03.3	
638	O03.3[0123456789]	
638.[0123456789]	O03.[45678]	
	O03.8[0123456789]	
	O03.9	

	Miscarriage or spontaneous/mis- sessed abortion: 634.[0123456789][012] <u>Procedure Codes</u> Non-naturally terminated 69.01 69.51 74.3 74.91 75.0	<u>Procedure Codes</u> Non-naturally terminated 10A0[034]ZZ 10A07Z6 10A07ZX 10A07ZZ 10A08ZZ 10T2[034]ZZ	
Study Outcomes			
Hypertensive complication (pre- eclampsia, eclampsia, or HELLP syndrome)	642.4x 642.7x 642.5x 642.6x	O14.00 O14.90 O14.0[23] O14.9[23] O15.2 O11.9 O11.[123] O15.2 O14.10	Mild or unspecified pre-eclampsia Mild to moderate pre-eclampsia, unspecified trimester Unspecified pre-eclampsia, unspecified trimester Mild to moderate pre-eclampsia, [second/third] trimester Unspecified pre-eclampsia, [second/third] trimester Eclampsia in the puerperium Pre-eclampsia or eclampsia superimposed on pre-existing hypertension

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

		O14.20 O14.1[23] O14.2[23] O15.00 O15.9 O15.0[23] O15.1 O15.2	Pre-existing hypertension with pre-eclampsia, unspecified trimester Pre-existing hypertension with pre-eclampsia, [first/second/third] trimester Eclampsia in the puerperium Severe pre-eclampsia/HELLP Severe pre-eclampsia, unspecified trimester HELLP syndrome (HELLP), unspecified trimester Severe pre-eclampsia, [second/third] trimester HELLP syndrome (HELLP), [second/third] trimester Eclampsia Eclampsia in pregnancy, unspecified trimester Eclampsia, unspecified as to time period Eclampsia in pregnancy, [second/third] trimester Eclampsia in labor Eclampsia in the puerperium
Postpartum hemorrhage	666.0[024] 666.1[024] 666.2[024] 666.3[024]	O72.[0123]	
Pre-term birth (<37 weeks)	644.20 644.21	O60.10xx[0123459] O60.12xx[0123459]	Codes (644.20, 644.21) each include:

		O60.13xx[0123459] O60.14xx[0123459]	Onset (spontaneous) of delivery before 37 completed weeks of gestation Premature labor with onset of delivery before 37 completed weeks of gestation Preterm labor with preterm delivery
Fetal growth restriction	656.5[013]	O36.59[1239]	
Large for gestational age	653.5[013] 656.6[013]	O36.60X[0123459] O36.61X[0123459] O36.62X[0123459] O36.63X[0123459]	
Fetal death	656.4[013]	V27.1 V27.3 V27.4 V27.6 V27.7 Z37.1 Z37.3 Z37.4 Z37.6[012349] Z37.7 O36.4XX[0123459]	Stillborn (at least one, if multiple gestation) Fetal death: NOS, after completion of 22 weeks' gestation, late, Missed delivery

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

Additional Variables			
Diabetes, pre-existing	without chronic complications: 249.00-249.31 250.00-250.33 648.00-648.04 with chronic complications: 249.40-249.91 250.40-250.93	without chronic complications: E08.xx E09.xx E10.xx E11.xx E13.xx O24.[01389]xx with chronic complications: E08.[234568]xxx E09.[234568]xxx E10.[234568]xxx E11.[234568]xxx E13.[234568]xxx	ICD-9 Codes based on this source, with minor modification to remove codes specifically for fetal records: https://www.hcup-us.ahrq.gov/toolssoftware/comorbidity/Table2-FY12-V3_7.pdf ICD-10 Codes based on this source, with minor modification to remove codes specifically for fetal records: https://www.hcup-us.ahrq.gov/toolssoftware/comorbidityicd10/comformat_icd10cm_2019_1.txt
Hypertension, pre-existing	401.0 401.1 401.9 405 405.0 405.0[19] 405.1[19]	I10. I15.0 I15.1 I15.2 I15.8 I15.9 O10.01[1239]	<u>ICD-9 Code Descriptions</u> 401 Essential hypertension: Malignant, Benign, Unspecified 405 Secondary hypertension: Malignant (Renovascular, Other), Benign (Renovascular, Other), Unspecified (Renovascular, Other) 642.0 Benign essential hypertension complicating pregnancy, childbirth, and the puerperium

1	405.9	O10.02	642.1 Hypertension secondary to renal disease, complicating
2	405.9[19]	O10.03	pregnancy, childbirth, and the puerperium
3	642.0[0-4]	O10.41[1239]	642.2 Other pre-existing hypertension complicating
4	642.1[0-4]	O10.42	pregnancy, childbirth, and the puerperium
5	642.2[0-4]	O10.43	642.7 Pre-eclampsia or eclampsia superimposed on pre-
6	642.7[0-4]	O10.91[1239]	existing hypertension
7	642.9[0-4]	O10.92	642.9 Unspecified hypertension complicating pregnancy,
8		O10.93	childbirth, or the puerperium
9		O11.9	
10		O11.1	<u>ICD-10 Code Descriptions</u>
11		O11.2	Essential (primary) hypertension
12		O11.3	Pre-existing essential hypertension complicating pregnancy or
13			childbirth or puerperium
14			Unspecified pre-existing hypertension complicating pregnancy
15			or childbirth or puerperium
16			Renovascular hypertension
17			Hypertension secondary to other renal disorders
18			Pre-existing secondary hypertension complicating pregnancy
19			or childbirth or puerperium
20			Pre-existing hypertension with pre-eclampsia
21			Hypertension secondary to endocrine disorders
22			Other secondary hypertension
23			Secondary hypertension, unspecified
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			

Dyslipidemia, pre-existing	272.0 272.1 272.2 272.4	E78.0 E78.1 E78.2 E78.4 E78.5	Pure hypercholesterolemia Pure hyperglyceridemia Mixed hyperlipidemia Other hyperlipidemia Hyperlipidemia, unspecified
Obesity, pre-existing	278.01 278.00 278.03 649.1[01234] 793.91 V85.3[0123456789] V85.4[12345] V85.54	E66.0[19] E66.[1289] O99.21[012345] R93.9 Z68.3[0123456789] Z68.4[12345] Z68.54	Morbid (severe) obesity due to excess calories Other obesity due to excess calories Drug-induced obesity Morbid (severe) obesity with alveolar hypoventilation Other obesity Obesity, unspecified Obesity complicating pregnancy Obesity complicating childbirth Obesity complicating the puerperium Diagnostic imaging inconclusive due to excess body fat of patient Body mass index (BMI) 30.0 or greater, adult Body mass index (BMI) pediatric, greater than or equal to 95th percentile for age
Multiple gestation	V27.2 V27.3 V27.4 V27.5 V27.6	Z37.2 Z37.3 Z37.4 Z37.50 Z37.5[12349]	Twins, both liveborn Twins, one liveborn and one stillborn Twins, both stillborn Multiple births, unspecified, all liveborn

	V27.7	Z37.6[012349] Z37.7	Triplets/Quadruplets/Quintuplets/Sextuplets/Other multiple births, all liveborn Triplets/Quadruplets/Quintuplets/Sextuplets/Other multiple births, some liveborn Other multiple births, all stillborn
Gestational diabetes mellitus	648.8[01234]	O99.81[045] O24.4 O24.41 O24.41[049] O24.42 O24.42[049] O24.43 O24.43[049]	Abnormal glucose tolerance; Includes Gestational diabetes Abnormal glucose complicating pregnancy, childbirth and the puerperium
Mode of delivery: Cesarean section* Vaginal birth	765 766 [767/768, 774/775]	783 784 785 786 787 788 [768, 796, 797, 798, 805, 806, 807]	ICD-9 DRG Codes, V34, https://www.cms.gov/icd10manual/version34-fullcode-cms/fullcode_cms/P0372.html CESAREAN SECTION WITH/WITHOUT CC/MCC [VAGINAL DELIVERY WITH STERILIZATION AND/OR D&C, VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERILIZATION AND/OR D&C, VAGINAL DELIVERY WITH/WITHOUT COMPLICATING DIAGNOSES]

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

			<p>ICD-10 DRG Codes, V36 (2019), https://www.cms.gov/ICD10Manual/version36-fullcode-cms/fullcode_cms/P0370.html</p> <p>CESAREAN SECTION WITH/WITHOUT STERILIZATION WITH/WITHOUT CC/MCC [VAGINAL DELIVERY WITH O.R. PROC EXCEPT STERIL &/OR D&C VAGINAL DELIVERY WITH STERILIZATION/D&C WITH/WITHOUT CC/MCC VAGINAL DELIVERY WITHOUT STERILIZATION/D&C WITH/WITHOUT CC/MCC]</p>
--	--	--	---

**DRG = Diagnosis Related Group. DRGs comprise a patient classification system that categorizes patients into groups that are clinically coherent and homogeneous with respect to resource use. DRGs group patients according to diagnosis, type of treatment (procedures), age, and other relevant criteria. Each hospital stay has one DRG assigned to it. Reference: Wier LM, Witt E, Burgess J EA. Hospitalizations related to diabetes in pregnancy, 2008: Statistical brief #102. In: Healthcare Cost and Utilization Project (HCUP) Statistical Briefs. Rockville, MD: Agency for Healthcare Research and Quality; 2010.*

Supplemental Table 2. AIH and Maternal and Perinatal Outcomes by Race: Adjusted Analyses

	AIH vs Other CLD		AIH vs no CLD	
	AOR*, 95% CI	p value	AOR*, 95% CI	p value
Maternal Outcomes (reference group: White)				
Gestational DM				
Black	1.20 (1.01-1.41)	0.04	0.93 (0.91-0.95)	<0.001
Hispanic	1.94 (1.63-2.30)	<0.001	1.52 (1.49-1.55)	<0.001
Gestational HTN				
Black	1.09 (0.87-1.36)	0.44	1.01 (0.99-1.03)	0.46
Hispanic	0.82 (0.63-1.07)	0.14	0.63 (0.61-0.64)	<0.001
Hypertensive complications (pre-eclampsia, eclampsia, and/or HELLP syndrome)				
Black	1.38 (1.13-1.68)	0.002	1.35 (1.32-1.38)	<.001
Hispanic	1.60 (1.32-1.96)	<0.001	1.04 (1.01-1.06)	0.002
Cesarean section				
Black	0.93 (0.85-1.02)	0.15	1.20 (1.19-1.21)	<0.001
Hispanic	0.97 (0.87-1.07)	0.55	1.07 (1.05-1.08)	<0.001
Postpartum hemorrhage				
Black	0.73 (0.32-1.65)	0.44	1.15 (0.51-2.62)	0.73
Hispanic				
Maternal death	**		**	
Perinatal Outcomes (reference group: White)				
Pre-term birth (<37 weeks)				
Black	0.98 (0.82-1.16)	0.79	1.53 (1.48-1.57)	<0.001
Hispanic	1.04 (0.85-1.26)	0.71	1.13 (1.09-1.16)	<0.001
Fetal growth restriction				
Black	0.67 (0.51-0.87)	0.003	1.41 (1.37-1.46)	<0.001
Hispanic	0.47 (0.32-0.69)	<0.001	0.71 (0.69-0.74)	<0.001
Large for gestational age				
Black	0.87 (0.62-1.21)	0.40	0.53 (0.52-0.55)	<0.001
Hispanic	1.14 (0.82-1.58)	0.45	0.78 (0.76-0.80)	<0.001
Fetal death	**		**	

Abbreviations: autoimmune hepatitis (AIH), chronic liver disease (CLD), diabetes mellitus (DM), hypertension (HTN), hemolysis, elevated liver tests, low platelets (HELLP)

*Adjusted for age, multiple gestation, obesity, pre-existing HTN, pre-existing DM, pre-existing hyperlipidemia, and cirrhosis (when comparing AIH to other CLD)

** Insufficient outcomes to determine OR