

Supplementary Material Table 4. Antimicrobial Prevalence by Region

	Total	West	Central	Atlantic
Total number of antimicrobials, N	6525	2092	3372	1061
Antibiotics, N (%)	5454 (83.6)	1729 (82.6)	2801 (83.1)	924 (87.1)
Antifungals, N (%)	473 (7.2)	144 (6.9)	264 (7.8)	65 (6.1)
Antivirals, N (%)	477 (7.3)	179 (8.6)	250 (7.4)	48 (4.5)
Antituberculosis agents, N (%)	47 (0.7)	26 (1.2)	13 (0.4)	8 (0.8)
Antimalarial agents, N (%)	72 (1.1)	13 (0.6)	44 (1.3)	15 (1.4)
Other, N (%)	46 (0.7)	10 (0.5)	25 (0.7)	11 (1.0)
Antibiotics by Class, %				
Penicillins with β-lactamase inhibitors	19.1	19.3	20.0	16.1
Penicillins with extended spectrum	0.1	0.1	0.1	0
β-lactamase-resistant penicillins	1.4	2.1	0.8	1.7
β-lactamase-sensitive penicillins	4.1	3.5	4.4	4.1
1 st generation cephalosporins	13.4	14.6	12.2	14.7
2 nd generation cephalosporins	1.6	1.5	1.4	2.6
3 rd generation cephalosporins	11.1	13.3	9.5	12.0
4 th generation cephalosporins	0.1	0.1	0.2	0
5 th generation cephalosporins	0.1	0.2	0.1	0
Carbapenems	5.0	4.2	6.0	3.8
Fluoroquinolones	10.7	8.9	11.4	11.8
Aminoglycosides	2.1	1.0	2.9	1.7
Macrolides	4.0	4.0	3.8	4.3
Tetracyclines	2.5	2.0	2.7	2.5
Clindamycin	1.3	1.3	1.5	1.0
Metronidazole	5.3	5.9	4.1	7.9
Combinations of sulfonamides and trimethoprim	5.7	4.7	6.2	6.0
Linezolid	0.4	0.9	0.1	0.2
Vancomycin PO	2.5	2.0	2.8	2.4
Vancomycin IV	5.8	6.9	6.0	3.4
Nitrofurantoin	1.1	1.0	0.9	1.7
Colistin	0.3	0.1	0.4	0.0
Daptomycin	0.5	0.7	0.5	0.0
Rifamycins	1.1	1.1	1.1	1.0
Other	0.7	1.0	0.1	0.2

Appendix 5, as supplied by the authors. Appendix to: German GJ, Frenette C, Caissy J-A, et al. The 2018 Global Point Prevalence Survey of antimicrobial consumption and resistance in 47 Canadian hospitals: a cross-sectional survey. *CMAJ Open* 2021. doi: 10.9778/cmajo.20200274. Copyright ©2021 The Author(s) or their employer(s). To receive this resource in an accessible format, please contact us at cmaijgroup@cmaj.ca.