
Distribution of American indian participants (n = 540) by WHI clinic (%)
Tucson
La Jolla
Chapel Hill
UC Davis
Reno
San Antonio
Houston
Los Angeles
Medlantic
Bowman
Pawtucket
Buffalo
Detroit
Gainesville
Irvine
Torrance
New York
Seattle
Birmingham
Stanford
Atlanta
Memphis
Milwaukee
Chi−Rush
Portland
GWU−DC
Minneapolis
Brigham
Cincinnati
Columbus
Honolulu
Iowa City
Newark
Oakland
Worcester
Stonybrook
Chicago
Madison
Pittsburgh
n = 126 (23.3%)
n = 36 (6.7%)
n = 27 (5%)
n = 26 (4.8%)
n = 21 (3.9%)
n = 20 (3.7%)
n = 16 (3%)
n = 16 (3%)
n = 16 (3%)
n = 15 (2.8%)
n = 15 (2.8%)
n = 13 (2.4%)
n = 13 (2.4%)
n = 13 (2.4%)
n = 13 (2.4%)
n = 13 (2.4%)
n = 12 (2.2%)
n = 12 (2.2%)
n = 11 (2%)
n = 11 (2%)
n = 10 (1.9%)
n = 9 (1.7%)
n = 9 (1.7%)
n = 8 (1.5%)
n = 7 (1.3%)
n = 6 (1.1%)
n = 6 (1.1%)
0
20
40
60
80
100
Percent (%)