

Supplemental information

**mRNA-based COVID-19 vaccine
boosters induce neutralizing immunity
against SARS-CoV-2 Omicron variant**

Wilfredo F. Garcia-Beltran, Kerri J. St. Denis, Angelique Hoelzemer, Evan C. Lam, Adam D. Nitido, Maegan L. Sheehan, Cristhian Berrios, Onosereme Ofoman, Christina C. Chang, Blake M. Hauser, Jared Feldman, Alex L. Roederer, David J. Gregory, Mark C. Poznansky, Aaron G. Schmidt, A. John Iafrate, Vivek Naranbhai, and Alejandro B. Balazs

Table S1

Vaccinee cohort	recent vaccination (<3 months)	distant vaccination (6-12 months)	distant vaccination + infection	booster vaccination (<3 months)
Total (n)	65	62	41	71
Demographics				
Age (y) (median, range)				
Age (y) (median, range)	39 (24 – 72)	41 (18 – 71)	46 (22 – 78)	34 (22 – 76)
Sex (% female)	43/65 (66%)	40/62 (65%)	26/41 (63%)	41/71 (58%)
Community cohort (%)	20/65 (31%)	40/62 (65%)	33/41 (80%)	11/71 (15%)
Healthcare worker cohort (%)	45/65 (69%)	22/62 (35%)	8/41 (20%)	60/71 (85%)
Days since last dose (median, range)	17 (7 – 82)	244 (181 – 321)	229 (130 – 302)	31 (7 – 118)
mRNA-1273 (Moderna)				
Total (n)	24	23	8	33
Age (y) (median, range)	54 (24 – 72)	39 (23 – 65)	36 (22 – 56)	35 (23 – 74)
Sex (female, %)	17/24 (71%)	16/23 (70%)	3/8 (38%)	17/33 (52%)
Community cohort (%)	0/24 (0%)	9/23 (39%)	4/8 (50%)	3/33 (9%)
Healthcare worker cohort (%)	24/24 (100%)	14/23 (61%)	4/8 (50%)	30/33 (91%)
Days since last dose (median, range)	18 (7 – 60)	291 (181 – 315)	243 (130 – 302)	21 (7 – 82)
Cross-over vaccination regimen (%)	n.a.	n.a.	n.a.	1/33 (3%)
BNT162b2 (Pfizer)				
Total (n)	21	33	27	30
Age (y) (median, range)	32 (25 – 65)	43 (18 – 71)	47 (22 – 78)	33 (22 – 76)
Sex (female, %)	13/21 (62%)	22/33 (67%)	18/27 (67%)	19/30 (63%)
Community cohort (%)	0/21 (0%)	25/33 (76%)	24/27 (89%)	4/30 (13%)
Healthcare worker cohort (%)	21/21 (100%)	8/33 (24%)	3/27 (11%)	26/30 (87%)
Days since last dose (median, range)	13 (7 – 32)	224 (186 – 321)	217 (180 – 300)	49 (10 – 84)
Cross-over vaccination regimen (%)	n.a.	n.a.	n.a.	6/30 (20%)
Ad26.COV2.S (Janssen)				
Total (n)	20	6	6	8
Age (y) (median, range)	46 (24 – 67)	52 (34 – 71)	44 (35 – 68)	32 (23 – 37)
Sex (female, %)	13/20 (65%)	2/6 (33%)	5/6 (83%)	5/8 (63%)
Community cohort (%)	20/20 (100%)	6/6 (100%)	5/6 (83%)	4/8 (50%)
Healthcare worker cohort (%)	0/20 (0%)	0/6 (100%)	1/6 (17%)	4/8 (50%)
Days since last dose (median, range)	50 (11 – 82)	249 (184 – 269)	247 (233 – 266)	39 (20 – 118)
Cross-over vaccination regimen (%)	n.a.	n.a.	n.a.	7/8 (88%)

Table S1. Clinical data from vaccinee cohorts, related to Figure 2. Clinical data is shown for each pre-defined cohort.