
SUPPLEMENTAL MATERIAL

Table S1. Definition of Outcomes

(Outcomes	ICD-9 or ICD-10 codes
hrom	boembolism	
•	Ischemic stroke	Principal hospital discharge diagnoses
		ICD-9 codes 433.x1, 434.x1, 436.x
		ICD-10 codes I63.x, I67.89
		Positive Predictive Values (PPV) for the algorithm = 85% or
•	Systemic	higher ¹⁹ Principal hospital discharge diagnoses
	embolism	ICD-9 codes 444.2, 444.8 - 444.9, 593.81
		ICD-10 codes I74.2 – I74.9, N28.0
lajor I	Bleed	
•	Intracranial	Principal hospital discharge diagnosis
	hemorrhage	ICD-9 codes 430 – 432, 852.2, 852.4x, 853.0x
		ICD-10 codes I60 - I62, S06.34 - S06.36, S06.4 - S06.5
		PPV = 77% ¹⁹
•	Gastrointestinal	Principal hospital discharge diagnosis
	bleeds	ICD-9 codes 455.2, 455.5, 455.8, 456, 456.0, 456.2, 530.7, 530.82, 531.0 -
		531.6, 532.0 – 532.6, 533.0 – 533.6, 534.0 – 534.6, 535.1, 535.x1, 537.83,
		562.x2, 562.x3, 568.81, 569.3, 569.85, 578
		ICD-10 codes I85.01, I85.1, I86, K22.6, K22.8, K25.0 – K25.6, K26.0 –
		K26.6, K27.0 – K27.6, K28.0 – K28.6, K29.01, K29.21, K29.41, K29.51,
		K29.61, K29.71, K29.81, K29.91, K31.811, K52.81, K55.21, K57.11, K57.13
		K57.31, K57.33, K62.5, K64.4, K64.8, K66.1, K92.0 – K92.2
•	Other major	Principal hospital discharge diagnosis
	bleeds	ICD-9 codes 423.0, 459.0, 599.7, 719.11, 784.7, 784.8, 786.3
		ICD-10 codes I31.2, M25.01, R04.0 – R04.2, R31, R31.0, R31.9, R58

PPV for major bleeds = $85\%^{20}$

Figure S1. Cohort Flow



*Abbreviations: DOAC = direct oral anticoagulants; AF = atrial fibrillation; KPSC = Kaiser Permanente Southern California