

Supplementary Information

Supplementary Figure 1. Risk Ratios (95% CIs)* for Outcomes Among Hospitalized Pregnant Women (A) and Women Who Delivered (B) Aged 15–24 Years by Race (COVID-19 Diagnosis vs No COVID-19 Diagnosis) April to November 2020.




^{*}Risk ratios were not calculated for outcomes having a count of zero in either group (COVID-19 diagnosis vs no COVID-19 diagnosis). Other Non-Hispanic includes Native Hawaiian and Other Pacific Islander, American Indian and Alaska Native, and Some Other race. COVID-19=coronavirus disease 2019; ECMO=extracorporeal membrane oxygenation; ICU= intensive care unit.

Supplementary Figure 2. Risk Ratios (95% CIs)* for Outcomes Among Hospitalized Pregnant Women (A) and Women Who Delivered (B) Aged 25–34 Years by Race (COVID-19 Diagnosis vs No COVID-19 Diagnosis) April to November 2020.



*Risk ratios were not calculated for outcomes having a count of zero in either group (COVID-19 diagnosis vs no COVID-19 diagnosis). Other Non-Hispanic includes Native Hawaiian and Other Pacific Islander, American Indian and Alaska Native, and Some Other race. COVID-19=coronavirus disease 2019; ECMO=extracorporeal membrane oxygenation; ICU= intensive care unit.

Supplementary Figure 3. Risk Ratios (95% CIs)* for Outcomes Among Hospitalized Pregnant Women (A) and Women Who Delivered (B) Aged 35–44 Years by Race (COVID-19 Diagnosis versus No COVID-19 Diagnosis) April to November 2020.



^{*}Risk ratios were not calculated for outcomes having a count of zero in either group (COVID-19 diagnosis vs no COVID-19 diagnosis). Other Non-Hispanic includes Native Hawaiian and Other Pacific Islander, American Indian and Alaska Native, and Some Other race.

COVID-19=coronavirus disease 2019; ECMO=extracorporeal membrane oxygenation; ICU= intensive care unit.