nature research

Corresponding author(s):	Michel De Waard
Last updated by author(s):	Dec 1, 2021

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see our Editorial Policies and the Editorial Policy Checklist.

Statistics

1016	in statistical analyses, commit that the following items are present in the right elegand, table legand, main text, or interious section.
n/a	Confirmed
	$m{x}$ The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	🗷 A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
x	A description of all covariates tested
x	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
x	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
x	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
x	Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated

Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.

Software and code

Policy information about <u>availability of computer code</u>

Data collection

- $1) \ Molecular \ simulations \ have \ been \ done \ using \ PyMol \ (v2.4.0) \ show_bumps \ package \ (http://www.pymolwiki.org/index.php/Show_bumps).$
- ${\it 2) Processing of NMR data were performed with Bruker's TopSpin 3.2 and CcpNMR programs.}$
- 3) Electrophysiological recording of sodium currents were performed using DataControl384 (v.1.9.0.4 Nanion)
- 4) Two-electrode data were filtered at 4 kHz and digitized at 20 kHz using pClamp software (v10.7.0.3 Molecular Devices, USA)
- 5) Emitted fluorescence of Na+ imaging was band-pass filtered at 559 ± 17 nm before being recorded with a DaVinci 2K CMOS camera (SciMeasure, Decatur, GA) at 10 kHz with a pixel resolution of 30×128 .

Data analysis

- 1) Analysis of NMR data were performed with Bruker's TopSpin3.2 and CcpNMR programs. Spectra are drawn with CcpNMR program. 3D structure is drawn with the PyMOL (v2.4.0)
- 1)Electrophysiological recording of sodium currents were analysezd using custom made R scripts (R version 3.8 and 4.0, RStudio v.1.4.1106)
 2)Electrophysiology and imaging of brain slices were analysed using Matlab (v 7.12.0 (R2011a)).

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

Raw data and R or matlab codes are available upon reasonable request from corresponding author

Field-specific reporting

e select the one							

For a reference copy of the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size

sample size were chosen to ensure sufficient statistical power while maintaining workload and costs raisonnable. Giver our p-values, we were satisfied that our sample were above and beyond what was needed to reliably measure differences between conditions

Data exclusion

Only electrophysiological data out of electrophysiological quality controls (Seal resistance, series resistance, stability over control period) were exluded.

Replication

We used multiple cells from the same condition. The number of independant experiments performed are indicated in the figure legends.

Randomization

Randomization is not relevant in this study since most of the experiments are paired experiments for which each recording has been done first without compound and next with compound.

Blinding

Blinding was not possible for this study because experimenters prepared their own experiments. Nevertheless, coherent results have been obtained in 3 different independant sites

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description

Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).

Research sample

State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.

Sampling strategy

Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.

Data collection

Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.

Timing

Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.

Data exclusions

If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Non-participation

State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.

Randomization

If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose or	these points even when the disclosure is negative.								
Study description	Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.								
Research sample	Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.								
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.								
Data collection	Describe the data collection procedure, including who recorded the data and how.								
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken								
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.								
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.								
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.								
Blinding	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.								
Did the study involve field work, collec	tion and transport								
Field conditions	Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).								
Location	State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).								
Access & import/export	Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).								
Disturbance	escribe any disturbance caused by the study and how it was minimized.								
We require information from a system or method listed is rele	er specific materials, systems and methods suthors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material evant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.								
Materials & experime									
n/a Involved in the study	n/a Involved in the study								
Antibodies	X ChIP-seq X Flow cytometry								
	Palaeontology and archaeology MRI-based neuroimaging Animals and other organisms								
	Human research participants								
Clinical data	f								
x Dual use research o	r concern								

Antibodies

Antibodies used

Describe all antibodies used in the study; as applicable, provide supplier name, catalog number, clone name, and lot number.

Validation

Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.

Eukaryotic cell lines

Policy information about cell lines

Cell line source(s)

HEK cells hNaV1.1 (XM_011511604); hNaV1.2 (XM_017004655); hNaV1.6 (XM_011538651) channels CHO cells hKV1.2 (NG_027997.2); hNaV1.7 (XM_011511618); hERG (NM_000238)

Authentication

None of these cells were authentificated by our own

Mycoplasma contamination

All mycoplasma tests were negative for all cell lines

Commonly misidentified lines (See ICLAC register)

lone

Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

Neocortical brain slices, motor behavior or contractile properties of fast-EDL muscle were obtained from 21 to 35 postnatal days old male C57BI6 mice.

Mice were housed 5 per cage and maintained on a 12/12 h light/dark schedule in a temperature-controlled facility (22 ± 1 °C) with free access to food and water. Animals were kept undisturbed for 7 days before experiments.

Danio rerio, wild type AB strain zebrafish larvaes of 120 hours post fertilization of age were used in this study.

Wild animals

None.

Field-collected samples

No field collected samples were used

Ethics oversight

Procedures were reviewed by the ethics committee affiliated to the animal facility of the university (D3842110001) and performed in accordance with European Directives 2010/63/UE on the care, welfare, and treatment of animals.

Zebrafish larvaes (Danio rerio, wild type AB strain) were maintained under standardized conditions and experiments were conducted in accordance with local approval (APAFIS#4054-2016021116464098 v5) and the European Communities council directive 2010/63/EU

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight	Identify the organization(s) that approved the study protocol.					
lote that full information on the approval of the study protocol must also be provided in the manuscript.						
Clinical data						
Policy information about <u>cli</u> All manuscripts should comply	nical studies with the ICMJEguidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.					
Clinical trial registration	Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.					
Study protocol	Note where the full trial protocol can be accessed OR if not available, explain why.					
Data collection	Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.					
Outcomes	Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.					
Dual use research	of concern					
Policy information about <u>du</u>	ual use research of concern					
Hazards						
Could the accidental, delil in the manuscript, pose a	berate or reckless misuse of agents or technologies generated in the work, or the application of information presented					
No Yes Public health National security Crops and/or livestock Ecosystems Any other significant area						
Experiments of concer	n					
ı	y of these experiments of concern:					
No Yes	to render a vaccine ineffective					
	o therapeutically useful antibiotics or antiviral agents					
	nce of a pathogen or render a nonpathogen virulent					
Increase transmissi	☐ ☐ Increase transmissibility of a pathogen					
Alter the host range of a pathogen						
Enable evasion of d	Enable evasion of diagnostic/detection modalities					
Enable the weapon	Enable the weaponization of a biological agent or toxin					
Any other potentially harmful combination of experiments and agents						
ChIP-seq						
Data deposition						
Confirm that both raw and final processed data have been deposited in a public database such as GEO.						
Confirm that you have	Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.					
Data access links May remain private before public	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.					
Files in database submissi	on Provide a list of all files available in the database submission.					

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Genome browser session (e.g. $\underline{\text{UCSC}}$)

Methodology

Replicates Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

whether they were paired or single end.

Antibodies Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot

number.

Peak calling parameters | Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files

used

Data quality Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community

repository, provide accession details.

Flow Cytometry

Plots

Committee.
The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
All plots are contour plots with outliers or pseudocolor plots.
A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Confirm that

Sample preparation Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.

Instrument Identify the instrument used for data collection, specifying make and model number.

Software Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a

community repository, provide accession details.

samples and how it was determined.

Gating strategy Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell

population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design specifications

Design type Indicate task or resting state; event-related or block design.

Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial

or block (if trials are blocked) and interval between trials.

Behavioral performance measures

State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across

subjects).

Acquisition				
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.			
Field strength	Specify in Tesla			
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.			
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.			
Diffusion MRI Used	☐ Not used			
Preprocessing				
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).			
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.			
Normalization template Describe the template used for normalization/transformation, specifying subject space or group standardized sporiginal Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.				
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).			
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.			
Statistical modeling & infere	nce			
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).			
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.			
Specify type of analysis: W	hole brain ROI-based Both			
Statistic type for inference (See Eklund et al. 2016)				
Correction Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Ma				
Models & analysis				
n/a Involved in the study Functional and/or effectiv Graph analysis	e connectivity			
Multivariate modeling or p	redictive analysis			
Functional and/or effective conr	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).			
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).			

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.