Figure S5 Hospital-based, any (first or recurrent) stroke, including pre-stroke dementia versus Population-based, any (first or recurrent) stroke, including pre-stroke dementia

Stroke type	HB/P	Study name	Diagnostic Criteria					Event rate and 95% CI				
				Event rate	Lower limit	Upper limit						
ixed	HB	Akinyemi et al 2014	DSM-IV & AHA/ASA VCI	0.084	0.048	0.142	- 1	1		1		
ixed	HB	Barba et al 2000(1)	DSM IIIR	0.299	0.245	0.358		- 1	-	-		
ixed	HB	de Koning et al 1998	DSM IIIR	0.237	0.192	0.288		- 1	-	-		
ixed	HB	de Koning et al 2005(1)	DSM IV	0.289	0.216	0.376		- 1	- 1 -	-		
ixed	HB	Desmond et al 2000	DSM III	0.263	0.224	0.305		- 1	-	-		
3	HB	Gorelick et al 1993	DSM III	0.415	0.338	0.496		- 1		-		
ixed	HB	Henon et al 2001(1)	ICD10	0.310	0.239	0.391		- 1	-	<del>-</del>		
ixed	HB	Klimkowicz et al 2002(1)	DSM IV	0.314	0.256	0.378		- 1		-		
ixed	НВ	Ojagbemi et al 2017(1)	NINDS-AIREN	0.182	0.118	0.270		- 1	-	.		
ixed	HB	Pohjasvaara et al 1997(1	DSM III	0.255	0.217	0.297		- 1	-	-		
ixed	HB	Sarfo et al 2017	DSM-IV	0.207	0.121	0.330		- 1		-		
ixed	HB	Tang et al 2004(1)	DSM IV	0.200	0.157	0.251		- 1	-			
ixed	HB	Tang et al 2017	NINDS-AIREN/CDR	0.209	0.155	0.277		- 1	-			
ixed	HB	Yu et al 2013	DSM-IV	0.127	0.097	0.166		- 1	+			
ixed	HB	Zhou et al 2004(1)	DSM IV	0.272	0.232	0.316		- 1	-	-		
	HB			0.240	0.206	0.278		- 1	•	.		
mbined	P	Das et al 2013	CDR & DSM-III-R	0.100	0.067	0.148		- 1	-			
ES	P	Srikanth et al 2004	DSM IV	0.125	0.071	0.212		- 1	-			
	P			0.110	0.063	0.186		- 1	-			
							-1.00	-0.50	0.00	0.50	1.00	