

**S2 Table. Cytotoxicity of the essential oils and drugs against MCF-7 cells by MTT test.**

Plant essential oil or drug	IC <sub>50</sub> value				
	1	2	3	Mean	SD
<i>A. galanga</i> (µg/mL)	96.99	86.95	95.07	93.00	5.33
<i>B. rotunda</i> (µg/mL)	17.49	21.99	19.35	19.61	2.26
<i>C. aeruginosa</i> (µg/mL)	18.80	20.89	20.85	20.18	1.20
<i>C. longa</i> (µg/mL)	36.49	39.84	44.75	40.36	4.15
<i>C. mangga</i> (µg/mL)	34.75	32.94	34.34	34.01	0.95
<i>Z. montanum</i> (µg/mL)	72.87	64.90	73.89	70.55	4.92
<i>Z. officinale</i> (µg/mL)	24.83	19.93	29.15	24.64	4.61
<i>Z. ottensii</i> (µg/mL)	9.26	11.57	8.48	9.77	1.61
Doxorubicin (ng/mL)	11.96	10.08	18.85	13.63	4.62
Idarubicin (ng/mL)	8.09	2.29	6.38	5.58	2.98
Cytarabine (µg/mL)	2.23	1.56	1.83	1.87	0.34
Cyclophosphamide (µg/mL)	>400	>400	>400	>400	-