

Supplemental Online Content

Berry SD, Goldfeld KS, McConeghy K, et al. Evaluating the findings of the IMPACT-C randomized clinical trial to improve COVID-19 vaccine coverage in skilled nursing facilities. *JAMA Intern Med*. Published online January 31, 2022.
doi:10.1001/jamainternmed.2021.8067

eFigure 1. Variation in IMPACT-C intervention implementation across healthcare systems


eFigure 2. Proportion of SNF residents vaccinated by arm, stratified by percent minority resident status

eFigure 3. Proportion of SNF staff vaccinated by arm, stratified by percent minority resident status

eFigure 4. IMPACT-C study timeline


This supplemental material has been provided by the authors to give readers additional information about their work.

eFigure 1: Variation in IMPACT-C intervention implementation across healthcare systems



Note: Modified Fidelity Implementation Framework (FIF) scoring system; scores range from 0 to 16, total range of scores was divided into three tertiles: High, Medium, and Low implementation. Cells are counts of facilities in each category by healthcare system (i.e., chain).


eFigure 2: Proportion of SNF residents vaccinated by arm, stratified by percent minority resident status



Note: Proportion of SNF residents vaccinated by arm, stratified by percent minority resident status. Columns represent strata of racial minority residents within a facility, 1 = <25% Black residents, 2 = 25-40% Black residents, 3 = >40% Black residents. Intervention arm for each strata was either 1 = Intervention (shown in blue) or 2 = Usual Care (shown in red). Rows


represent four healthcare systems enrolled in the study, A = HCS A, B = HCS B, C = HCS C, and D = HCS D.

eFigure 3: Proportion of SNF staff vaccinated by arm, stratified by percent minority resident status



Note: Proportion of SNF staff vaccinated by arm, stratified by percent minority resident status. Columns represent strata of racial minority residents within a facility, 1 = <25% Black residents, 2 = 25-40% Black residents, 3 = >40% Black residents. Intervention arm for each strata was either 1 = Intervention (shown in blue) or 2 = Usual Care (shown in red). Rows represent four healthcare systems enrolled in the study, A = HCS A, B = HCS B, C = HCS C, and D = HCS D.

eFigure4: IMPACT-C study timeline



Note: The study timeline overlaid upon co-occurring COVID-19 cases and deaths among U.S. Nursing Home residents and staff. Pink shaded area represents three vaccine clinics conducted as part of the federal Pharmacy Partnership Program (PPP).