

Supplementary Table 3. Incidence rates of chronic kidney disease

Outcome	SBP (mmHg)							DBP (mmHg)					p-value
	<100 (n = 397)	100-119 (n = 3,016)	120-129 (n = 1,628)	130-139 (n = 1,148)	140-159 (n = 889)	≥160 (n = 265)	p-value	<70 (n = 727)	70-79 (n = 2,180)	80-89 (n = 2,405)	90-99 (n = 1,450)	≥100 (n = 581)	
Overall	3,848 (6.3%)	28,891 (5.3%)	14,334 (7.6%)	8,646 (11.3%)	5,462 (13.9%)	1,151 (14.7%)		6,999 (6.7%)	20,399 (6.3%)	21,063 (8.3%)	10,725 (10.3%)	3,145 (11.5%)	
Person-year	62,331	62,331	62,331	62,331	62,331	62,331		62,331	62,331	62,331	62,331	62,331	
Incident CKD	603 (8.2%)	603	603	603	603	603		603	603	603	603	603	
Incidence rate per 1,000 person-year (95% CI)	9.67 (8.92- 10.48)	5.57 (4.75- 6.50)	8.65 (7.20- 10.31)	15 (12.56- 17.85)	22.7 (18.88- 27.07)	33.88 (24.09- 46.32)	<0.001	7 (5.18- 9.26)	6.72 (5.64- 7.94)	9.5 (8.22- 10.91)	13.99 (11.84- 16.41)	21.3 (16.51- 27.05)	<0.001

CI, confidence interval; CKD, chronic kidney disease; DBP, diastolic blood pressure; SBP, systolic blood pressure.